

CATALOGO MOTORI



SRL

CODICE: **KLMT1249-**

3799747

0136603001



ROTAZIONE V.L.A.: Antiorario

∅ 178 X 328 mors 2

CARR.: **CLARK** CLARK

MOTORE: **BOSCH**

TIPO: **AMT5603<=C**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **4** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1244-**

3793373

CL3793442

0136603002



ROTAZIONE V.L.A.: Orario

∅ 178 X 310 mors 2

CARR.: **CLARK** CLARK

MOTORE: **BOSCH**

TIPO: **AMT4630=>F**

ARM. V1: **72** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **5** HP

U./MIN: **2200**


APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT2032-**

0136401006

0136401006



ROTAZIONE V.L.A.: Orario

∅ 125 X 253 mors 2

CARR.: **FENWICK** FENWICK

MOTORE: **BOSCH**

TIPO: **AMK5303=>F**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,5** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1616-**

5201429

0136503016



ROTAZIONE V.L.A.: Orario

∅ 150 X 343 mors 2

CARR.: **FIAT- OM** OM

MOTORE: **BOSCH**

TIPO: **AMP5611=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **5,5** HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1450-**

9452830

9459066

9296631

0136500033



ROTAZIONE V.L.A.: Orario

∅ 150 X 295 mors 2

CARR.: **FIAT- OM** E8N - E10N-

MOTORE: **BOSCH**

TIPO: **AMP4660=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



CODICE: **KLMT1421-**

9007944
0136500008
0136500013
0136500023



ROTAZIONE V.L.A.: Orario Ø 150 X 282 morsi 2

CARR.: **FIAT- OM** E6 - E8
MOTORE: **BOSCH**
TIPO: **0136500018**
ARM. V1: 24 A1:
ECC.: **SERIE**
V2: A2:
KW: 2,5 HP
U./MIN: 1500
APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1447-**

9452257
9451221
11214411



ROTAZIONE V.L.A.: Orario Ø 178 X 335 morsi 2

CARR.: **FIAT- OM** e/3 12N - e/3
MOTORE: **BOSCH**
TIPO: **AMT4620=>F**
ARM. V1: 36-48 A1: 240
ECC.: **SERIE**
V2: A2:
KW: 6 - 8,3 HP
U./MIN: 2100/2900
APPLIC.: **Sollevamento** SERV: **S3 - 25%**

CODICE: **KLMT1481-**

9816310
0136501030



ROTAZIONE V.L.A.: Orario Ø 150 X 0 morsi 2

CARR.: **FIAT- OM** E12C - E15C -
MOTORE: **BOSCH**
TIPO: **0.136.501.030**
ARM. V1: 40 A1:
ECC.: **SERIE**
V2: A2:
KW: 4,5 HP
U./MIN: 2300
APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1822-**

0136602006



ROTAZIONE V.L.A.: Orario Ø 178 X 335 morsi 2

CARR.: **IRION** IRION
MOTORE: **BOSCH**
TIPO: **TRL=>**
ARM. V1: 80 A1:
ECC.: **COMPOUND**
V2: A2:
KW: 8 HP
U./MIN: 2400
APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1605-**

11214015
0136353011



ROTAZIONE V.L.A.: Orario Ø 112 X 234 morsi 2

CARR.: **JUNGHEINRICH VARI**
MOTORE: **BOSCH**
TIPO: **AMJ=>B**
ARM. V1: 24 A1:
ECC.: **COMPOUND**
V2: A2:
KW: 2,1 HP
U./MIN: 2500
APPLIC.: **Sollevamento** SERV: **S3**

CATALOGO MOTORI



CODICE: **KLMT1056-**

28714460
19960309
1517220544
0136501059



ROTAZIONE V.L.A.: Orario

Ø 150 X 278 | morsa 2

CARR.: **JUNGHEINRICH ETX150**

MOTORE: **BOSCH**

TIPO: **AMP4635=>C**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1005-**

0009761102
0009761112
0009761182
0009761192



ROTAZIONE V.L.A.: Orario

Ø 177 X 338 | morsa 2

CARR.: **LINDE** E10 - 12 - 15

MOTORE: **BOSCH**

TIPO: **0136601005**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP


U./MIN: **1900**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1620-**

022439
E190011
1517220541
0136501055



ROTAZIONE V.L.A.: Orario

Ø 150 X 315 | morsa 2

CARR.: **PIMESPO** VARI

MOTORE: **BOSCH**

TIPO: **AMP4632=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S1**

CODICE: **KLMT1612-**

022437
022435*
E190009
0136355070



ROTAZIONE V.L.A.: Orario

Ø 112 X 200 | morsa 2

CARR.: **PIMESPO** PIM. - SAMA

MOTORE: **BOSCH**

TIPO: **AMJ5156=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1613-**

022436
9836662
0136355071



ROTAZIONE V.L.A.: Orario

Ø 112 X 212 | morsa 2

CARR.: **PIMESPO** TSC20

MOTORE: **BOSCH**

TIPO: **AMJ5157=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1607-**

E190007

EX01363550

0136355054



ROTAZIONE V.L.A.: Orario

∅ 112 X 212 morsi 2

CARR.: **SAMAG** VARI

MOTORE: **BOSCH**

TIPO: **AMJ5161=>B**

ARM. V1: 12 A1:

ECC.: **COMPOUND**

V2: A2:

KW: 1,3 HP

U./MIN: 2400

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1502-**

E190010

1517220538

0136500032



ROTAZIONE V.L.A.: Orario

∅ 150 X 295 morsi 2

CARR.: **SAMAG** SAMAG - BO

MOTORE: **BOSCH**

TIPO: **AMP4659=>F**

ARM. V1: 24 A1:

ECC.: **SERIE**

V2: A2:

KW: 2,5 HP

U./MIN: 1500

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1610-**

E190008

11214060



ROTAZIONE V.L.A.: Orario

∅ 114 X 173 morsi 2

CARR.: **SAMAG** SAMAG

MOTORE: **BOSCH**

TIPO: **AMJ5149=>R**

ARM. V1: 24 A1:

ECC.: **COMPOUND**

V2: A2:

KW: 1,5 HP

U./MIN: 2500

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1606-**

11214053

0136355053



ROTAZIONE V.L.A.: Orario

∅ 112 X 200 morsi 2

CARR.: **VARI** VARI

MOTORE: **BOSCH**

TIPO: **AMJ5166 =>F**

ARM. V1: 12 A1:

ECC.: **COMPOUND**

V2: A2:

KW: 1,3 HP

U./MIN: 2400

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1615-**

11214210

1517220546

0541400042

0136503010



ROTAZIONE V.L.A.: Orario

∅ 150 X 343 morsi 2

CARR.: **VARI** BOSCH

MOTORE: **BOSCH**

TIPO: **AMP5610=>F**

ARM. V1: 24 A1:

ECC.: **COMPOUND**

V2: A2:

KW: 5,5 HP

U./MIN: 2000

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI




CODICE: **KLMT1608-**

11214057

697710

0136355057



ROTAZIONE V.L.A.: Orario

Ø 112 X 200 mors 2

CARR.: **VARI** JUNGHEINRI

MOTORE: **BOSCH**

TIPO: **AMJ5154=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3 - 10%**

CODICE: **KLMT1604-**

11214012

0136350012



ROTAZIONE V.L.A.: Antiorario

Ø 114 X 162 mors 2

CARR.: **VARI** VARI - BT

MOTORE: **BOSCH**

TIPO: **AMJ4661<=T**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,9** HP

U./MIN: **4700**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1609-**

11214058

0136355058



ROTAZIONE V.L.A.: Orario

Ø 112 X 212 mors 2

CARR.: **VARI** VARI

MOTORE: **BOSCH**

TIPO: **AMJ5163=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1611-**

11214061

1697465/309

0136355061



ROTAZIONE V.L.A.: Orario

Ø 112 X 196 mors 2

CARR.: **VARI** VOLVO - ME

MOTORE: **BOSCH**

TIPO: **AMJ5155=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2992-**

1517220549

0136500040



ROTAZIONE V.L.A.: Orario

Ø 150 X 295 mors 2

CARR.: **VARI** BOSCH

MOTORE: **BOSCH**

TIPO: **AMP4664=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **2,5** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S3 - 20%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1619-**

11214254
1517220540

0136501054



ROTAZIONE V.L.A.: Orario

∅ 150 X 340 mors 2

CARR.: **VARI** BOSCH
MOTORE: **BOSCH**
TIPO: **AMP4643=>F**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **4,1** HP
U./MIN: **1200**
APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT3106-**

0136501011*
0136501036*



ROTAZIONE V.L.A.: Orario

∅ 150 X 328 mors 2

CARR.: **VARI** VARI
MOTORE: **BOSCH**
TIPO: **QRL**
ARM. V1: **40-48** A1:
ECC.: **SERIE**
V2: A2:
KW: **3** HP
U./MIN:
APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1154-**

1517220547

0136501089



ROTAZIONE V.L.A.: Orario


∅ 150 X 310 mors 2

CARR.: **VARI** VARI
MOTORE: **BOSCH**
TIPO: **AMP4657=>F**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **3,7** HP
U./MIN: **1600**
APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1153-**

1517220542
0009810775

0136501057



ROTAZIONE V.L.A.: Orario

∅ 150 X 310 mors 2

CARR.: **VARI** VARI
MOTORE: **BOSCH**
TIPO: **AMP4633=>F**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **3,7** HP
U./MIN: **1200**
APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1621-**

1517220543
4109-0402

0136501058



ROTAZIONE V.L.A.: Orario

∅ 150 X 315 mors 2

CARR.: **VARI** ° BOSCH
MOTORE: **BOSCH**
TIPO: **AMP4634=>F**
ARM. V1: **80** A1:
ECC.: **SERIE**
V2: A2:
KW: **3** HP
U./MIN: **1800**
APPLIC.: **Sollevamento** SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1406-**

8004539

1517220545

0136501069



ROTAZIONE V.L.A.: Orario

∅ 150 X 308 | mors 2

CARR.: **WAGNER** WAGNER

MOTORE: **BOSCH**

TIPO: **AMP4661**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1405-**

8004535

0136355067



ROTAZIONE V.L.A.: Orario

∅ 112 X 200 | mors 2

CARR.: **WAGNER** EGV

MOTORE: **BOSCH**

TIPO: **AMJ5168=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: