


# CATALOGO MOTORI



SRL

CODICE: **KLMT1101-**

9423913  
9294108



ROTAZIONE V.L.A.: Orario    Ø 200 X 430    mors 2

CARR.: **FIAT- OM**    E20B - E25B  
MOTORE: **ANSALDO**  
TIPO: **K1P1041B013**  
ARM. V1: **72**    A1: **203-8**  
ECC.: **SERIE**  
V2:    A2:  
KW: **11-4,8**    HP  
U./MIN: **1600-2600**

APPLIC.: **Sollevamento**    SERV: **S3 - 12%**

CODICE: **KLMT2270-**

9283145



ROTAZIONE V.L.A.: Orario    Ø 259 X 612    mors 2

CARR.: **FIAT- OM**    E30- E35 -E3  
MOTORE: **ANSALDO**  
TIPO: **MYP66**  
ARM. V1: **80**    A1: **160-6**  
ECC.: **SERIE**  
V2:    A2:  
KW: **11-4**    HP  
U./MIN: **1500-2600**

APPLIC.: **Sollevamento**    SERV: **S2 = 60'**

CODICE: **KLMT1421-**

9007944  
0136500008  
0136500013  
0136500023



ROTAZIONE V.L.A.: Orario    Ø 150 X 282    mors 2

CARR.: **FIAT- OM**    E6 - E8  
MOTORE: **BOSCH**  
TIPO: **0136500018**  
ARM. V1: **24**    A1:  
ECC.: **SERIE**  
V2:    A2:  
KW: **2,5**    HP  
U./MIN: **1500**

APPLIC.: **Sollevamento**    SERV:

CODICE: **KLMT1616-**

5201429  
0136503016



ROTAZIONE V.L.A.: Orario    Ø 150 X 343    mors 2

CARR.: **FIAT- OM**    OM  
MOTORE: **BOSCH**  
TIPO: **AMP5611=>F**  
ARM. V1: **24**    A1:  
ECC.: **COMPOUND**  
V2:    A2:  
KW: **5,5**    HP  
U./MIN: **2000**

APPLIC.: **Sollevamento**    SERV: **S3**

CODICE: **KLMT1450-**

9452830  
9459066  
9296631  
0136500033



ROTAZIONE V.L.A.: Orario    Ø 150 X 295    mors 2

CARR.: **FIAT- OM**    E8N - E10N-  
MOTORE: **BOSCH**  
TIPO: **AMP4660=>F**  
ARM. V1: **24**    A1:  
ECC.: **SERIE**  
V2:    A2:  
KW: **3**    HP  
U./MIN: **1600**

APPLIC.: **Sollevamento**    SERV: **S3**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1447-**

9452257

9451221

11214411



ROTAZIONE V.L.A.: Orario

∅ 178 X 335 morsi 2

CARR.: **FIAT- OM** e/3 12N - e/3

MOTORE: **BOSCH**

TIPO: **AMT4620=>F**

ARM. V1: **36-48** A1: **240**

ECC.: **SERIE**

V2: A2:

KW: **6 - 8,3** HP

U./MIN: **2100/2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 25%**

CODICE: **KLMT1481-**

9816310

0136501030



ROTAZIONE V.L.A.: Orario

∅ 150 X 0 morsi 2

CARR.: **FIAT- OM** E12C - E15C -

MOTORE: **BOSCH**

TIPO: **0.136.501.030**

ARM. V1: **40** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP


U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3111-**

AM200.00150



ROTAZIONE V.L.A.: Orario

∅ 253 X 399 morsi 3

CARR.: **FIAT- OM** E30AC

MOTORE: **FIAT- OM**

TIPO: **AM200.001502**

ARM. V1: **3x54V** A1:

ECC.: **ASINCRONO 81Hz**

V2: A2:

KW: **19** HP

U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1454-**

9454090



ROTAZIONE V.L.A.: Orario

∅ 295 X 558 morsi 2

CARR.: **FIAT- OM** E60N - E70N -

MOTORE: **FIAT- OM**

TIPO: **S41P**

ARM. V1: **80** A1: **344**

ECC.: **SERIE**

V2: A2:

KW: **22** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**


SERV: **S3 = 18%**

CODICE: **KLMT1469-**

9460161

9460101

K2P088CEC



ROTAZIONE V.L.A.: Orario

∅ 165 X 378 morsi 2

CARR.: **FIAT- OM** EU3/12-EU3/1

MOTORE: **GIEM**

TIPO: **K2P088**

ARM. V1: **48** A1: **235**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3-20%**


# CATALOGO MOTORI



SRL

CODICE: **KLMT1458-**

9456063  
9453345  
9452593  
K2P104AEAA




ROTAZIONE V.L.A.: Orario      Ø 194 X 395    mors 2

CARR.: **FIAT- OM**      E15NH - E18  
MOTORE: **GIEM**  
TIPO: **K2P104A**  
ARM. V1: **72-80**      A1: **200**  
ECC.: **SERIE**  
V2:      A2:  
KW: **11,6\12,9**      HP  
U./MIN: **2150\2390**

APPLIC.: **Sollevamento**      SERV: **S3-15%**

CODICE: **KLMT1457-**

9456062  
9453112  
K106A01




ROTAZIONE V.L.A.: Orario      Ø 195 X 433    mors 2

CARR.: **FIAT- OM**      E20NH-E25N-  
MOTORE: **GIEM**  
TIPO: **K2P106CL**  
ARM. V1: **72-80**      A1: **246**  
ECC.: **SERIE**  
V2:      A2:  
KW: **14,5\16,1**      HP  
U./MIN: **2500\2780**

APPLIC.: **Sollevamento**      SERV: **S3-20%**

CODICE: **KLMT1456-**

9456061  
9453637  
K12AD013D



ROTAZIONE V.L.A.: Orario      Ø 239 X 454    mors 2

CARR.: **FIAT- OM**      E35N - E40N -  
MOTORE: **GIEM**  
TIPO: **K2P122C**  
ARM. V1: **72-80**      A1: **250**  
ECC.: **SERIE**  
V2:      A2:  
KW: **15,2\17**      HP  
U./MIN: **2420\2700**

APPLIC.: **Sollevamento**      SERV: **S3 - 20%**

CODICE: **KLMT2947-**

9456061  
9453637  
K12AD013D




ROTAZIONE V.L.A.: Antiorario      Ø 114 X 160    mors 2

CARR.: **FIAT- OM**      LIFTER LC-S  
MOTORE: **ISKRA**  
TIPO: **AMJ5767<=C**  
ARM. V1: **24**      A1: **140**  
ECC.: **COMPOUND**  
V2:      A2:  
KW: **2,2**      HP  
U./MIN: **2700**

APPLIC.: **Sollevamento**      SERV: **S3-5%**

CODICE: **KLMT3340-**

0009760923



ROTAZIONE V.L.A.: Entrambi i sensi      Ø 260 X 370    mors 3

CARR.: **FIAT- OM**      ac XE25  
MOTORE: **JULI**  
TIPO: **AP4H6-L2-1**  
ARM. V1: **3F X 45**      A1: **360**  
ECC.: **ASINCRONO 100Hz**  
V2:      A2:  
KW: **22**      HP  
U./MIN: **2890**

APPLIC.: **Sollevamento**      SERV: **S3-15%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT2582-**

95353003

95351347

1002054



ROTAZIONE V.L.A.: Orario

∅ 178 X 283 morsi 2

CARR.: **FIAT- OM** XE15-18

MOTORE: **JULI**

TIPO: **GP116-14/7.9**

ARM. V1: **48** A1: **230**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento** SERV: **15%**

CODICE: **KLMT3172-**

529525



ROTAZIONE V.L.A.: Orario

∅ 250 X 335 morsi 2

CARR.: **FIAT- OM** XE40

MOTORE: **JULI**

TIPO: **GP164-M1**

ARM. V1: **80** A1: **320**

ECC.: **SERIE**

V2: A2:


KW: **21** HP

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1468-**

9459070



ROTAZIONE V.L.A.: Orario

∅ 170 X 365 morsi 2

CARR.: **FIAT- OM** E12N - E15N

MOTORE: **LEROY**

TIPO: **T17**

ARM. V1: **36-48** A1: **220/2**

ECC.: **SERIE**

V2: A2:

KW: **6,7/9** HP

U./MIN: **2000/2800**

APPLIC.: **Sollevamento** SERV: **S3 - 30%**

CODICE: **KLMT2086-**

9289373



ROTAZIONE V.L.A.: Orario

∅ 200 X 430 morsi 2

CARR.: **FIAT- OM** E20 48V.

MOTORE: **LEROY**

TIPO: **T20B**

ARM. V1: **48** A1: **280**

ECC.: **SERIE**

V2: A2:

KW: **11** HP

U./MIN: **3300**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1795-**

9457355



ROTAZIONE V.L.A.: Orario

∅ 194 X 430 morsi 2

CARR.: **FIAT- OM** EU25-EU28-E

MOTORE: **LEROY**

TIPO: **T19**

ARM. V1: **72-80** A1: **240**

ECC.: **SERIE**

V2: A2:

KW: **14,5-16** HP

U./MIN: **2500-2750**

APPLIC.: **Sollevamento** SERV: **S3 - 30%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1462-**

9457646

3751429



ROTAZIONE V.L.A.: Orario Ø 190 X 400 morsi 2

CARR.: **FIAT- OM** EU18-EU20-E  
 MOTORE: **LEROY**  
 TIPO: **T19**  
 ARM. V1: **72-80** A1: **185**  
 ECC.: **SERIE**  
 V2: A2:  
 KW: **11,6-12,9** HP  
 U./MIN: **2150-2300**  
 APPLIC.: **Sollevamento** SERV: **3 - 30/100**

CODICE: **KLMT1752-**

9458952



ROTAZIONE V.L.A.: Orario Ø 240 X 455 morsi 2

CARR.: **FIAT- OM** E40N  
 MOTORE: **LEROY**  
 TIPO: **T22**  
 ARM. V1: **80** A1: **240**  
 ECC.: **SERIE**  
 V2: A2:  
 KW: **17** HP  
 U./MIN: **2700**  
 APPLIC.: **Sollevamento** SERV: **S3 - 30%**

CODICE: **KLMT1460-**

9456475

9457593



ROTAZIONE V.L.A.: Orario Ø 190 X 330 morsi 2

CARR.: **FIAT- OM** EU3/12 - EU3/  
 MOTORE: **LEROY SOMMER**  
 TIPO: **T19**  
 ARM. V1: **48** A1: **215**  
 ECC.: **SERIE**  
 V2: A2:  
 KW: **9** HP  
 U./MIN: **2800**  
 APPLIC.: **Sollevamento** SERV: **S3 20%**

CODICE: **KLMT1440-**

9293295

9268495?



ROTAZIONE V.L.A.: Orario Ø 150 X 276 morsi 2

CARR.: **FIAT- OM** E6 - E8  
 MOTORE: **M.MARELLI**  
 TIPO: **MTX12B**  
 ARM. V1: **24** A1:  
 ECC.: **SERIE**  
 V2: A2:  
 KW: **2,5** HP  
 U./MIN: **2000**  
 APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1442-**

9295099

MTX14



ROTAZIONE V.L.A.: Orario Ø 150 X 340 morsi 2

CARR.: **FIAT- OM** E12C - E15C  
 MOTORE: **MAGNETI MARELLI**  
 TIPO: **MTX 14 A**  
 ARM. V1: **24-36-48** A1:  
 ECC.: **SERIE**  
 V2: A2:  
 KW: **2,8-4,4-6** HP  
 U./MIN: **2000-2700**  
 APPLIC.: **Sollevamento** SERV:

# CATALOGO MOTORI



CODICE: **KLMT2049-**

9272190  
9269665  
9269667  
9286956



ROTAZIONE V.L.A.: Orario Ø 185 X 490 mors 2

CARR.: **FIAT- OM** E12CE - E15B  
MOTORE: **PELLIZZARI**  
TIPO: **E100MSP**  
ARM. V1: **36-48** A1: **260**  
ECC.: **COMPOUND**  
V2: A2:  
KW: **6,76** HP **9-14**  
U./MIN: **1300-2000**  
APPLIC.: **Sollevamento** SERV: **LIMIT.3'**

CODICE: **KLMT2826-**

9479209

FOMB22126



ROTAZIONE V.L.A.: CCW Ø 250 X 520 mors 6

CARR.: **FIAT- OM** FASE  
MOTORE: **SME**  
TIPO: **FOMB22126AUHA**  
ARM. V1: **3F-48** A1: **385**  
ECC.: **ASINCRONO** Hz  
V2: A2:  
KW: **23** HP  
U./MIN: **2023**  
APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT2193-**

95352853



ROTAZIONE V.L.A.: CCW Ø 0 X 0 mors 3

CARR.: **FIAT- OM** FASE20 - 30  
MOTORE: **SME**  
TIPO: **BOMA2012SSVFA**  
ARM. V1: **3F-67** A1: **180**  
ECC.: **ASINCRONO** Hz.  
V2: A2:  
KW: **16,7** HP  
U./MIN: **2800**  
APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1461-**

9457632




ROTAZIONE V.L.A.: CCW Ø 210 X 405 mors 3

CARR.: **FIAT- OM** FASE30  
MOTORE: **SME**  
TIPO: **BOOMT15**  
ARM. V1: **3F-67** A1: **180**  
ECC.: **ASINCRONO 52HZ**  
V2: A2:  
KW: **16,7** HP  
U./MIN: **2800**  
APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1620-**

022439  
E190011  
1517220541  
0136501055



ROTAZIONE V.L.A.: Orario Ø 150 X 315 mors 2

CARR.: **PIMESPO** VARI  
MOTORE: **BOSCH**  
TIPO: **AMP4632=>F**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **3** HP  
U./MIN: **1600**  
APPLIC.: **Sollevamento** SERV: **S1**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1613-**

022436  
9836662

0136355071



ROTAZIONE V.L.A.: Orario

∅ 112 X 212 morsa 2

CARR.: **PIMESPO** TSC20  
MOTORE: **BOSCH**  
TIPO: **AMJ5157=>B**  
ARM. V1: 24 A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: 2 HP  
U./MIN: 1800

APPLIC.: Sollevamento SERV: S3

CODICE: **KLMT1612-**

022437  
022435\*  
E190009

0136355070



ROTAZIONE V.L.A.: Orario

∅ 112 X 200 morsa 2

CARR.: **PIMESPO** PIM. - SAMA  
MOTORE: **BOSCH**  
TIPO: **AMJ5156=>F**  
ARM. V1: 24 A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: 2 HP  
U./MIN: 1800

APPLIC.: Sollevamento SERV: S3

CODICE: **KLMT3008-**

95320739

113866B\*



ROTAZIONE V.L.A.: Antiorario

∅ 107 X 125 morsa 2

CARR.: **PIMESPO** TL18  
MOTORE: **ECIA**  
TIPO: **112242G**  
ARM. V1: 24 A1:  
ECC.: **SERIE**  
V2: A2:  
KW: 1,2 HP  
U./MIN:

APPLIC.: Sollevamento SERV: S3-10%

CODICE: **KLMT1114-**

111458A  
95301141

111895



ROTAZIONE V.L.A.: Antiorario

∅ 125 X 229 morsa 2

CARR.: **PIMESPO** CTX  
MOTORE: **HPI**  
TIPO: **111895D**  
ARM. V1: 24 A1:  
ECC.:  
V2: A2:  
KW: 3 HP  
U./MIN: 2600

APPLIC.: Sollevamento SERV: S3-15%

CODICE: **KLMT1598-**

087905012  
087905120\*



ROTAZIONE V.L.A.: Orario

∅ 125 X 266 morsa 2

CARR.: **PIMESPO** IDEA TX  
MOTORE: **ISKRA**  
TIPO: **AMK5668=>C**  
ARM. V1: 24 A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: 3 HP  
U./MIN: 3300

APPLIC.: Sollevamento SERV: S3

# CATALOGO MOTORI



CODICE: **KLMT2040-**

95311803  
11212357  
1547220504  
1547220533



ROTAZIONE V.L.A.: Orario

∅ 112 X 182 mors 2

CARR.: **PIMESPO** SIROA  
MOTORE: **ISKRA**  
TIPO: **AMJ5284=>R**  
ARM. V1: **48** A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: **2** HP  
U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-7%**

CODICE: **KLMT1686-**

11216025  
1517220565  
  
0541200058\*



ROTAZIONE V.L.A.: Orario

∅ 112 X 191 mors 2

CARR.: **PIMESPO** SIROA  
MOTORE: **ISKRA**  
TIPO: **AMJ5286=>F**  
ARM. V1: **48** A1: **100**  
ECC.:  
V2: A2:  
KW: **2** HP  
U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3=7%**

CODICE: **KLMT2985-**

95319877



ROTAZIONE V.L.A.: Orario

∅ 225 X 346 mors 2

CARR.: **PIMESPO** THESI2  
MOTORE: **JULI**  
TIPO: **GP138-P6**  
ARM. V1: **48** A1: **330**  
ECC.: **SERIE**  
V2: A2:  
KW: **11,5** HP  
U./MIN: **1500**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT3035-**

888408362



ROTAZIONE V.L.A.: Orario

∅ 251 X 335 mors 2

CARR.: **PIMESPO** DUAL 15/3  
MOTORE: **JULI**  
TIPO: **GP164-M2**  
ARM. V1: **80** A1: **320**  
ECC.: **SEPARATA**  
V2: **50** A2: **23**  
KW: **21** HP  
U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1063-**

020014  
  
2300/G



ROTAZIONE V.L.A.: Orario

∅ 150 X 336 mors 2

CARR.: **PIMESPO** PIMESPO  
MOTORE: **PIMESPO**  
TIPO: **150**  
ARM. V1: **24** A1: **180**  
ECC.: **SERIE**  
V2: A2:  
KW: **3** HP  
U./MIN: **1500**

APPLIC.: **Sollevamento** SERV: **S3**

# CATALOGO MOTORI




SRL

CODICE: **KLMT1066-**

023500  
9835599

2519



ROTAZIONE V.L.A.: Orario

∅ 177 X 395 mors 3

CARR.: **PIMESPO** M2

MOTORE: **PIMESPO**

TIPO: **177R 3MO PPP.26**

ARM. V1: **48** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **5** HP

U./MIN: **2300\3200**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT2353-**

022482



ROTAZIONE V.L.A.: Orario

∅ 177 X 393 mors 3

CARR.: **PIMESPO** M2

MOTORE: **PIMESPO**

TIPO: **177R 3MO**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **5** HP

U./MIN: **2300\3200**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3295-**

95310984



ROTAZIONE V.L.A.: Orario

∅ 177 X 345 mors 2

CARR.: **PIMESPO** PIMESPO

MOTORE: **PIMESPO**

TIPO: **177R V.INT.**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **1980**


APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2581-**

70908002

2213/E



ROTAZIONE V.L.A.: Orario

∅ 112 X 190 mors 2

CARR.: **PIMESPO** SIROA

MOTORE: **PIMESPO**

TIPO: **112**

ARM. V1: **48** A1: **55**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1392-**

71905302



ROTAZIONE V.L.A.: Orario

∅ 253 X 410 mors 4

CARR.: **PIMESPO** TRILATERAL

MOTORE: **PIMESPO**

TIPO: **253 4MO N20 P24**

ARM. V1: **72** A1:

ECC.: **SERIE**

V2: A2:

KW: **14** HP

U./MIN: **1850**

APPLIC.: **Sollevamento**

SERV: **S3**