

CATALOGO MOTORI



SRL

CODICE: **KLMT3018-**

=8423754

CSN362205



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 160 mors 3

CARR.: **STILL** EK12

MOTORE: **MEZ - EM BRNO**

TIPO: **S56F**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **5500**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1489-**

B-481242X785



ROTAZIONE V.L.A.: Orario

∅ 142 X 210 mors 2

CARR.: **STILL-BAKER** R20-25

MOTORE: **OHIO ELECTRIC MOTOR**

TIPO: **PM**

ARM. V1: **36-48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: HP

U./MIN:

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2436-**

0009761277

9531984

908-013



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 275 mors 2

CARR.: **LINDE - STILL** R14 - 11

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-./22**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1040-**

0009761269

8407513



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 273 mors 2

CARR.: **LINDE - STILL** R14 - 11

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-879/818**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT3409-**

0009761282

50040966*



ROTAZIONE V.L.A.: Orario

∅ 112 X 220 mors 2

CARR.: **LINDE - STILL** R07-20H

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5-714/645-./04**

ARM. V1: **80** A1: **8,5**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **1380**

APPLIC.: **Servosterzo** SERV: **S3 - 42%**

CATALOGO MOTORI



CODICE: **KLMT2188-**

8416142

50029813*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 250 mors 3

CARR.: **STILL** EGV-S13

MOTORE: **SCHABMULLER**

TIPO: **R100/0,15-225/172-81-18 SO**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3164-**

938552

4479938

50055487



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 164 mors 3

CARR.: **STILL** TRASPAL

MOTORE: **SCHABMULLER**

TIPO: **TSL100-172.18**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4?** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2762-**

8423754

8424347

8421722

50041682



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 255 mors 3

CARR.: **STILL** EK12

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-232/170-81-46**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **5505**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2205-**

415877

917993

50027129



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 112 X 290 mors 3

CARR.: **STILL** GX13

MOTORE: **SCHABMULLER**

TIPO: **R112/0,6-665/631-81-51MKTV**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,6** HP

U./MIN: **3470**

APPLIC.: **Servosterzo**

SERV: **S3=33%**

CODICE: **KLMT1150-**

148452

0524241*

0377148452

50019958*



ROTAZIONE V.L.A.: Orario

∅ 112 X 220 mors 2

CARR.: **STILL** R07-20H

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5-714/645-./04**

ARM. V1: **80** A1: **8,5**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **1380**

APPLIC.: **Servosterzo**

SERV: **S3 - 42%**

CATALOGO MOTORI



CODICE: **KLMT2733-**

8020888
WA020888
8411696
50015331



CARR.: **WAGNER - STILL FM**

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-184/149-81-18**

ARM. V1: **23,5** A1: **25**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2950**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 166 mors 3

APPLIC.: **Servosterzo**

SERV: **S3-60%**

CODICE: **KLMT1203-**

302710
142557
344619



CARR.: **STILL** R50

MOTORE: **STILL**

TIPO: **G078-14/4,4**

ARM. V1: **24** A1: **40**

ECC.: **SERIE**

V2: A2:

KW: **0,48** HP

U./MIN: **1200**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 135 X 240 mors 3

APPLIC.: **Servosterzo**

SERV: **S3 - 20%**

CODICE: **KLMT1567-**

065928



CARR.: **STILL** R50

MOTORE: **STILL**

TIPO: **G078-14/4**

ARM. V1: **24** A1: **40**

ECC.: **SERIE**

V2: A2:

KW: **0,48** HP

U./MIN: **1200**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 134 X 240 mors 3

APPLIC.: **Servosterzo**

SERV: **20%**

CODICE: **KLMT1233-**

344622
144085
324675



CARR.: **STILL** R25-25

MOTORE: **STILL**

TIPO: **GP078-14/4,6**

ARM. V1: **36-48** A1: **68**

ECC.: **SERIE**

V2: A2:

KW: **1,7** HP

U./MIN: **2300**

ROTAZIONE V.L.A.: **Orario**


Ø 134 X 258 mors 2

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1232-**

344620
527769
375608
302709



CARR.: **STILL** R 60-20

MOTORE: **STILL**

TIPO: **GP078-14/5,5**

ARM. V1: **80** A1: **35**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **2400**

ROTAZIONE V.L.A.: **Orario**

Ø 135 X 258 mors 2

APPLIC.: **Servosterzo**

SERV: **S3 - 15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1091-**

065911

132226



ROTAZIONE V.L.A.: Orario

∅ 120 X 250 mors 2

CARR.: **STILL** R14 - R16

MOTORE: **STILL**

TIPO: **GP078-14/1,1**

ARM. V1: **80** A1: **6,5**

ECC.: **COMPOUND**

V2: A2:

KW: **0,32** HP

U./MIN: **1200**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1343-**

527770

344621

143571

316113



ROTAZIONE V.L.A.: Orario

∅ 134 X 258 mors 2

CARR.: **STILL** R 60-16

MOTORE: **STILL**

TIPO: **GP078-14/5,5**

ARM. V1: **80** A1: **35**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **2400**

APPLIC.: **Servosterzo**

SERV: **S3 - 15%**