

CATALOGO MOTORI



SRL

CODICE: **KLMT3770-**

354204020



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 260

mors 3+1

CARR.: **OMG**

OMG

MOTORE: **BEST MOTOR**

TIPO: **F1156900**

ARM. V1: **24**

A1: **82**

ECC.: **SERIE**

V2:

A2:

KW: **1,5**

HP

U./MIN: **1500**

APPLIC.: **Trazione**

SERV:

CODICE: **KLMT3828-**

354204602



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 203

mors 3

CARR.: **OMG**

OMG AC

MOTORE: **BEST MOTOR**

TIPO: **D.150 AC**

ARM. V1: **3F x 24**

A1: **60**

ECC.: **ASINCRONO Hz:80**

V2:

A2:

KW: **1,000**

HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3654-**

F1603100



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220 x 330

mors 2+2

CARR.: **OMG**

16Q.

MOTORE: **BEST MOTOR**

TIPO: **F1603100**

ARM. V1: **48**

A1: **145**

ECC.: **INDIPENDENTE**

V2:

A2:

KW: **6**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2=60MIN**

CODICE: **KLMT3484-**

354205030



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 244 x 340

mors 2+2

CARR.: **OMG**

NEOS 16Q.??

MOTORE: **BEST MOTOR**

TIPO: **F1602401**

ARM. V1: **48**

A1: **145**

ECC.: **INDIPENDENTE**

V2:

A2:

KW: **6**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2=60MIN**

CODICE: **KLMT3827-**

30755



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 127 x 147

mors 3

CARR.: **OMG**

OMG - AC

MOTORE: **CIMA**

TIPO: **30755**

ARM. V1: **3F x 16**

A1: **48**

ECC.: **ASINCRONO Hz:100**

V2:

A2:

KW: **0,700**

HP

U./MIN: **2850**

APPLIC.: **Trazione**

SERV: **-**

CATALOGO MOTORI



SRL

CODICE: **KLMT1843-**

357401010



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 x 160 mors 2

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **D.125 2MO**

ARM. V1: **24**

A1: **21**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,350**

HP

U./MIN: **1650**

APPLIC.: **Servosterzo**

SERV: **S2 = 60'**

CODICE: **KLMT2277-**

MRD-0039



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 113 x 145 mors 2

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **113-MP-NV-Q**

ARM. V1: **48**

A1: **15**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2200**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1760-**

60288

30246

60502*

EX.60288



ROTAZIONE V.L.A.: Orario

Ø 113 x 177 mors 2

CARR.: **OMG**

ECO12

MOTORE: **OMG**

TIPO: **60288**

ARM. V1: **24**

A1: **120**

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT2868-**

354304032



ROTAZIONE V.L.A.: Orario

Ø 125 x 228 mors 2

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **CA-125-RA-VA-Q**

ARM. V1: **24**

A1: **131**

ECC.: **SERIE**

V2:

A2:

KW: **2,5**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT2459-**

354204151

354204152 **

F1211500N**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 285 mors 2+2

CARR.: **OMG**

520K

MOTORE: **OMG**

TIPO: **D150 2+2MO**

ARM. V1: **24**

A1: **100**

ECC.: **SEPARATA**

V2:

A2:

KW: **2**

HP

U./MIN: **1850**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT2401-**

F1204600



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 290 mors 4

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **F1204600**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP

U./MIN: **1800**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT2274-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 260 mors 3+1

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **F1151100**

ARM. V1: **24**

A1: **82**

ECC.: **SERIE**

V2:

A2:

KW: **1,5**

HP

U./MIN: **1500**

APPLIC.: **Trazione**

SERV:

CODICE: **KLMT2089-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 285 mors 2+2

CARR.: **OMG**

520K

MOTORE: **OMG**

TIPO: **D150 2+2MO**

ARM. V1: **24**

A1: **102**

ECC.: **SEPARATA**

V2:

A2: **4,5**

KW: **2,1**

HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1761-**

256002210



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 114 x 200 mors 2+2

CARR.: **OMG**

E214

MOTORE: **OMG**

TIPO: **30283**

ARM. V1: **24**

A1: **70**

ECC.: **SEPARATA**

V2:

A2: **4,3**

KW: **1,300**

HP

U./MIN: **3400**

APPLIC.: **Trazione**

SERV: **ID**

CODICE: **KLMT2533-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 0 mors 2+2

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **F1156300**

ARM. V1: **24**

A1: **78**

ECC.: **SEPARATA**

V2:

A2: **4,5**

KW: **1,5**

HP

U./MIN: **1650**

APPLIC.: **Trazione**

SERV: **S2-20'**

CATALOGO MOTORI



SRL

CODICE: **KLMT1507-**

354204160



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 290 mors 2+2

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **D150 2+2MO**

ARM. V1: **24**

A1: **102**

ECC.: **SEPARATA**

V2:

A2:

KW: **2,1**

HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT2651-**

354204045



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 266 mors 2+2

CARR.: **OMG**

ERGOS

MOTORE: **OMG**

TIPO: **D150 2+2MO**

ARM. V1: **24**

A1: **100**

ECC.: **SEPARATA**

V2:

A2: **15**

KW: **2**

HP

U./MIN: **1850**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1492-**

CA113.0299



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 113 x 201 mors 3+1

CARR.: **OMG**

TR.

MOTORE: **OMG**

TIPO: **113-RD-VP1-Q**

ARM. V1: **24**

A1: **35**

ECC.: **SERIE**

V2:

A2:

KW: **0,7**

HP

U./MIN: **2850**

APPLIC.: **Trazione**

SERV:

CODICE: **KLMT1237-**

354204100



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 0 x 0 mors 0

CARR.: **OMG**

320K

MOTORE: **OMG**

TIPO: **F1154800**

ARM. V1: **24**

A1:

ECC.: **SEPARATA**

V2:

A2:

KW: **1,5**

HP

U./MIN: **1500**

APPLIC.: **Trazione**

SERV:

CODICE: **KLMT1201-**

256001140



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 114 x 170 mors 4

CARR.: **OMG**

ECO12

MOTORE: **OMG**

TIPO: **MTA D114 C/F**

ARM. V1: **24**

A1: **70**

ECC.: **SERIE**

V2:

A2:

KW: **1,2**

HP

U./MIN: **2100**

APPLIC.: **Trazione**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1638-**

F1204223

F1204200



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 290

mors 2+2

CARR.: **OMG**

US813

MOTORE: **OMG**

TIPO: **150 2+2MO**

ARM. V1: **24**

A1: **100**

ECC.: **SEPARATA**

V2:

A2: **4,5**

KW: **2**

HP

U./MIN: **2050**

APPLIC.: **Trazione**

SERV: **S2 - 60MI**

CODICE: **KLMT2880-**

354202070



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 113 x 195

mors 3+1

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **RD NV Q DS**

ARM. V1: **24**

A1: **45**

ECC.: **SERIE**

V2:

A2:

KW: **0,850**

HP

U./MIN: **2600**

APPLIC.: **Trazione**

SERV: **S3-50%**

CODICE: **KLMT3154-**

30293



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 114 x 178

mors 2

CARR.: **OMG**

ECO12N

MOTORE: **OMG**

TIPO: **CEN. D114**

ARM. V1: **24**

A1: **120**

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP


U./MIN: **2600**

APPLIC.: **Trazione**

SERV:

CODICE: **KLMT2958-**

354204311



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 258

mors 2+2

CARR.: **OMG**

OMG ACCIAI

MOTORE: **OMG**

TIPO: **F1157800N**

ARM. V1: **24**

A1: **78**

ECC.: **SEPARATA**

V2: **10**

A2: **15**

KW: **1,5**

HP

U./MIN: **1650**

APPLIC.: **Trazione**

SERV: **S2=20'**

CODICE: **KLMT2944-**

354202120



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 151 x 230

mors 4

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **RE VA Q DS**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **1,200**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2**

CATALOGO MOTORI



SRL

CODICE: **KLMT2568-**

354204050

354204010



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 292

mors 3+1

CARR.: **OMG**

715K

MOTORE: **OMG**

TIPO: **F1209600**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP

U./MIN: **1500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT2917-**

CA113.0205



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 114 x 224

mors 4

CARR.: **OMG**

TR.

MOTORE: **OMG**

TIPO: **113-RE-VA-B**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **0,850**

HP

U./MIN: **1500**

APPLIC.: **Trazione**

SERV: **S2**

CODICE: **KLMT2545-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 113 x 193

mors 3+1

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **113-RD-NV-Q-DS**

ARM. V1: **24**

A1: **45**

ECC.: **SERIE**

V2:

A2:

KW: **0,850**

HP

U./MIN: **2850**

APPLIC.: **Trazione**

SERV: **S2**

CODICE: **KLMT2693-**

354204123



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 285

mors 2+2

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **D150 4MO 41LAME**

ARM. V1: **24**

A1: **140**

ECC.: **SEPARATA**

V2:

A2: **15**

KW: **2,6**

HP

U./MIN: **2250**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT2684-**

354204090



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 266

mors 4

CARR.: **OMG**

715BPM

MOTORE: **OMG**

TIPO: **D150 4MO**

ARM. V1: **24**

A1: **105**

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP

U./MIN: **1800**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT2622-**



CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **D150 4MO**

ARM. V1: **24**

A1: **105**

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP

U./MIN: **1800**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø X mors

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1127-**

12032



CARR.: **OMG**

OMG420

MOTORE: **OMG**

TIPO: **150 3+1MO V.INT. PPS57MODI**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP

U./MIN: **2140**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø X mors

APPLIC.: **Trazione**

SERV: **S2**

CODICE: **KLMT2937-**

354204124



CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **D150 4MO 41LAME**

ARM. V1: **24**

A1: **140**

ECC.: **SEPARATA**

V2:

A2: **15**

KW: **2,6**

HP

U./MIN: **2250**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø X mors

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT2242-**

F1451001



CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **D190**

ARM. V1: **48**

A1: **110**

ECC.: **SEPARATA**

V2:

A2: **16**

KW: **4,5**

HP

U./MIN: **2220**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø X mors

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT3878-**

354204402



CARR.: **OMG**

20TA4

MOTORE: **OMG**

TIPO: **H-F1505700**

ARM. V1: **48**

A1: **120**

ECC.: **SEPARATA**

V2:

A2: **20**

KW: **4,9**

HP

U./MIN: **2700**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø X mors

APPLIC.: **Trazione**

SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT3121-**

354204401



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 176

X 273

mors 2+2

CARR.: **OMG**

OMG

MOTORE: **OMG**

TIPO: **F1382600**

ARM. V1: **48**

A1: **95**

ECC.: **SEPARATA**

V2:

A2: **15**

KW: **3,8**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3268-**

F1602401



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 244

X 342

mors 2+2

CARR.: **OMG**

NEOS 16Q.

MOTORE: **OMG**

TIPO: **F1602401**

ARM. V1: **48**

A1: **145**

ECC.: **INDIPENDENTE**

V2:

A2: **23**

KW: **6**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2=60MIN**