

# CATALOGO MOTORI



CODICE: **KLMT3995-**

113458



ROTAZIONE V.L.A.: Orario

Ø 170 X 338 mors 3

CARR.: **ATLET - NISSA RT**

MOTORE: **SCHABMULLER**

TIPO: **TSA170-210-20**

ARM. V1: **3F - 34** A1:

ECC.: **ASINCRONO Hz:80**

V2: A2:

KW: **14** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3 - 28%**

CODICE: **KLMT3991-**

113162



ROTAZIONE V.L.A.: Orario

Ø 170 X 338 mors 3

CARR.: **ATLET - NISSA RT**

MOTORE: **SCHABMULLER**

TIPO: **TSA170-210-20.19-UL**

ARM. V1: **3F - 34** A1:

ECC.: **ASINCRONO Hz:80**

V2: A2:

KW: **14** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3 - 28%**

CODICE: **KLMT3046-**

403971



ROTAZIONE V.L.A.: Orario

Ø 200 X 400 mors 3

CARR.: **BT** TRILATERAL

MOTORE: **SCHABMULLER**

TIPO: **TSA200C-9**

ARM. V1: **3F - 28** A1:

ECC.: **ASINCRONO 90Hz**

V2: A2:

KW: **15** HP

U./MIN: **2645**

APPLIC.: **Sollevamento**

SERV: **S3 - 45%**

CODICE: **KLMT3887-**

251776

150150



ROTAZIONE V.L.A.: Orario

Ø 190 X 391 mors 3

CARR.: **BT** OPI1000

MOTORE: **SCHABMULLER**

TIPO: **TSL178-710**

ARM. V1: **48** A1: **206**

ECC.: **COMPOUND**

V2: A2:

KW: **7,5** HP

U./MIN: **1450**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3740-**

0058131



ROTAZIONE V.L.A.: Orario

Ø 170 X 338 mors 3

CARR.: **BT - CESAB** C3E150R

MOTORE: **SCHABMULLER**

TIPO: **TSA170-210-033**

ARM. V1: **3F - 16** A1:

ECC.: **ASINCRONO Hz:70**

V2: A2:

KW: **7,5** HP

U./MIN: **2025**

APPLIC.: **Sollevamento**

SERV: **S3-38%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT3959-**

058105  
0058105



ROTAZIONE V.L.A.: Orario

Ø 200 X 368 morsa 3

CARR.: **CESAB** **CESAB**  
MOTORE: **SCHABMULLER**  
TIPO: **TSA200-180-044-UL**  
ARM. V1: **3F - 24** A1:  
ECC.: **ASINCRONO Hz:80**  
V2: A2:  
KW: **10** HP  
U./MIN: **2320**

APPLIC.: **Sollevamento** SERV: **S3-42%**

CODICE: **KLMT3963-**

058186  
0058186



ROTAZIONE V.L.A.: Orario

Ø 200 X 340 morsa 3

CARR.: **CESAB** **CESAB**  
MOTORE: **SCHABMULLER**  
TIPO: **TSA200-200-214**  
ARM. V1: **3F - 53** A1:  
ECC.: **ASINCRONO Hz:79**  
V2: A2:  
KW: **25,5** HP  
U./MIN: **2280**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT2760-**

0058093\*  
0058107  
670235  
50058224\*



ROTAZIONE V.L.A.: Orario

Ø 180 X 340 morsa 3

CARR.: **CESAB** **BLITZ16Q.**  
MOTORE: **SCHABMULLER**  
TIPO: **TSA170-210-9-UL**  
ARM. V1: **3F - 28** A1:  
ECC.: **ASINCRONO 80Hz**  
V2: A2:  
KW: **10** HP  
U./MIN: **2314**

APPLIC.: **Sollevamento** SERV: **S3 - 26%**

CODICE: **KLMT3696-**

0058167  
0058167



ROTAZIONE V.L.A.: Orario

Ø 170 X 341 morsa 3

CARR.: **CESAB** **BLITZ16Q.**  
MOTORE: **SCHABMULLER**  
TIPO: **TSA170-210-009-UL**  
ARM. V1: **3F- 30** A1:  
ECC.: **ASINCRONO Hz:70**  
V2: A2:  
KW: **15,8** HP  
U./MIN: **1990**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: **KLMT3235-**

0058090

EX.50055502



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 420 morsa 3

CARR.: **CESAB** **BLITZ AC**  
MOTORE: **SCHABMULLER**  
TIPO: **TSA200C-24**  
ARM. V1: **3F- 50** A1:  
ECC.: **ASINCRONO Hz:85**  
V2: A2:  
KW: **20** HP  
U./MIN: **2450**

APPLIC.: **Sollevamento** SERV: **S3 - 20%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT2742-**

0058087

EX.50055107



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 368 morsa 3

CARR.: **CESAB** BLITZ250AC

MOTORE: **SCHABMULLER**

TIPO: **TSA200B-19**

ARM. V1: **3F- 50** A1:

ECC.: **ASINCRONO 80Hz**

V2: A2:

KW: **14** HP

U./MIN: **2300**

APPLIC.: **Sollevamento** SERV: **S3 - 20%**

CODICE: **KLMT1358-**

58001

0058001

50031851 ER



ROTAZIONE V.L.A.: Orario

Ø 190 X 380 morsa 2

CARR.: **CESAB** CESAB

MOTORE: **SCHABMULLER**

TIPO: **D190/8RK-5/4-16/08**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **8** HP

U./MIN: **2030**

APPLIC.: **Sollevamento** SERV: **S3-25%**

CODICE: **KLMT1363-**

58073

0058073



ROTAZIONE V.L.A.: Orario

Ø 210 X 357 morsa 2

CARR.: **CESAB** BLITZ 1,6 - 2,

MOTORE: **SCHABMULLER**

TIPO: **TSL210C-308-UL**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **9,5** HP

U./MIN: **1520**

APPLIC.: **Sollevamento** SERV: **S3-13%**

CODICE: **KLMT1360-**

58005

0058005



ROTAZIONE V.L.A.: Orario

Ø 190 X 380 morsa 2

CARR.: **CESAB** BLITZ 1,6 T

MOTORE: **SCHABMULLER**

TIPO: **D190/8RK-5/4-../03**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **8** HP

U./MIN: **2030**

APPLIC.: **Sollevamento** SERV: **S3-25%**

CODICE: **KLMT2440-**

58026

0058026

50041177

50037160



ROTAZIONE V.L.A.: Orario

Ø 210 X 357 morsa 2

CARR.: **CESAB** BLITZ 1,6 - 2,

MOTORE: **SCHABMULLER**

TIPO: **R210/9,5RK-306/308-../03**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **9,5** HP

U./MIN: **1520**

APPLIC.: **Sollevamento** SERV: **S3-13%**



# CATALOGO MOTORI



SRL

CODICE: **KLMT1364-**

58027  
0058027



ROTAZIONE V.L.A.: Orario

∅ 210 X 425 morsa 2

CARR.: **CESAB - LUGLI BLITZ - GALIL**

MOTORE: **SCHABMULLER**

TIPO: **R210/14RK-471/314-./10**

ARM. V1: **80** A1: **206**

ECC.: **SERIE**

V2: A2:

KW: **14** HP

U./MIN: **2345**

APPLIC.: **Sollevamento** SERV: **S3-18%**

CODICE: **KLMT3843-**

068041478  
8041478



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 200 X 383 morsa 3

CARR.: **CLARK** AC

MOTORE: **SCHABMULLER**

TIPO: **TSA200-230-34-UL**

ARM. V1: **3F x 53** A1:

ECC.: **ASINCRONO Hz:74**

V2: A2:

KW: **19,1** HP

U./MIN: **2160**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: **KLMT1301-**

4305254



ROTAZIONE V.L.A.: Orario

∅ 178 X 375 morsa 2

CARR.: **CLARK** EM15SL

MOTORE: **SCHABMULLER**

TIPO: **D178/8RK-582/572-16/04**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **8** HP

U./MIN: **2020**

APPLIC.: **Sollevamento** SERV: **S3-19%**

CODICE: **KLMT2357-**

4305317  
907-014-0042  
50017778



ROTAZIONE V.L.A.: Orario

∅ 178 X 375 morsa 2

CARR.: **CLARK** EM15SL ??

MOTORE: **SCHABMULLER**

TIPO: **D178/10RK-581/571-16/07**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **10** HP

U./MIN: **2400**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT1725-**

3736354



ROTAZIONE V.L.A.: Orario

∅ 178 X 320 morsa 2

CARR.: **CLARK** EC500Y30

MOTORE: **SCHABMULLER**

TIPO: **R178/4,5R-127/121-./07**

ARM. V1: **48** A1: **113**

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP

U./MIN: **2660**

APPLIC.: **Sollevamento** SERV: **S3-40%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1242-**

3790183  
3790990  
4790183  
50019823



CARR.: **CLARK** EPM25N  
MOTORE: **SCHABMULLER**  
TIPO: **R210/10RK-268/166-22**  
ARM. V1: **77** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **10** HP  
U./MIN:

ROTAZIONE V.L.A.: Orario  Ø 210 X 390 morsi 2 APPLIC.: Sollevamento SERV: S3

CODICE: **KLMT2108-**

4336902



CARR.: **CLARK** CEM30S  
MOTORE: **SCHABMULLER**  
TIPO: **R220/18RK-28/32-../02**  
ARM. V1: **80** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **18** HP  
U./MIN: **2500**

ROTAZIONE V.L.A.: Orario  Ø 220 X 485 morsi 2 APPLIC.: Sollevamento SERV: S3 - 21%

CODICE: **KLMT3802-**

82407-01



CARR.: **CROWN** RETRATTILE  
MOTORE: **SCHABMULLER**  
TIPO: **R210/9,5LK-434/289-../18**  
ARM. V1: **48** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **9,5** HP  
U./MIN: **2420**

ROTAZIONE V.L.A.: Antiorario  Ø 210 X 380 morsi 2 APPLIC.: Sollevamento SERV: S3-67%

CODICE: **KLMT3146-**

670440




CARR.: **DETAS** 20q. 3ruote  
MOTORE: **SCHABMULLER**  
TIPO: **TSA170-210-009-UL**  
ARM. V1: **3F- 28** A1:  
ECC.: **ASINCRONO xxHz**  
V2: A2:  
KW: **10** HP  
U./MIN: **2314**

ROTAZIONE V.L.A.: Antiorario  Ø 180 X 340 morsi 3 APPLIC.: Sollevamento SERV: S3 - 26%

CODICE: **KLMT3051-**

670231



CARR.: **DETAS** SE432AC  
MOTORE: **SCHABMULLER**  
TIPO: **TSA200C-230-24**  
ARM. V1: **3F- 50** A1:  
ECC.: **ASINCRONO 85Hz**  
V2: A2:  
KW: **20** HP  
U./MIN: **2450**

ROTAZIONE V.L.A.: Orario  Ø 218 X 418 morsi 3 APPLIC.: Sollevamento SERV: S3 - 22%

# CATALOGO MOTORI



SRL

CODICE: **KLMT2494-**

670213  
670230



ROTAZIONE V.L.A.: Orario

Ø 178 X 378 morsa 2

CARR.: **DETAS** DETAS

MOTORE: **SCHABMULLER**

TIPO: **R178/8RK-691/677-../05**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **8** HP

U./MIN: **1935**

APPLIC.: **Sollevamento**

SERV: **S3-16%**

CODICE: **KLMT3570-**

B436600183



ROTAZIONE V.L.A.: Orario

Ø 170 X 368 morsa 3

CARR.: **DIGIPACK** AC

MOTORE: **SCHABMULLER**

TIPO: **TSA170-240-017-19**

ARM. V1: **3F-28** A1:

ECC.: **ASINCRONO Hz:58**

V2: A2:

KW: **14** HP

U./MIN: **1630**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3743-**

B436600250



ROTAZIONE V.L.A.: Orario

Ø 150 X 330 morsa 3

CARR.: **ELECTRIC80** AGV

MOTORE: **SCHABMULLER**

TIPO: **TSA150-120-038.06**

ARM. V1: **3F X 32** A1:

ECC.: **ASINCRONO Hz:53**

V2: A2:

KW: **5,3** HP

U./MIN: **1440**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3762-**

40313500703  
40313500702  
40313500701



ROTAZIONE V.L.A.: Orario

Ø 254 X 431 morsa 2

CARR.: **FIAT- OM** XE60-XE70-X

MOTORE: **SCHABMULLER**

TIPO: **TSL240-110-87**

ARM. V1: **80** A1: **337**

ECC.: **SERIE**

V2: A2:

KW: **22** HP

U./MIN: **2010**

APPLIC.: **Sollevamento**

SERV: **S3-18%**

CODICE: **KLMT3671-**

3001796  
3001796K  
50034454



ROTAZIONE V.L.A.: Orario

Ø 210 X 455 morsa 2

CARR.: **HUBTEX** M50

MOTORE: **SCHABMULLER**

TIPO: **R210/10RFK-448/301-../07**

ARM. V1: **75** A1: **210**

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **2920 ?**

APPLIC.: **Sollevamento**

SERV: **S3-66% ?**



# CATALOGO MOTORI



SRL

CODICE: **KLMT2378-**

3001848K

3001849

50039780\*



ROTAZIONE V.L.A.: Orario

Ø 178 X 318 morsi 2

CARR.: **HUBTEX** HUBTEX

MOTORE: **SCHABMULLER**

TIPO: **R178/5RK-722/689-08/05**

ARM. V1: **76** A1:

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2625**

APPLIC.: **Sollevamento** SERV: **S1**

CODICE: **KLMT2647-**

3001798K

50034463\*



ROTAZIONE V.L.A.: Orario

Ø 210 X 450 morsi 2

CARR.: **HUBTEX** HUBTEX

MOTORE: **SCHABMULLER**

TIPO: **R210/14RFK-447/300-28/07**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **14** HP

U./MIN: **2490**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT3651-**

3001877

3001878

50045518



ROTAZIONE V.L.A.: Orario

Ø 150 X 407 morsi 2

CARR.: **HUBTEX** HUBTEX

MOTORE: **SCHABMULLER**

TIPO: **R150/3RK-507/848-08/10**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **2005**

APPLIC.: **Sollevamento ?** SERV: **S1**

CODICE: **KLMT2840-**

0893701



ROTAZIONE V.L.A.: Orario

Ø 178 X 314 morsi 2

CARR.: **HYSTER** A1.50XL

MOTORE: **SCHABMULLER**

TIPO: **TSL178A-701**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **5,8** HP

U./MIN: **1810**

APPLIC.: **Sollevamento** SERV: **S2-21'**

CODICE: **KLMT2722-**

0878822



ROTAZIONE V.L.A.: Orario

Ø 178 X 316 morsi 2

CARR.: **HYSTER** A1.50XL

MOTORE: **SCHABMULLER**

TIPO: **R178/4,8RK-705/686-./08**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,8 - 5,8** HP

U./MIN: **1770**

APPLIC.: **Sollevamento** SERV: **S2-15'**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1731-**

0363006



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 morsa 2

CARR.: **HYSTER** HYSTER

MOTORE: **SCHABMULLER**

TIPO: **R150/4,5RK-606/626**

ARM. V1: **24** A1: **248**

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP

U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV: **S3-11%**

CODICE: **KLMT3175-**

0037807

50419015



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 morsa 2

CARR.: **HYSTER** HYSTER

MOTORE: **SCHABMULLER**

TIPO: **R150/4,5RK-666/527**

ARM. V1: **24** A1: **248**

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP


U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV: **S3-11%**

CODICE: **KLMT2952-**

1565604



ROTAZIONE V.L.A.:

Ø 200 X 418 morsa 3

CARR.: **HYSTER** R1,6

MOTORE: **SCHABMULLER**

TIPO: **TSA200C-21**

ARM. V1: **3F- 28** A1:

ECC.: **ASINCRONO Hz:88**

V2: A2:

KW: **14** HP

U./MIN: **2525**

APPLIC.: **Sollevamento**

SERV: **S3 - 25%**

CODICE: **KLMT2690-**

8504424

2036241

908-014



ROTAZIONE V.L.A.: Antiorario

Ø 178 X 440 morsa 2

CARR.: **HYSTER** HYSTER

MOTORE: **SCHABMULLER**

TIPO: **R178/10,5LK-704/684**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **10,5** HP

U./MIN: **3245**

APPLIC.: **Sollevamento**

SERV: **S2-15MIN.**

CODICE: **KLMT2296-**

8504423

Y580008562

2036240

908-014



ROTAZIONE V.L.A.: Antiorario

Ø 178 X 440 morsa 2

CARR.: **HYSTER** HYSTER

MOTORE: **SCHABMULLER**

TIPO: **R178/10,5LK-704/684 TW MK**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **10,5** HP

U./MIN: **3245**

APPLIC.: **Sollevamento**

SERV: **S2-15MIN.**



# CATALOGO MOTORI



SRL

CODICE: **KLMT3792-**

21FY-72020



ROTAZIONE V.L.A.: Orario

Ø 170 X 338 morsa 3

CARR.: **HYUNDAI** HYUNDAI

MOTORE: **SCHABMULLER**

TIPO: **TSA170-210-009**

ARM. V1: **3F-28** A1:

ECC.: **ASINCRONO 70Hz**

V2: A2:

KW: **15,8** HP

U./MIN: **1990**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: **KLMT3970-**

50018465\*



ROTAZIONE V.L.A.: Orario

Ø 150 X 415 morsa 2

CARR.: **INDUMAT** VARI

MOTORE: **SCHABMULLER**

TIPO: **R150/3RK-504/754-11/10**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1650**

APPLIC.: **Sollevamento** SERV: **S2**

CODICE: **KLMT1547-**

83105/90299

50028935\*

50026008\*



ROTAZIONE V.L.A.: Orario

Ø 178 X 355 morsa 2

CARR.: **IRION** IRION

MOTORE: **SCHABMULLER**

TIPO: **R178/8RK-531/526**

ARM. V1: **80** A1: **135**

ECC.: **SERIE**

V2: A2:

KW: **8** HP

U./MIN: **3570**

APPLIC.: **Sollevamento** SERV: **S3-30%**

CODICE: **KLMT2950-**

00175051

50022503



ROTAZIONE V.L.A.: Orario

Ø 210 X 414 morsa 2

CARR.: **JUNGHEINRICH ETX -K**

MOTORE: **SCHABMULLER**

TIPO: **R210/10RFK-396/265-16/10**

ARM. V1: **45** A1: **261**

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **2830**

APPLIC.: **Sollevamento** SERV: **S3-66%**

CODICE: **KLMT2573-**

50055515

50041442

00194201

50037614



ROTAZIONE V.L.A.: Orario

Ø 150 X 290 morsa 2

CARR.: **JUNGHEINRICH ETX COMBI**

MOTORE: **SCHABMULLER**

TIPO: **D150/2,2RFK-897/826-..J01**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,2** HP

U./MIN: **1960**

APPLIC.: **Sollevamento** SERV: **S1**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1330-**

50020560  
00132885  
907-017-0032  
50020560\*



ROTAZIONE V.L.A.: Orario

Ø 210 X 403 morsa 2

CARR.: **JUNGHEINRICH ETX COMBI**  
MOTORE: **SCHABMULLER**  
TIPO: **R210/8RK-321/205-16/10**  
ARM. V1: **48** A1: **210**  
ECC.: **SERIE**  
V2:  
KW: **8** A2: **HP**  
U./MIN: **2700**

APPLIC.: **Sollevamento** SERV: **S3-22%**

CODICE: **KLMT2429-**

00175053  
50025488



ROTAZIONE V.L.A.: Orario

Ø 210 X 450 morsa 2

CARR.: **JUNGHEINRICH ETX -K0III**  
MOTORE: **SCHABMULLER**  
TIPO: **R210/14RFK-414/263-22/10**  
ARM. V1: **75** A1: **210**  
ECC.: **SERIE**  
V2:  
KW: **14** A2: **HP**  
U./MIN: **2920**

APPLIC.: **Sollevamento** SERV: **S3-66%**

CODICE: **KLMT4058-**

922480.0018



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 420 morsa 3

CARR.: **KALMAR** ECF70.6  
MOTORE: **SCHABMULLER**  
TIPO: **TSA200-230-102**  
ARM. V1: **3F x 80** A1:  
ECC.: **ASINCRONO Hz:70**  
V2:  
KW: **24** A2: **HP**  
U./MIN: **2030**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1328-**

904771  
9032444  
50028703  
50017445



ROTAZIONE V.L.A.: Orario

Ø 178 X 317 morsa 2

CARR.: **KALMAR** 50q.li  
MOTORE: **SCHABMULLER**  
TIPO: **R178/8RK-589/526-08/10**  
ARM. V1: **80** A1:  
ECC.: **SERIE**  
V2:  
KW: **8** A2: **HP**  
U./MIN: **3570**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1388-**

703595  
9029226  
0005751136



ROTAZIONE V.L.A.: Orario

Ø 178 X 374 morsa 2

CARR.: **KALMAR** IRION  
MOTORE: **SCHABMULLER**  
TIPO: **R178/8RK-104/98**  
ARM. V1: **80** A1: **133**  
ECC.: **SERIE**  
V2:  
KW: **8** A2: **HP**  
U./MIN: **3550**

APPLIC.: **Sollevamento** SERV: **S3 - 30%**

# CATALOGO MOTORI



SRL

**CODICE: KLMT1293-**

4033415-002



ROTAZIONE V.L.A.: Orario

Ø 240 X 328 mors 3

CARR.: **LANSING** LAN.

MOTORE: **SCHABMULLER**

TIPO: **R240/10R-34/30**

ARM. V1: **75** A1: **160**

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **S3-24%**

**CODICE: KLMT1354-**

5782614-002

4301663

3001826K Hu

50028382



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 mors 2

CARR.: **LANSING - CLA** TM16N

MOTORE: **SCHABMULLER**

TIPO: **D150/4,5RK-533/531-08/06**

ARM. V1: **48** A1: **116**

ECC.: **COMPOUND**

V2: A2:

KW: **4,5** HP

U./MIN: **3530**

APPLIC.: **Sollevamento** SERV: **S3 = 80%**

**CODICE: KLMT2876-**

0009810823

5786083-001

50016913



ROTAZIONE V.L.A.: Orario

Ø 125 X 243 mors 2

CARR.: **LINDE** V10 146

MOTORE: **SCHABMULLER**

TIPO: **D125/3R-519/502-../05**

ARM. V1: **24** A1: **165**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3310**

APPLIC.: **Sollevamento** SERV: **S3 = 10%**

**CODICE: KLMT2211-**

0009801706

907-010-0114

50022151



ROTAZIONE V.L.A.: Orario

Ø 112 X 213 mors 2

CARR.: **LINDE** L16L

MOTORE: **SCHABMULLER**

TIPO: **D112/2R-126/103-../05**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2470**

APPLIC.: **Sollevamento** SERV: **S3-10'**

**CODICE: KLMT1043-**

0009810705

0009810785



ROTAZIONE V.L.A.: Orario

Ø 210 X 370 mors 2

CARR.: **LINDE** E20 -25 - 30 V

MOTORE: **SCHABMULLER**

TIPO: **R210/10,5R-94/54**

ARM. V1: **80** A1: **160**

ECC.: **SERIE**

V2: A2:

KW: **10,5** HP

U./MIN: **2260**

APPLIC.: **Sollevamento** SERV: **S3 = 20%**



# CATALOGO MOTORI



SRL

CODICE: **KLMT2154-**

2.803862  
2803860  
2.803860  
50051562\*



ROTAZIONE V.L.A.: Orario

Ø 210 X 330 morsa 2

CARR.: **LUGLI** GIOTTO 20-2

MOTORE: **SCHABMULLER**

TIPO: **TSL210B-342.19**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **1690**

APPLIC.: **Sollevamento** SERV: **S3-18%**

CODICE: **KLMT2153-**

2.803253  
2803253  
EX.50041724  
50047641\*



ROTAZIONE V.L.A.: Orario

Ø 210 X 360 morsa 2

CARR.: **LUGLI** GIOTTO

MOTORE: **SCHABMULLER**

TIPO: **R210/10RK-480/324-../08**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **2745**

APPLIC.: **Sollevamento** SERV: **S3-68%**

CODICE: **KLMT1340-**

168608919  
  
50040814



ROTAZIONE V.L.A.: Orario

Ø 178 X 310 morsa 2

CARR.: **LUGLI** ETR

MOTORE: **SCHABMULLER**

TIPO: **R178/5,5R-724/690-16/09**

ARM. V1: **48** A1: **135**

ECC.: **SERIE**

V2: A2:

KW: **5,5** HP

U./MIN: **2450**

APPLIC.: **Sollevamento** SERV: **S3-22%**

CODICE: **KLMT1164-**

2.803652  
2803652  
50027702  
50025689



ROTAZIONE V.L.A.: Orario

Ø 178 X 380 morsa 2

CARR.: **LUGLI** C3/L3/ETR/GI

MOTORE: **SCHABMULLER**

TIPO: **TSL178-572**

ARM. V1: **48** A1: **206**

ECC.: **COMPOUND**

V2: A2:

KW: **8** HP

U./MIN: **2020**

APPLIC.: **Sollevamento** SERV: **S3-19%**

CODICE: **KLMT2559-**

2.803659  
2803659  
  
50050991\*



ROTAZIONE V.L.A.: Orario

Ø 210 X 316 morsa 2

CARR.: **LUGLI** ETRX

MOTORE: **SCHABMULLER**

TIPO: **TSL210C-322.19**

ARM. V1: **80** A1: **132,5**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2585**

APPLIC.: **Sollevamento** SERV: **S3-27%**

# CATALOGO MOTORI



CODICE: **KLMT2673-**

2.803851

2803851

50053327



ROTAZIONE V.L.A.: Orario

Ø 240 X 388 morsi 2

CARR.: **LUGLI** GALILEO

MOTORE: **SCHABMULLER**

TIPO: **TSL240-79.28**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **15** HP

U./MIN: **2280**

APPLIC.: **Sollevamento** SERV: **S3-68%**

CODICE: **KLMT1341-**

2.803659

2803659

50040856\*



ROTAZIONE V.L.A.: Orario

Ø 210 X 316 morsi 2

CARR.: **LUGLI** ETXR

MOTORE: **SCHABMULLER**

TIPO: **R210/9R-478/322-../05**

ARM. V1: **80** A1: **132,5**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2585**

APPLIC.: **Sollevamento** SERV: **S3-27%**

CODICE: **KLMT3364-**

97021-09900

9702109900

97021-05300

9702105300



ROTAZIONE V.L.A.: Orario

Ø 170 X 368 morsi 3

CARR.: **MITSUBISHI** MITSUBISHI

MOTORE: **SCHABMULLER**

TIPO: **TSA170-240-17-UL**

ARM. V1: **3F-28** A1:

ECC.: **ASINCRONO 58Hz**

V2: A2:

KW: **10 - 14** HP

U./MIN: **2314 - 163**

APPLIC.: **Sollevamento** SERV: **S3 -26% -**

CODICE: **KLMT3727-**

97B20-06602

97B2006602

97B20-16600

97B2016600



ROTAZIONE V.L.A.: Orario

Ø 200 X 444 morsi 3

CARR.: **MITSUBISHI** MITSUBISHI

MOTORE: **SCHABMULLER**

TIPO: **TSA200-230-24-UL**

ARM. V1: **3F x 50** A1: **311**

ECC.: **ASINCRONO Hz:85**

V2: A2:

KW: **20** HP

U./MIN: **2450**

APPLIC.: **Sollevamento** SERV: **S3 - 22%**

CODICE: **KLMT2725-**

1414716

Y440069051

908-010-0046



ROTAZIONE V.L.A.: Orario

Ø 112 X 200 morsi 2

CARR.: **NACCO** ORMIC

MOTORE: **SCHABMULLER**

TIPO: **D112/2R-553/124-../16**

ARM. V1: **24** A1: **117**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-13%**

# CATALOGO MOTORI



CODICE: **KLMT2915-**

300010

907-010-0095

50019741



ROTAZIONE V.L.A.: Orario

Ø 112 X 214 morsa 2

CARR.: **SICHELSCHMID VARI**

MOTORE: **SCHABMULLER**

TIPO: **D112/2R-658/626-../05**

ARM. V1: **24** A1: **127**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2260**

APPLIC.: **Sollevamento**

SERV: **S3-10'**

CODICE: **KLMT1082-**

035789



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 320 morsa 2

CARR.: **STEINBOCK** **STEINBOCK**

MOTORE: **SCHABMULLER**

TIPO: **R150/4,5LK-529/527**

ARM. V1: **24** A1: **248**

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP

U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV: **S3-11%**

CODICE: **KLMT2006-**

65900510



ROTAZIONE V.L.A.: Orario

Ø 178 X 374 morsa 2

CARR.: **STEINBOCK** **STEINBOCK**

MOTORE: **SCHABMULLER**

TIPO: **R178/8RK-203/108-08/05**

ARM. V1: **76** A1: **138**

ECC.: **SERIE**

V2: A2:

KW: **8** HP

U./MIN: **3370**

APPLIC.: **Sollevamento**

SERV: **S3-25%**

CODICE: **KLMT2024-**

04882199



ROTAZIONE V.L.A.: Orario

Ø 220 X 402 morsa 2

CARR.: **STEINBOCK** **TRILATERAL**

MOTORE: **SCHABMULLER**

TIPO: **D220/16RFK-19/24-../07**

ARM. V1: **80** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **16** HP

U./MIN: **2190**

APPLIC.: **Sollevamento**

SERV: **S3 - 34%**

CODICE: **KLMT1876-**

469101

50175201

9070170025z

50019784\*



ROTAZIONE V.L.A.: Orario

Ø 210 X 460 morsa 2

CARR.: **STEINBOCK** **WA15**

MOTORE: **SCHABMULLER**

TIPO: **R210/14RK-352/223-32/29**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **14** HP

U./MIN: **2490**

APPLIC.: **Sollevamento**

SERV: **S3-48%**



# CATALOGO MOTORI



CODICE: **KLMT3602-**

924676  
013858  
8014051  
50016366



ROTAZIONE V.L.A.: Orario

Ø 178 X 370 morsi 2

CARR.: **STILL-WAGNER WAGNER**

MOTORE: **SCHABMULLER**

TIPO: **R178/5RK-78/101-8,5/10**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2630**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1326-**

50016327



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 morsi 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **R150/5RK-683/634**

ARM. V1: **36** A1:

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2720**

APPLIC.: **Sollevamento**

SERV: **S3-30%**

CODICE: **KLMT3642-**



ROTAZIONE V.L.A.: Orario

Ø 210 X 422 morsi 2

CARR.: **VARI** Vecchio tipo

MOTORE: **SCHABMULLER**

TIPO: **D210/10RK-93/50**

ARM. V1: **80** A1: **155**

ECC.: **COMPOUND**

V2: A2:

KW: **10** HP

U./MIN: **2400**

APPLIC.: **Sollevamento**

SERV: **S3 = 50%**

CODICE: **KLMT3434-**

1615350



ROTAZIONE V.L.A.: Orario

Ø 170 X 368 morsi 3

CARR.: **VARI - LIFTER** RETRATTILE

MOTORE: **SCHABMULLER**

TIPO: **TSA170-240-017**

ARM. V1: **3F-28** A1:

ECC.: **ASINCRONO Hz:58**

V2: A2:

KW: **14** HP

U./MIN: **1630**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT3265-**

8509399



ROTAZIONE V.L.A.: Antiorario

Ø 195 X 435 morsi 2

CARR.: **YALE** ERC55HG

MOTORE: **SCHABMULLER**

TIPO: **TSL190B-75AA-CB**

ARM. V1: **36-48** A1:

ECC.:

V2: A2:

KW: **8,5-12,5** HP

U./MIN: **2180**

APPLIC.: **Sollevamento**

SERV: **S2-30'**

# CATALOGO MOTORI



SRL

CODICE: **KLMT2457-**

258984400

Y258984400



CARR.: **YALE** ERC40

MOTORE: **SCHABMULLER**

TIPO: **D210/14LK-465/307-../06**

ARM. V1: **72** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **14** HP

U./MIN: **1645**

ROTAZIONE V.L.A.: Antiorario

Ø 210 X 375 mm

APPLIC.: **Sollevamento**

SERV: **S2-7MIN.**