

CATALOGO MOTORI



SRL

CODICE: **KLMT3673-**

RX50



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 262 X 575 mors 3

CARR.: **STILL**

RX50

MOTORE: **ABM**

TIPO: **TDF471/4DG112MC-4**

ARM. V1: **3F- 12** A1: **320**

ECC.: **ASINCRONO Hz:84**

V2: A2:

KW: **4,9** HP

U./MIN: **89-2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1511-**

GF096



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 170 X 210 mors 6

CARR.: **STILL**

STILL

MOTORE: **HANS STILL A. G.**

TIPO: **GF096-14/2,2-155**

ARM. V1: **24** A1: **56-45**

ECC.: **INDIPENDENTE**

V2: **10** A2: **1,4**

KW: **1 - 0,8** HP

U./MIN: **1750-2000**

APPLIC.: **Trazione**

SERV: **S2**

CODICE: **KLMT2298-**

468432

4468432

4474130

1001245



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 146 X 240 mors 2+2

CARR.: **STILL**

EGU18

MOTORE: **JULI**

TIPO: **GF084-G5**

ARM. V1: **24** A1: **61**

ECC.: **SEPARATA**

V2: **8,5** A2: **11**

KW: **1,2** HP

U./MIN: **2850**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3318-**

4492424



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 268 mors 3

CARR.: **STILL**

EXU S22

MOTORE: **JULI**

TIPO: **AF4G3-L1-1**

ARM. V1: **3F X 14** A1: **166**

ECC.: **ASINCRONO 71Hz**

V2: A2:

KW: **3** HP

U./MIN: **2040**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3710-**

1011016



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 298 mors 3

CARR.: **STILL**

FM14ac

MOTORE: **JULI**

TIPO: **AF124-L3**

ARM. V1: **3F X 28** A1: **177**

ECC.: **ASINCRONO Hz:80**

V2: A2:

KW: **6** HP

U./MIN: **2340**

APPLIC.: **Trazione**

SERV: **S2-60'**

CATALOGO MOTORI



CODICE: **KLMT3599-**

8263500539



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 x 350 mors 3

CARR.: **STILL**

RX20

MOTORE: **JULI**

TIPO: **AF104-K1**

ARM. V1: **3F X 28**

A1: **130**

ECC.: **ASINCRONO Hz:69**

V2:

A2:

KW: **4,5**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3590-**

8263500538



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 x 350 mors 3

CARR.: **STILL**

RX20

MOTORE: **JULI**

TIPO: **AF104-K1**

ARM. V1: **3F X 28**

A1: **130**

ECC.: **ASINCRONO Hz:69**

V2:

A2:

KW: **4,5**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT2820-**

0157360

0528122

0157361



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 325 x 500 mors 3

CARR.: **STILL**

R70i

MOTORE: **JULI**

TIPO: **AF186-T1**

ARM. V1: **3F x 380**

A1: **43**

ECC.: **ASINCRONO Hz.**

V2:

A2:

KW: **22**

HP

U./MIN: **3000**

APPLIC.: **Trazione**

SERV: **-**

CODICE: **KLMT3916-**

532048



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 350 x 630 mors 3

CARR.: **STILL**

RX7050

MOTORE: **JULI**

TIPO: **AF4K4-T1-1**

ARM. V1: **3F X 380**

A1: **56**

ECC.: **ASINCRONO Hz:134**

V2:

A2:

KW: **30**

HP

U./MIN: **3980**

APPLIC.: **Trazione**

SERV: **S1**

CODICE: **KLMT2320-**

826007503

8263500520

8263500521

1001137



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 x 350 mors 2+2

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48**

A1: **104**

ECC.: **SEPARATA**

V2: **12**

A2: **17**

KW: **4**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT3027-**

8263500521

157363

SX



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 x 350

mors 2+2

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48**

A1: **104**

ECC.: **SEPARATA**

V2: **12**

A2: **17**

KW: **4**

HP

U./MIN: **2000**

APPLIC.: **Trazione**


SERV: **60MIN.**

CODICE: **KLMT3026-**

8263500520

0157362

DX



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 x 350

mors 2+2

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48**

A1: **104**

ECC.: **SEPARATA**

V2: **12**

A2: **17**

KW: **4**

HP

U./MIN: **2000**


APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT2981-**

161632

161633



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 0 x 0

mors 0

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48**

A1: **104**

ECC.: **SEPARATA**

V2: **12**

A2: **17**

KW: **4**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT1250-**

386390

149699AT

149700GT

156536



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 326 x 475

mors 2+2

CARR.: **STILL**

R60 - 20/30

MOTORE: **JULI**

TIPO: **GF186-24/1,3**

ARM. V1: **80**

A1: **180**

ECC.: **SEPARATA**

V2: **16**

A2: **22**

KW: **12,5**

HP

U./MIN: **1150**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CODICE: **KLMT2525-**

159176

159180

159181

8373500506



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 254 x 850

mors 2+2

CARR.: **STILL**

R60-18 R70-1

MOTORE: **JULI**

TIPO: **GF148-P8**

ARM. V1: **80**

A1: **165**

ECC.: **SEPARATA**

V2: **12**

A2: **16**

KW: **11**

HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT3534-**

526941



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 326

X 475

mors 2+2

CARR.: **STILL**

R60 - 20/30

MOTORE: **JULI**

TIPO: **GF186-24/1,3**

ARM. V1: **80**

A1: **180**

ECC.: **SEPARATA**

V2: **16**

A2: **22**

KW: **12,5**

HP

U./MIN: **1150**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CODICE: **KLMT2709-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150

X 256

mors 2+2

CARR.: **STILL**

EGU

MOTORE: **KORDEL**

TIPO: **KMF150DRL**

ARM. V1: **24**

A1: **75**

ECC.: **SEPARATA**

V2: **8**

A2: **8,5**

KW: **1,5**

HP

U./MIN: **2400**

APPLIC.: **Trazione**

SERV: **S2**

CODICE: **KLMT3004-**

160011

143092

0009761015

EX.50045317



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 340

X 730

mors 3

CARR.: **STILL**

R07/25

MOTORE: **SCHABMULLER**

TIPO: **TSA300BB-3**

ARM. V1: **3F- 45**

A1:

ECC.: **ASINCRONO Hz75**

V2:

A2:

KW: **20**

HP

U./MIN: **2190**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT1296-**

8405949

EX.50031014

EX.50025151

50031610



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220

X 350

mors 2+2

CARR.: **STILL**

FM14

MOTORE: **SCHABMULLER**

TIPO: **N220/4,5FK-20/25**

ARM. V1: **48**

A1: **136**

ECC.: **SEPARATA**

V2:

A2:

KW: **4,5**

HP

U./MIN: **3305**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1947-**

GF116-14/7,7



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200

X 233

mors 4

CARR.: **STILL**

R9

MOTORE: **SE FAHRZEUGWERKE GMB**

TIPO: **GF116-14/7,7**

ARM. V1: **24**

A1: **130-1**

ECC.: **SERIE**

V2:

A2:

KW: **2,5 / 2**

HP

U./MIN: **1700/2000**

APPLIC.: **Trazione**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1229-**

336896
526937
2275008



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 283 x 390 mors 2+2

CARR.: **STILL** R70-32
MOTORE: **STILL**
TIPO: **GF186-24/1,2**
ARM. V1: **155** A1: **150**
ECC.: **INDIPENDENTE**
V2: **24** A2: **26**
KW: **20,5** HP
U./MIN: **2200**

APPLIC.: **Trazione** SERV: **S2**

CODICE: **KLMT1224-**

329467
306437



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 282 x 387 mors 2+2

CARR.: **STILL** R 70 - 32
MOTORE: **STILL**
TIPO: **GF186-24/1,2**
ARM. V1: **155** A1: **150**
ECC.: **INDIPENDENTE**
V2: **24** A2: **26**
KW: **20,5** HP
U./MIN: **2200**

APPLIC.: **Trazione** SERV:

CODICE: **KLMT1213-**

310476
310474
302581
253915F



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220 x 285 mors 4

CARR.: **STILL** R50
MOTORE: **STILL**
TIPO: **GF146-14/5,6**
ARM. V1: **24** A1: **215**
ECC.: **SERIE**
V2: A2:
KW: **4** HP
U./MIN: **1700**

APPLIC.: **Trazione** SERV: **60 min.**

CODICE: **KLMT1185-**

257405F
267405F
362990
325829



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 282 x 355 mors 4

CARR.: **STILL** R60-20
MOTORE: **STILL**
TIPO: **GF184-24/2,2**
ARM. V1: **80** A1: **173**
ECC.: **SERIE**
V2: A2:
KW: **12** HP
U./MIN: **1200**

APPLIC.: **Trazione** SERV: **S2 - 60MI**

CODICE: **KLMT1216-**

0320025
143967



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 283 x 335 mors 4

CARR.: **STILL** R60 25
MOTORE: **STILL**
TIPO: **GF184-24/2,8**
ARM. V1: **80** A1: **173**
ECC.: **SERIE**
V2: A2:
KW: **12,0** HP
U./MIN: **1400**

APPLIC.: **Trazione** SERV: **60 Min.**

CATALOGO MOTORI



SRL

CODICE: **KLMT1214-**0314475
143593AT
0335458
0375621

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 252

X 315

mors 4

CARR.: **STILL**MOTORE: **STILL**TIPO: **GF164-14/5,7**ARM. V1: **80**A1: **131**ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **1650**APPLIC.: **Trazione**

SERV:

R60-16 EFG

CODICE: **KLMT1211-**306436
142964
1001022
526944

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 284

X 377

mors 4

CARR.: **STILL**MOTORE: **STILL**TIPO: **GF186-24/1,1**ARM. V1: **80**A1: **180**ECC.: **SERIE**

V2:

A2:

KW: **12,5**

HP

U./MIN: **1150**APPLIC.: **Trazione**SERV: **60 Min.**

R 60-30/40