

CATALOGO MOTORI



SRL

CODICE: **KLMT3025-**

14510-F1130-



ROTAZIONE V.L.A.: Orario

Ø 114 X 290 mors 2

CARR.: **TOYOTA** 7FBJ35

MOTORE: **LEROY**

TIPO: **TAP114L**

ARM. V1: **70** A1: **20**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1,15** HP

U./MIN: **2860**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT2608-**

14510-F1090-

14510-F1130-



ROTAZIONE V.L.A.: Orario

Ø 110 X 268 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **LEROY**

TIPO: **TAP114L**

ARM. V1: **70** A1: **18,5**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT2881-**

14510-30881-



ROTAZIONE V.L.A.: Orario

Ø 177 X 301 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **MEIDENSHA**

TIPO: **HT-MPO**

ARM. V1: **70** A1:

ECC.: A2:

V2: HP

KW: **0,75**

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60 MIN.**

CODICE: **KLMT2697-**

14510-30880-



ROTAZIONE V.L.A.: Orario

Ø 178 X 335 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **MEIDENSHA**

TIPO: **HE-MPO**

ARM. V1: **70** A1:

ECC.: A2:

V2: HP

KW: **1,3**

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60 MIN.**

CODICE: **KLMT1147-**

14510-20410-



ROTAZIONE V.L.A.: Orario

Ø 170 X 235 mors 2

CARR.: **TOYOTA** 2FB20

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **HE- MHO**

ARM. V1: **35-47** A1:

ECC.: A2:

V2: HP

KW: **0,45**

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60 MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT3583-**

14580-11590-



ROTAZIONE V.L.A.: Orario

Ø 168 X 250 mors 2

CARR.: **TOYOTA** 3FB25

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **HE- MHO ??**

ARM. V1: **35-47 ?** A1:

ECC.:

V2: A2:

KW: **0,45 ?** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60 MIN.**

CODICE: **KLMT1146-**

14510-11591-



ROTAZIONE V.L.A.: Orario

Ø 167 X 255 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **VT-MHO**

ARM. V1: **35-47** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,45** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**

CODICE: **KLMT2658-**

14510-21400-



ROTAZIONE V.L.A.: Orario

Ø 166 X 248 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **VT-MPO**

ARM. V1: **35-47** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,45** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**

CODICE: **KLMT1145-**

14510-11590-

14510-11570-

14510-95941-



ROTAZIONE V.L.A.: Orario

Ø 166 X 255 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **VT-MPO**

ARM. V1: **35-47** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,45** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**

CODICE: **KLMT1717-**

14510-32500-



ROTAZIONE V.L.A.: Orario

Ø 170 X 280 mors 2

CARR.: **TOYOTA** TOYOTA 20q.

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **VT-MHO**

ARM. V1: **70** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT3716-**

14510-09054-



ROTAZIONE V.L.A.: Orario

Ø 170 x 280 mors 2

CARR.: **TOYOTA** TOYOTA 20q.

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **VE-MHO**

ARM. V1: 70 A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,750** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**

CODICE: **KLMT1737-**

14520-31420-
79858-34210



ROTAZIONE V.L.A.: Orario

Ø 170 x 255 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **MEIDENSHA ELECTRIC**

TIPO: **VT-MHO**

ARM. V1: 70 A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,45** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**

CODICE: **KLMT2506-**

14480-11171-

101800-0061



ROTAZIONE V.L.A.: Orario

Ø 125 x 223 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **NIPPONDENSO**

TIPO: **101800-0061**

ARM. V1: 23 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60M**

CODICE: **KLMT2355-**

14310-11170-



ROTAZIONE V.L.A.: Antiorario

Ø 126 x 230 mors 2

CARR.: **TOYOTA** FBE15

MOTORE: **NIPPONDENSO**

TIPO: **D.126 180000-10**

ARM. V1: 23 A1:

ECC.: **COMPOUND**

V2: A2:

KW: HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2509-**

14550-11172-

101800-0042



ROTAZIONE V.L.A.: Orario

Ø 125 x 223 mors 2

CARR.: **TOYOTA** 4FB20 ?

MOTORE: **NIPPONDENSO**

TIPO: **MP**

ARM. V1: 47 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1149-**

14510-22502-

101800-0032

14510-22501-

101800-0031



ROTAZIONE V.L.A.: Orario

Ø 125 X 223 mors 2

CARR.: **TOYOTA** 4FB20

MOTORE: **NIPPONDENSO**

TIPO: **MP**

ARM. V1: 47 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT1148-**

14510-22500-

101800-0030



ROTAZIONE V.L.A.: Orario

Ø 125 X 223 mors 2

CARR.: **TOYOTA** 4FB15

MOTORE: **NIPPONDENSO**

TIPO: **101800 0030**

ARM. V1: 47 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT1825-**

14510-23400-

14510-23401-

14510-23500-

14510234007



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 180 mors 2

CARR.: **TOYOTA** 5FBE - 5FB20

MOTORE: **NIPPONDENSO**

TIPO: **D.103 180000-1961**

ARM. V1: 48 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo** SERV: **60MIN.**

CODICE: **KLMT3160-**

14510-23130-

14510-23130-

180000-3040

180000-3041



ROTAZIONE V.L.A.: Orario

Ø 126 X 260 mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **NIPPONDENSO**

TIPO: **D.126 180000-3040**

ARM. V1: 48 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN:

APPLIC.: **Servosterzo** SERV: **60MIN.**

CODICE: **KLMT3372-**

14510-23700-



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 85 X 155 mors 2

CARR.: **TOYOTA** 5FB

MOTORE: **NIPPONDENSO**

TIPO: **D.86 180000-2420**

ARM. V1: 48 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,29** HP

U./MIN:

APPLIC.: **Servosterzo** SERV: **60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT1673-**

14510-33400-



ROTAZIONE V.L.A.:

Ø 102

X 210

mors 2

CARR.: **TOYOTA** 5FB30

MOTORE: **NIPPONDENSO**

TIPO: **D.103 1800-1972 12L01**

ARM. V1: **72** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,75** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**

CODICE: **KLMT1846-**

14510-13200-



ROTAZIONE V.L.A.: **Orario**

Ø 126

X 240

mors 2

CARR.: **TOYOTA** TOYOTA

MOTORE: **NIPPONDENSO**

TIPO: **D.126 180000-1920**

ARM. V1: **72** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **60MIN.**