

CATALOGO MOTORI



SRL

CODICE: **KLMT3470-**

170433-150

203424-150

141324910



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 x 348 mors 3

CARR.: **BT**

RRB7AC ?

MOTORE: **API ELMO**

TIPO: **TSP112/4-150-T**

ARM. V1: **3F-36**

A1: **245**

ECC.: **ASINCRONO 80Hz**

V2:

A2:

KW: **10**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3422-**

216732-195



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 x 395 mors 3

CARR.: **BT**

RRB7AC

MOTORE: **DANAHER-MOTION**

TIPO: **TSP112/4-195-T**

ARM. V1: **3F-34**

A1: **320**

ECC.: **ASINCRONO 80Hz**

V2:

A2:

KW: **14**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3271-**

216731-165



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 318 mors 3

CARR.: **BT**

RRB7AC

MOTORE: **DANAHER-MOTION**

TIPO: **TSP112/4-165**

ARM. V1: **3F-34**

A1: **174**

ECC.: **ASINCRONO 87Hz**

V2:

A2:

KW: **7,5**

HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT2703-**

24MG32-HE

AME-W4-345



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 144 mors 2

CARR.: **BT**

OLV13

MOTORE: **HALDEX BARNES**

TIPO: **24MG32-HE**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,2**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3-4,5%**

CODICE: **KLMT4010-**

7535286



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 135 x 175 mors 3

CARR.: **BT**

LWE140

MOTORE: **ISKRA**

TIPO: **AM**

ARM. V1: **24 3F**

A1:

ECC.: **ASINCRONO Hz:**

V2:

A2:

KW:

HP

U./MIN:

APPLIC.: **Trazione**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2338-**

3B-2420252K

3B-2420252K



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 82 X 138 mors 2

CARR.: **BT** OS3.0

MOTORE: **MET-Minnesota Electr**

TIPO: **3B-2420252K**

ARM. V1: **24** A1: **8**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **HP 0,15**

U./MIN: **2550**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1884-**

ex.164922

3C-483031CJ

3C-4830312J



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 85 X 180 mors 2

CARR.: **BT** BT

MOTORE: **MET-Minnesota Electr**

TIPO: **3C-483031CJ**

ARM. V1: **48** A1: **5,3**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,20** HP

U./MIN: **3450**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT2407-**

150152PM1

141863PM1



ROTAZIONE V.L.A.: Orario

Ø 186 X 413 mors 2

CARR.: **BT** RT

MOTORE: **PRESTOLITE**

TIPO: **MWF4001P**

ARM. V1: **48** A1: **293**

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **1760**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT2234-**

136843

133970

150150

MWA4003



ROTAZIONE V.L.A.: Orario

Ø 181 X 360 mors 3

CARR.: **BT** RT1350SE/13

MOTORE: **PRESTOLITE**

TIPO: **MWA4001A**

ARM. V1: **48** A1: **196**

ECC.: **COMPOUND**

V2: A2:

KW: **7,65** HP

U./MIN: **1365**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1130-**

159738

136693-D4A

MWC4001 ?



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 184 X 293 mors 4

CARR.: **BT** BT

MOTORE: **PRESTOLITE**

TIPO: **MWC4005**

ARM. V1: **48** A1: **143**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **1670**


APPLIC.: **Trazione** SERV: **S2-60%**

CATALOGO MOTORI



CODICE: **KLMT3046-**

403971



ROTAZIONE V.L.A.: Orario

Ø 200 x 400 mors 3

CARR.: **BT**

TRILATERAL

MOTORE: **SCHABMULLER**

TIPO: **TSA200C-9**

ARM. V1: **3F- 28** A1:

ECC.: **ASINCRONO 90Hz**

V2: A2:

KW: **15** HP

U./MIN: **2645**

APPLIC.: **Sollevamento**

SERV: **S3 - 45%**

CODICE: **KLMT3887-**

251776

150150



ROTAZIONE V.L.A.: Orario

Ø 190 x 391 mors 3

CARR.: **BT**

OPI1000

MOTORE: **SCHABMULLER**

TIPO: **TSL178-710**

ARM. V1: **48** A1: **206**

ECC.: **COMPOUND**

V2: A2:

KW: **7,5** HP

U./MIN: **1450**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3812-**

22802



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 268 mors 4

CARR.: **BT**

BT100 - NAU

MOTORE: **SCHABMULLER**

TIPO: **TSL150-865**

ARM. V1: **20** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **6** HP

U./MIN: **3740**

APPLIC.: **Trazione**

SERV: **S2-3'**

CODICE: **KLMT2565-**

(371016000)

200866 ?



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 250 x 245 mors 2+2

CARR.: **BT**

LV13

MOTORE: **SCHABMULLER**

TIPO: **L25-24,8/TSL115-16**

ARM. V1: **24** A1:

ECC.: **SEPARATA**

V2: A2:

KW: **0,5** HP

U./MIN: **2163**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3882-**

7522514



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 135 x 280 mors 3

CARR.: **BT**

OSE250

MOTORE: **SCHABMULLER**

TIPO: **TSA135-165-206**

ARM. V1: **3F x 16** A1:

ECC.: **ASINCRONO Hz:**

V2: A2:

KW: **2,8** HP

U./MIN: **2570**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT3967-**

251775



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 270 mors 4

CARR.: **BT**

OP1000

MOTORE: **SCHABMULLER**

TIPO: **TSL180-90-1**

ARM. V1: **48**

A1: **127**

ECC.: **SERIE**

V2:

A2:

KW: **5**

HP

U./MIN: **2090**

APPLIC.: **Trazione**

SERV: **S2-60%**

CODICE: **KLMT4004-**

247452



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 x 302 mors 3

CARR.: **BT**

RRE200

MOTORE: **SCHABMULLER**

TIPO: **TSA200-180-100**

ARM. V1: **48 3F**

A1:

ECC.: **ASINCRONO Hz:**

V2:

A2:

KW: **-**

HP

U./MIN: **-**

APPLIC.: **Trazione**

SERV: **-**

CODICE: **KLMT3482-**

8816-013



ROTAZIONE V.L.A.: Antiorario

Ø 173 x 233 mors 2

CARR.: **BT**

BT

MOTORE: **THRIGE-TITAN**

TIPO: **MTL11-7A**

ARM. V1: **24**

A1: **165**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3000**

APPLIC.: **Sollevamento**

SERV: **INT.15%**

CODICE: **KLMT1402-**

73930



ROTAZIONE V.L.A.: Orario

Ø 187 x 382 mors 3

CARR.: **BT**

BT

MOTORE: **THRIGE-TITAN**

TIPO: **P3A TTL180C**

ARM. V1: **48**

A1: **194**

ECC.: **COMPOUND**

V2:

A2:

KW: **7,4**

HP

U./MIN: **1330**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT2686-**

221671

221671

50069115



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 161 x 310 mors 2+2

CARR.: **BT**

7PLL24

MOTORE: **THRIGE-TITAN**

TIPO: **TSL160A-DS60**

ARM. V1: **24**

A1: **130**

ECC.: **SEPARATA**

V2:

A2:

KW: **2,5**

HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT2666-**

177007

211180

2541852



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 X 295

mors 2+2

CARR.: **BT**

BT

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140S-DS20**

ARM. V1: **24**

A1: **55**

ECC.: **SEPARATA**

V2:

A2: **8 - 6**

KW: **1**

HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT2609-**

137927



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 162 X 278

mors 4

CARR.: **BT**

SR1.35

MOTORE: **THRIGE-TITAN**

TIPO: **TTL160A-D33**

ARM. V1: **24**

A1: **155**

ECC.: **SERIE**

V2:

A2:

KW: **2,6**

HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT2403-**

174399



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 145 X 247

mors 2+2

CARR.: **BT**

BT

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140BB-DS50**

ARM. V1: **24**

A1: **115**

ECC.: **SEPARATA**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT2384-**

167201

50041523



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 X 285

mors 4+2

CARR.: **BT**

PPT2000MX

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140S-M2-UL**

ARM. V1: **24**

A1: **64,5**

ECC.:

V2: **24**

A2: **0,9**

KW: **1,2**

HP

U./MIN: **1959**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT3013-**

249064

ex.214999

7507831

ex.2541959



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 X 295

mors 2+2

CARR.: **BT**

SWE120

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140S-DS30**

ARM. V1: **24**

A1: **71**

ECC.: **SEPARATA**

V2:

A2: **7,6**

KW: **1,2**

HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT1128-**

147747

132032

1438689



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 319 mors 4+2

CARR.: **BT**

LT2000

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140B-D1**

ARM. V1: **24**

A1: **84**

ECC.: **COMPOUND**

V2: **24**

A2: **9,5**

KW: **1,4**

HP

U./MIN: **1530**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT2279-**

160606

2477920

152654



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 256 mors 4

CARR.: **BT**

OS20

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140BB-D2**

ARM. V1: **24**

A1: **96**

ECC.: **SERIE**

V2:

A2:

KW: **1,8**

HP

U./MIN: **2275**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT3292-**

149861



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 319 mors 4+2

CARR.: **BT**

LT2000

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140B-D11**

ARM. V1: **24**

A1: **74**

ECC.: **COMPOUND**

V2: **24**

A2: **1**

KW: **1,4**

HP

U./MIN: **1800**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT3918-**

7545512



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 X 295 mors 2+2

CARR.: **BT**

SWE120

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140S-DS30**

ARM. V1: **24**

A1: **71**

ECC.: **SEPARATA**

V2:

A2: **7,6**

KW: **1,2**

HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3785-**

249063



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 X 245 mors 2+2

CARR.: **BT**

SW

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140S-DS20**

ARM. V1: **24**

A1: **55**

ECC.: **SEPARATA**

V2:

A2: **8,6**

KW: **1**

HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT3684-**

219637
166102
176102
2540775



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 163 x 309 mors 2+2

CARR.: **BT**

7PLL24

MOTORE: **THRIGE-TITAN**

TIPO: **TSL160A-DS60**

ARM. V1: **24** A1: **130**

ECC.: **SEPARATA**

V2: A2: **12**

KW: **2,5** HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3383-**

7518230
7507834
EX.EX.50069
EX.50072235



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 163 x 309 mors 2+2

CARR.: **BT**

7PLL24

MOTORE: **THRIGE-TITAN**

TIPO: **TSL160A-DS60**

ARM. V1: **24** A1: **130**

ECC.: **SEPARATA**

V2: A2: **12**

KW: **2,5** HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3310-**

214998



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 x 245 mors 2+2

CARR.: **BT**

SW

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140S-DS20**

ARM. V1: **24** A1: **55**

ECC.: **SEPARATA**

V2: A2: **8,6**

KW: **1** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT2713-**

100236
121448
1413449



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 187 x 352 mors 4

CARR.: **BT**

RT

MOTORE: **THRIGE-TITAN**

TIPO: **TTL180C-D5A**

ARM. V1: **48** A1: **118**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **1900**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT1958-**

100235
1413430



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 187 x 308 mors 4

CARR.: **BT**

RT1600SE

MOTORE: **THRIGE-TITAN**

TIPO: **TTL180A-D4A**

ARM. V1: **48** A1: **92**

ECC.: **SERIE**

V2: A2:

KW: **3,7** HP

U./MIN: **2260**

APPLIC.: **Trazione**

SERV: **S3-60%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3915-**



CARR.: **BT - CESAB** BT

MOTORE: **ISKRA**

TIPO: **AML7109**

ARM. V1: **3F x 15 (24** A1:

ECC.: **ASINCRONO HZ.**

V2: A2:

KW: **1,5** HP

U./MIN: **?**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 135 x 0 mors 3

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3796-**

243298



CARR.: **BT - CESAB** BT

MOTORE: **ISKRA**

TIPO: **AML7108**

ARM. V1: **3F x 15 (24** A1:

ECC.: **ASINCRONO HZ.**

V2: A2:

KW: **1** HP

U./MIN:

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 135 x 0 mors 3

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3740-**

0058131



CARR.: **BT - CESAB** C3E150R

MOTORE: **SCHABMULLER**

TIPO: **TSA170-210-033**

ARM. V1: **3F- 16** A1:

ECC.: **ASINCRONO Hz:70**

V2: A2:

KW: **7,5** HP

U./MIN: **2025**

ROTAZIONE V.L.A.: Orario

Ø 170 x 338 mors 3

APPLIC.: **Sollevamento**

SERV: **S3-38%**

CODICE: **KLMT1144-**

144908

1002204



CARR.: **BT - LUGLI** BT - RT1350

MOTORE: **HESSelman**

TIPO: **148MB82LX-4,3-MD6**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: HP

U./MIN:

ROTAZIONE V.L.A.: Orario

Ø 110 x 205 mors 2

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3212-**

2.803140

48MB82LX-W



CARR.: **BT - LUGLI** BT - RT1350

MOTORE: **HESSelman**

TIPO: **148MB82LXPR-4,3-MD6 VM**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,75** HP

U./MIN:

ROTAZIONE V.L.A.: Orario

Ø 112 x 196 mors 2

APPLIC.: **Servosterzo**

SERV: **S3=8,5%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2605-**

8342306



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 0 X 0

mors 2

CARR.: **BT SYSTEM** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **MIWD26.21/150.459.339**

ARM. V1: **24** A1: **54**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN: **1785**

APPLIC.: **Trazione**

SERV: **S2-45MIN**

CODICE: **KLMT3157-**

3001857

H3001857

50028263*



ROTAZIONE V.L.A.: Orario

Ø 150 X 415

mors 2

CARR.: **HUBTEX** HUBTEX 25 q.

MOTORE: **SCHABMULLER**

TIPO: **R150/3,5RK-504/806-08/10**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **3,5** HP

U./MIN: **1500**

APPLIC.: **Servosterzo**

SERV: **S2**

CODICE: **KLMT3671-**

3001796

3001796K

50034454



ROTAZIONE V.L.A.: Orario

Ø 210 X 455

mors 2

CARR.: **HUBTEX** M50

MOTORE: **SCHABMULLER**

TIPO: **R210/10RFK-448/301-../07**

ARM. V1: **75** A1: **210**

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **2920 ?**

APPLIC.: **Sollevamento**

SERV: **S3-66% ?**

CODICE: **KLMT2378-**

3001848K

3001849

50039780*



ROTAZIONE V.L.A.: Orario

Ø 178 X 318

mors 2

CARR.: **HUBTEX** HUBTEX

MOTORE: **SCHABMULLER**

TIPO: **R178/5RK-722/689-08/05**

ARM. V1: **76** A1:

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2625**

APPLIC.: **Sollevamento**

SERV: **S1**

CODICE: **KLMT2647-**

3001798K

50034463*



ROTAZIONE V.L.A.: Orario

Ø 210 X 450

mors 2

CARR.: **HUBTEX** HUBTEX

MOTORE: **SCHABMULLER**

TIPO: **R210/14RFK-447/300-28/07**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **14** HP

U./MIN: **2490**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT3651-**

3001877

3001878

50045518



ROTAZIONE V.L.A.: Orario

Ø 150 X 407 mors 2

CARR.: **HUBTEX** HUBTEX

MOTORE: **SCHABMULLER**

TIPO: **R150/3RK-507/848-08/10**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **2005**

APPLIC.: **Sollevamento ?** SERV: **S1**

CODICE: **KLMT3224-**

9034.058



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 300 mors 4

CARR.: **HUBTEX** VARI

MOTORE: **SCHABMULLER**

TIPO: **R210/4K-355/232**

ARM. V1: **80** A1: **58**

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **1940**

APPLIC.: **Trazione** SERV: **S2-60MIN.**

CODICE: **KLMT3170-**

922480-0009



ROTAZIONE V.L.A.: Orario

Ø 187 X 377 mors 2

CARR.: **HUBTEX** EFA27

MOTORE: **THRIGE-TITAN**

TIPO: **TTL180C**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **14,2** HP

U./MIN: **2350**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT3384-**

7507833

249066

Ex.11008049

Ex.50070415



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 278 mors 2+2

CARR.: **TOYOTA - BT** BT SPE125

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140B-DS41**

ARM. V1: **24** A1: **93**

ECC.: **SEPARATA**

V2: A2: **7,4**

KW: **1,700** HP

U./MIN: **2300**

APPLIC.: **Trazione** SERV: **S2 - 60'**

CODICE: **KLMT3316-**

7507832

249065

7538006

50070394



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 278 mors 2+2

CARR.: **TOYOTA - BT** BT

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140B-DS40**

ARM. V1: **24** A1: **93**

ECC.: **SEPARATA**

V2: A2: **7,4**

KW: **1,700** HP

U./MIN: **2300**

APPLIC.: **Trazione** SERV: **S2 - 60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT3294-**

173175



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 x 278

mors 2+2

CARR.: **TOYOTA - BT** BTMOTORE: **THRIGE-TITAN**TIPO: **TSL140B-DS40**ARM. V1: **24** A1: **93**ECC.: **SEPARATA**V2: A2: **7,4**KW: **1,700** HPU./MIN: **2300**APPLIC.: **Trazione**SERV: **S2 - 60'**CODICE: **KLMT2977-**

215000



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 x 278

mors 2+2

CARR.: **TOYOTA - BT** BTMOTORE: **THRIGE-TITAN**TIPO: **TSL140B-DS40**ARM. V1: **24** A1: **93**ECC.: **SEPARATA**V2: A2: **7,4**KW: **1,700** HPU./MIN: **2300**APPLIC.: **Trazione**SERV: **S2 - 60'**CODICE: **KLMT3886-**

249067



TSL140BBDS

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 x 312

mors 2+2

CARR.: **TOYOTA - BT** BTMOTORE: **THRIGE-TITAN**TIPO: **TSL140BB-DS51**ARM. V1: **24** A1: **120**ECC.: **SEPARATA**V2: A2: **12**KW: **2,200** HPU./MIN: **2300**APPLIC.: **Trazione**SERV: **S2 - 60'**CODICE: **KLMT3380-**

214302



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 x 278

mors 2+2

CARR.: **TOYOTA - BT** BTMOTORE: **THRIGE-TITAN**TIPO: **TSL140B-DS41**ARM. V1: **24** A1: **93**ECC.: **SEPARATA**V2: A2: **7,4**KW: **1,700** HPU./MIN: **2300**APPLIC.: **Trazione**SERV: **S2 - 60'**