

CATALOGO MOTORI



SRL

CODICE: **KLMT1784-**



CARR.: **FIAT- OM** E
 MOTORE: **ANSALDO**
 TIPO: **K1P0731 B006**
 ARM. V1: **36-48** A1: **38/37**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **0,87/1,21** HP
 U./MIN: **1740/2420**

ROTAZIONE V.L.A.: Antiorario

Ø 155 X 245 morsa 2

APPLIC.: Servosterzo SERV: S6-25%

CODICE: **KLMT1783-**

9430618
9433922



CARR.: **FIAT- OM** E15/3C
 MOTORE: **ANSALDO**
 TIPO: **K1P0731 B005**
 ARM. V1: **36-48** A1: **38/37**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **0,87/1,21** HP
 U./MIN: **1740/2420**

ROTAZIONE V.L.A.: Antiorario

Ø 155 X 228 morsa 2

APPLIC.: Servosterzo SERV: S6-25%

CODICE: **KLMT1445-**

9297413
9831345



CARR.: **FIAT- OM** E25B
 MOTORE: **ANSALDO**
 TIPO: **K1P0731B000**
 ARM. V1: **72** A1: **28**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **1,44** HP
 U./MIN: **2800**

ROTAZIONE V.L.A.: Antiorario

Ø 155 X 245 morsa 2

APPLIC.: Servosterzo SERV:

CODICE: **KLMT1748-**

9433921



CARR.: **FIAT- OM** E25B
 MOTORE: **ANSALDO**
 TIPO: **K1P0761B001**
 ARM. V1: **72** A1: **28,4/6**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **1,42/0,25** HP
 U./MIN: **1850/2450**

ROTAZIONE V.L.A.: Antiorario

Ø 155 X 259 morsa 2

APPLIC.: Servosterzo SERV: S6 - 25%

CODICE: **KLMT1895-**

9280841
PCUS1.5



CARR.: **FIAT- OM** E35B
 MOTORE: **ANSALDO**
 TIPO: **K1P0731 B000**
 ARM. V1: **80** A1: **17,5**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **1** HP
 U./MIN: **3000**

ROTAZIONE V.L.A.: Antiorario

Ø 155 X 257 morsa 2

APPLIC.: Servosterzo SERV: INT.25%

CATALOGO MOTORI



SRL

CODICE: **KLMT1105-**

9451222

0136501052



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 228 morsa 2

CARR.: **FIAT- OM** E15N -
 MOTORE: **BOSCH**
 TIPO: **AMP5303<=F**
 ARM. V1: **36-48** A1:
 ECC.: **COMPOUND**
 V2: A2:
 KW: **0,3** HP
 U./MIN: **3100**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1446-**

9451223

11214253



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 260 morsa 2

CARR.: **FIAT- OM** E20B - E25B
 MOTORE: **BOSCH**
 TIPO: **AMP5609<=F**
 ARM. V1: **72** A1: **8/27**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **0,25/1,5** HP
 U./MIN: **2400/1900**

APPLIC.: **Servosterzo** SERV: **S6-25%**

CODICE: **KLMT1455-**

9454229

9454229/PME



ROTAZIONE V.L.A.: Orario

Ø 177 X 380 morsa 2

CARR.: **FIAT- OM** E60N-E70N-E
 MOTORE: **FIAT- OM**
 TIPO: **177 4SP.**
 ARM. V1: **80** A1: **30**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **2** HP
 U./MIN: **1620**

APPLIC.: **Servosterzo** SERV: **S2 - 60'**

CODICE: **KLMT2484-**

95350077

X9454229



ROTAZIONE V.L.A.: Orario

Ø 177 X 320 morsa 2

CARR.: **FIAT- OM** E60N-E70N-E
 MOTORE: **FIAT- OM**
 TIPO: **L39PD**
 ARM. V1: **80** A1:
 ECC.: **COMPOUND**
 V2: A2:
 KW: **2** HP
 U./MIN: **1600**

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2329-**

95350077

EX.95350078



ROTAZIONE V.L.A.: Orario

Ø 177 X 320 morsa 2

CARR.: **FIAT- OM** E60N-E70N-E
 MOTORE: **FIAT- OM**
 TIPO: **PME**
 ARM. V1: **80** A1: **36**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **2** HP
 U./MIN: **1620**

APPLIC.: **Servosterzo** SERV: **S3-70%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3672-**

95350774



ROTAZIONE V.L.A.: Orario

Ø 176 X 346 morsa 2

CARR.: **FIAT- OM** E80N

MOTORE: **PME**

TIPO: **PME**

ARM. V1: **96** A1: **25**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1620**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3332-**

45235420500



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 morsa 3

CARR.: **FIAT- OM** CTX

MOTORE: **SCHABMULLER**

TIPO: **TSL100-172-18**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN: **1345**

APPLIC.: **Servosterzo**

SERV: **S3-78%**

CODICE: **KLMT2542-**

416142

931772

8416142

50041505*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 161 morsa 3

CARR.: **FIAT- OM** SU - SV - SD

MOTORE: **SCHABMULLER**

TIPO: **R100/0,15-231/172-81-18 SO**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2694-**

95319864

908-013



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 275 morsa 2

CARR.: **FIAT- OM** A2

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-../22**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3614-**

925736

8020889

020889

50062925



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 morsa 3

CARR.: **FIAT- OM** TSR

MOTORE: **SCHABMULLER**

TIPO: **TSL100-131**

ARM. V1: **48** A1: **12,6**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3 - 56%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3432-**

40313500801



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 morsa 2

CARR.: **FIAT- OM** XE80

MOTORE: **SCHABMULLER**

TIPO: **TSL150-100-882**

ARM. V1: **80** A1: **30,5**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Servosterzo**

SERV: **S3-100%**

CODICE: **KLMT2370-**

452249703



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 101 X 158 morsa 3

CARR.: **PIMESPO** TSX - CTX

MOTORE: **BERTRAND POLICO**

TIPO: **MS56-85 EHAS1M003**

ARM. V1: **24** A1: **15**

ECC.: **SERIE**

V2: A2:

KW: **0,18** HP

U./MIN: **70**

APPLIC.: **Servosterzo**

SERV: **S3-40%**

CODICE: **KLMT2251-**

020847

70809007

70809004



ROTAZIONE V.L.A.: Orario

Ø 150 X 281 morsa 2

CARR.: **PIMESPO** PIMESPO

MOTORE: **PIMESPO**

TIPO: **150 ST24**

ARM. V1: **48** A1: **25**

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN: **1160**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2485-**

0009761016

9848450*

50054426*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 253 morsa 3

CARR.: **PIMESPO** TSX - TLX - C

MOTORE: **SCHABMULLER**

TIPO: **TSL100A-177.46**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV: **S3=59%**

CODICE: **KLMT3460-**

45395420500

9852440*

50062178*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 255 morsa 3

CARR.: **PIMESPO** LOGO 1 AC

MOTORE: **SCHABMULLER**

TIPO: **TSL100A-178.46**

ARM. V1: **24** A1: **36**

ECC.: **SERIE**

V2: A2:

KW: **0,6** HP

U./MIN: **3185**

APPLIC.: **Servosterzo**

SERV: **S3=38%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2520-**

95319489

50034882



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 160 mors 2

CARR.: **PIMESPO** MODO3

MOTORE: **SCHABMULLER**

TIPO: **P112/0,6-745/686-81-46 HES**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,600** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S3-26%**

CODICE: **KLMT2579-**

95325593



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 237 mors 2

CARR.: **PIMESPO** THESI

MOTORE: **SCHABMULLER**

TIPO: **TSL150A-850**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,5** HP

U./MIN: **1440**

APPLIC.: **Servosterzo**

SERV: