

CATALOGO MOTORI



SRL

CODICE: **KLMT1745-**

9295473



ROTAZIONE V.L.A.: Orario

Ø 185 x 350 mors 2

CARR.: **FIAT- OM** E12C - E15C

MOTORE: **ANSALDO**

TIPO: **K1P0921B000**

ARM. V1: **48** A1: **215**

ECC.: **SERIE**

V2: A2:

KW: **7** HP

U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT1101-**

9423913

9294108



ROTAZIONE V.L.A.: Orario

Ø 200 x 430 mors 2

CARR.: **FIAT- OM** E20B - E25B

MOTORE: **ANSALDO**

TIPO: **K1P1041B013**

ARM. V1: **72** A1: **203-8**

ECC.: **SERIE**

V2: A2:

KW: **11-4,8** HP

U./MIN: **1600-2600**

APPLIC.: **Sollevamento** SERV: **S3 - 12%**

CODICE: **KLMT2270-**

9283145



ROTAZIONE V.L.A.: Orario

Ø 259 x 612 mors 2

CARR.: **FIAT- OM** E30- E35 -E30

MOTORE: **ANSALDO**

TIPO: **MYP66**

ARM. V1: **80** A1: **160-6**

ECC.: **SERIE**

V2: A2:

KW: **11-4** HP

U./MIN: **1500-2600**

APPLIC.: **Sollevamento** SERV: **S2 = 60'**

CODICE: **KLMT3663-**

95350080

9459903



ROTAZIONE V.L.A.: Orario

Ø 150 x 315 mors 2

CARR.: **FIAT- OM** VARI

MOTORE: **BOSCH**

TIPO: **AMP4509=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento** SERV: **S1**

CODICE: **KLMT1421-**

9007944

0136500008

0136500013

0136500023



ROTAZIONE V.L.A.: Orario

Ø 150 x 282 mors 2

CARR.: **FIAT- OM** E6 - E8

MOTORE: **BOSCH**

TIPO: **0136500018**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **2,5** HP

U./MIN: **1500**

APPLIC.: **Sollevamento** SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1616-**

5201429

0136503016



ROTAZIONE V.L.A.: Orario

Ø 150 x 343 mors 2

CARR.: **FIAT- OM** OM

MOTORE: **BOSCH**

TIPO: **AMP5611=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **5,5** HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1450-**

9452830

9459066

9296631

0136500033



ROTAZIONE V.L.A.: Orario

Ø 150 x 295 mors 2

CARR.: **FIAT- OM** E8N - E10N-

MOTORE: **BOSCH**

TIPO: **AMP4660=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1447-**

9452257

9451221

11214411



ROTAZIONE V.L.A.: Orario

Ø 178 x 335 mors 2

CARR.: **FIAT- OM** e/3 12N - e/3

MOTORE: **BOSCH**

TIPO: **AMT4620=>F**

ARM. V1: **36-48** A1: **240**

ECC.: **SERIE**

V2: A2:

KW: **6 - 8,3** HP

U./MIN: **2100/2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 25%**

CODICE: **KLMT1481-**

9816310

0136501030



ROTAZIONE V.L.A.: Orario

Ø 150 x 0 mors 2

CARR.: **FIAT- OM** E12C - E15C -

MOTORE: **BOSCH**

TIPO: **0.136.501.030**

ARM. V1: **40** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3111-**

AM200.00150



ROTAZIONE V.L.A.: Orario

Ø 253 x 399 mors 3

CARR.: **FIAT- OM** E30AC

MOTORE: **FIAT- OM**

TIPO: **AM200.001502**

ARM. V1: **3x54V** A1:

ECC.: **ASINCRONO 81Hz**

V2: A2:

KW: **19** HP

U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1454-**

9454090



ROTAZIONE V.L.A.: Orario

Ø 295 x 558 mors 2

CARR.: **FIAT- OM**

E60N - E70N -

MOTORE: **FIAT- OM**

TIPO: **S41P**

ARM. V1: **80**

A1: **344**

ECC.: **SERIE**

V2:

A2:

KW: **22**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3 = 18%**

CODICE: **KLMT1469-**

9460161

9460101

K2P088CEC



ROTAZIONE V.L.A.: Orario

Ø 165 x 378 mors 2

CARR.: **FIAT- OM**

EU3/12-EU3/1

MOTORE: **GIEM**

TIPO: **K2P088**

ARM. V1: **48**

A1: **235**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT1456-**

9456061

9453637

K12AD013D



ROTAZIONE V.L.A.: Orario

Ø 239 x 454 mors 2

CARR.: **FIAT- OM**

E35N - E40N -

MOTORE: **GIEM**

TIPO: **K2P122C**

ARM. V1: **72-80**

A1: **250**

ECC.: **SERIE**

V2:

A2:

KW: **15,2/17**

HP

U./MIN: **2420/2700**

APPLIC.: **Sollevamento**

SERV: **S3 - 20%**

CODICE: **KLMT1457-**

9456062

9453112

K106A01



ROTAZIONE V.L.A.: Orario

Ø 195 x 433 mors 2

CARR.: **FIAT- OM**

E20NH-E25N-

MOTORE: **GIEM**

TIPO: **K2P106CL**

ARM. V1: **72-80**

A1: **246**

ECC.: **SERIE**

V2:

A2:

KW: **14,5/16,1**

HP

U./MIN: **2500/2780**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT1458-**

9456063

9453345

9452593

K2P104AEAA



ROTAZIONE V.L.A.: Orario

Ø 194 x 395 mors 2

CARR.: **FIAT- OM**

E15NH - E18

MOTORE: **GIEM**

TIPO: **K2P104A**

ARM. V1: **72-80**

A1: **200**

ECC.: **SERIE**

V2:

A2:

KW: **11,6/12,9**

HP

U./MIN: **2150/2390**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2947-**



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 160 mors 2

CARR.: **FIAT- OM** LIFTER LC-S

MOTORE: **ISKRA**

TIPO: **AMJ5767<=C**

ARM. V1: **24** A1: **140**

ECC.: **COMPOUND**

V2: A2:

KW: **2,2** HP

U./MIN: **2700**

APPLIC.: **Sollevamento** SERV: **S3-5%**

CODICE: **KLMT3639-**

0009760953



ROTAZIONE V.L.A.: Orario ?

Ø 190 x 320 mors 3

CARR.: **FIAT- OM** XR

MOTORE: **JULI**

TIPO: **AP4G6-B1-2**

ARM. V1: **3F X 27** A1: **350**

ECC.: **ASINCRONO Hz:72**

V2: A2:

KW: **11,5** HP

U./MIN: **2040**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT3340-**

0009760923



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 260 x 370 mors 3

CARR.: **FIAT- OM** ac XE25

MOTORE: **JULI**

TIPO: **AP4H6-L2-1**

ARM. V1: **3F X 45** A1: **360**

ECC.: **ASINCRONO 100Hz**

V2: A2:

KW: **22** HP

U./MIN: **2890**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT2582-**

95353003

95351347

1002054



ROTAZIONE V.L.A.: Orario

Ø 178 x 283 mors 2

CARR.: **FIAT- OM** XE15-18

MOTORE: **JULI**

TIPO: **GP116-14/7.9**

ARM. V1: **48** A1: **230**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento** SERV: **15%**

CODICE: **KLMT3172-**

529525



ROTAZIONE V.L.A.: Orario

Ø 250 x 335 mors 2

CARR.: **FIAT- OM** XE40 - XE50

MOTORE: **JULI**

TIPO: **GP164-M1**

ARM. V1: **80** A1: **320**

ECC.: **SERIE**

V2: A2:

KW: **21** HP

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-20%**


CATALOGO MOTORI



SRL

CODICE: **KLMT1468-**

9459070



ROTAZIONE V.L.A.: Orario

Ø 170 x 365 mors 2

CARR.: **FIAT- OM** E12N - E15N

MOTORE: **LEROY**

TIPO: **T17**

ARM. V1: **36-48** A1: **220/2**

ECC.: **SERIE**

V2: A2:

KW: **6,7/9** HP

U./MIN: **2000/2800**

APPLIC.: **Sollevamento** SERV: **S3 - 30%**

CODICE: **KLMT2086-**

9289373



ROTAZIONE V.L.A.: Orario

Ø 200 x 430 mors 2

CARR.: **FIAT- OM** E20 48v.

MOTORE: **LEROY**

TIPO: **T20B**

ARM. V1: **48** A1: **280**

ECC.: **SERIE**

V2: A2:

KW: **11** HP

U./MIN: **3300**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1795-**

9457355



ROTAZIONE V.L.A.: Orario

Ø 194 x 430 mors 2

CARR.: **FIAT- OM** EU25-EU28-E

MOTORE: **LEROY**

TIPO: **T19**

ARM. V1: **72-80** A1: **240**

ECC.: **SERIE**

V2: A2:

KW: **14,5-16** HP

U./MIN: **2500-2750**

APPLIC.: **Sollevamento** SERV: **S3 - 30%**

CODICE: **KLMT1462-**

9457646



ROTAZIONE V.L.A.: Orario

Ø 190 x 400 mors 2

CARR.: **FIAT- OM** EU18-EU20-E

MOTORE: **LEROY**

TIPO: **T19**

ARM. V1: **72-80** A1: **185**

ECC.: **SERIE**

V2: A2:

KW: **11,6-12,9** HP

U./MIN: **2150-2300**

APPLIC.: **Sollevamento** SERV: **3 - 30/100**

CODICE: **KLMT1752-**

9458952



ROTAZIONE V.L.A.: Orario

Ø 240 x 455 mors 2

CARR.: **FIAT- OM** E40N

MOTORE: **LEROY**

TIPO: **T22**

ARM. V1: **80** A1: **240**

ECC.: **SERIE**

V2: A2:

KW: **17** HP

U./MIN: **2700**

APPLIC.: **Sollevamento** SERV: **S3 - 30%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1460-**

9456475

9457593



ROTAZIONE V.L.A.: Orario

Ø 190 x 330 mors 2

CARR.: **FIAT- OM** EU3/12 - EU3/

MOTORE: **LEROY SOMMER**

TIPO: **T19**

ARM. V1: **48** A1: **215**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **S3 20%**

CODICE: **KLMT1440-**

9293295

9268495?



ROTAZIONE V.L.A.: Orario

Ø 150 x 276 mors 2

CARR.: **FIAT- OM** E6 - E8

MOTORE: **M.MARELLI**

TIPO: **MTX12B**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **2,5** HP

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1442-**

9295099

MTX14



ROTAZIONE V.L.A.: Orario

Ø 150 x 340 mors 2

CARR.: **FIAT- OM** E12C - E15C

MOTORE: **MAGNETI MARELLI**

TIPO: **MTX 14 A**

ARM. V1: **24-36-48** A1:

ECC.: **SERIE**

V2: A2:

KW: **2,8-4,4-6** HP

U./MIN: **2000-2700**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT2049-**

9272190

9269665

9269667

9286956



ROTAZIONE V.L.A.: Orario

Ø 185 x 490 mors 2

CARR.: **FIAT- OM** E12CE - E15B

MOTORE: **PELLIZZARI**

TIPO: **E100MSP**

ARM. V1: **36-48** A1: **260**

ECC.: **COMPOUND**

V2: A2:

KW: **6,76** HP **9-14**

U./MIN: **1300-2000**


APPLIC.: **Sollevamento** SERV: **LIMIT.3'**

CODICE: **KLMT3762-**

40313500703

40313500702

40313500701



ROTAZIONE V.L.A.: Orario

Ø 254 x 431 mors 2

CARR.: **FIAT- OM** XE60-XE70-X

MOTORE: **SCHABMULLER**

TIPO: **TSL240-110-87**

ARM. V1: **80** A1: **337**

ECC.: **SERIE**

V2: A2:

KW: **22** HP

U./MIN: **2010**

APPLIC.: **Sollevamento** SERV: **S3-18%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2826-**

9479209

FOMB22126A



ROTAZIONE V.L.A.: CCW

Ø 250 x 520 mors 6

CARR.: **FIAT- OM** FASE

MOTORE: **SME**

TIPO: **FOMB22126AUHA**

ARM. V1: **3F-48** A1: **385**

ECC.: **ASINCRONO Hz:**

V2: A2:

KW: **23** HP

U./MIN: **2023**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1461-**

9457632



ROTAZIONE V.L.A.: CCW

Ø 210 x 405 mors 3

CARR.: **FIAT- OM** FASE30

MOTORE: **SME**

TIPO: **BOOMT15**

ARM. V1: **3F-67** A1: **180**

ECC.: **ASINCRONO 52HZ**

V2: A2:

KW: **16,7** HP

U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT2193-**

95352853



ROTAZIONE V.L.A.: CCW

Ø 0 x 0 mors 3

CARR.: **FIAT- OM** FASE20 - 30

MOTORE: **SME**

TIPO: **B0MA2012SSVFA**

ARM. V1: **3F-67** A1: **180**

ECC.: **ASINCRONO Hz.**

V2: A2:

KW: **16,7** HP

U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1612-**

022437

022435*

E190009

0136355070



ROTAZIONE V.L.A.: Orario

Ø 112 x 200 mors 2

CARR.: **PIMESPO** PIM. - SAMAG

MOTORE: **BOSCH**

TIPO: **AMJ5156=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1613-**

022436

9836662

0136355071



ROTAZIONE V.L.A.: Orario

Ø 112 x 212 mors 2

CARR.: **PIMESPO** TSC20

MOTORE: **BOSCH**

TIPO: **AMJ5157=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento** SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1620-**

022439

E190011

1517220541

0136501055



ROTAZIONE V.L.A.: Orario

Ø 150 x 315 mors 2

CARR.: **PIMESPO** VARI

MOTORE: **BOSCH**

TIPO: **AMP4632=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento** SERV: **S1**

CODICE: **KLMT3008-**

95320739

113866B*



ROTAZIONE V.L.A.: Antiorario

Ø 107 x 125 mors 2

CARR.: **PIMESPO** TL18

MOTORE: **ECIA**

TIPO: **112242G**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,2** HP

U./MIN:

APPLIC.: **Sollevamento** SERV: **S3-10%**

CODICE: **KLMT1114-**

111458A

95301141

111895



ROTAZIONE V.L.A.: Antiorario

Ø 125 x 229 mors 2

CARR.: **PIMESPO** CTX

MOTORE: **HPI**

TIPO: **111895D**

ARM. V1: **24** A1:

ECC.:

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT1598-**

087905012

087905120*



ROTAZIONE V.L.A.: Orario

Ø 125 x 266 mors 2

CARR.: **PIMESPO** IDEA TX

MOTORE: **ISKRA**

TIPO: **AMK5668=>C**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3300**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT2040-**

95311803

11212357

1547220504

1547220533



ROTAZIONE V.L.A.: Orario

Ø 112 x 182 mors 2

CARR.: **PIMESPO** SIROA

MOTORE: **ISKRA**

TIPO: **AMJ5284=>R**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-7%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1686-**

11216025

1517220565

0541200058*



ROTAZIONE V.L.A.: Orario

Ø 112 X 191 mors 2

CARR.: **PIMESPO** SIROA

MOTORE: **ISKRA**

TIPO: **AMJ5286=>F**

ARM. V1: **48** A1: **100**

ECC.:

V2: A2:

KW: **2** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3=7%**

CODICE: **KLMT2985-**

95319877



ROTAZIONE V.L.A.: Orario

Ø 225 X 346 mors 2

CARR.: **PIMESPO** THESI2

MOTORE: **JULI**

TIPO: **GP138-P6**

ARM. V1: **48** A1: **330**

ECC.: **SERIE**

V2: A2:

KW: **11,5** HP

U./MIN: **1500**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT3035-**

888408362



ROTAZIONE V.L.A.: Orario

Ø 251 X 335 mors 2

CARR.: **PIMESPO** DUAL 15/3

MOTORE: **JULI**

TIPO: **GP164-M2**

ARM. V1: **80** A1: **320**

ECC.: **SEPARATA**

V2: **50** A2: **23**

KW: **21** HP

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1063-**

020014

2300/G



ROTAZIONE V.L.A.: Orario

Ø 150 X 336 mors 2

CARR.: **PIMESPO** PIMESPO

MOTORE: **PIMESPO**

TIPO: **150**

ARM. V1: **24** A1: **180**

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1500**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT2353-**

022482



ROTAZIONE V.L.A.: Orario

Ø 177 X 393 mors 3

CARR.: **PIMESPO** M2

MOTORE: **PIMESPO**

TIPO: **177R 3MO**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **5** HP

U./MIN: **2300\3200**

APPLIC.: **Sollevamento** SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT3295-**

95310984



ROTAZIONE V.L.A.: Orario

Ø 177

X 345

mors 2

CARR.: **PIMESPO**

PIMESPO

MOTORE: **PIMESPO**

TIPO: **177R V.INT.**

ARM. V1: **48**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **5**

HP

U./MIN: **1980**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1066-**

023500

9835599

2519



ROTAZIONE V.L.A.: Orario

Ø 177

X 395

mors 3

CARR.: **PIMESPO**

M2

MOTORE: **PIMESPO**

TIPO: **177R 3MO PPP.26**

ARM. V1: **48**

A1: **220**

ECC.: **COMPOUND**

V2:

A2:

KW: **5**

HP

U./MIN: **2300/3200**

APPLIC.: **Sollevamento**

SERV: **S3=17%**

CODICE: **KLMT2581-**

70908002

2213/E



ROTAZIONE V.L.A.: Orario

Ø 112

X 190

mors 2

CARR.: **PIMESPO**

SIROA

MOTORE: **PIMESPO**

TIPO: **112**

ARM. V1: **48**

A1: **55**

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1392-**

71905302



ROTAZIONE V.L.A.: Orario

Ø 253

X 410

mors 4

CARR.: **PIMESPO**

TRILATERAL

MOTORE: **PIMESPO**

TIPO: **253 4MO N20 P24**

ARM. V1: **72**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **14**

HP

U./MIN: **1850**

APPLIC.: **Sollevamento**

SERV: **S3**