

CATALOGO MOTORI



SRL

CODICE: **KLMT3720-**

20054392480

20076332006

543924806



ROTAZIONE V.L.A.: Orario

Ø 125 X 238 mors 2

CARR.: **CATERPILLAR** NS1600V

MOTORE: **ISKRA**

TIPO: **AMK5607=>C**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15% /**

CODICE: **KLMT2586-**

97020-20400

9702020400

Ex.97020-104

11216053



ROTAZIONE V.L.A.: Orario

Ø 178 X 380 mors 2

CARR.: **CATERPILLAR** EP16KT

MOTORE: **ISKRA**

TIPO: **AMT4659=>**

ARM. V1: **48** A1: **285**

ECC.:

V2: A2:

KW: **11,5** HP

U./MIN: **2050**

APPLIC.: **Sollevamento**

SERV: **S3 - 20%**

CODICE: **KLMT3559-**



ROTAZIONE V.L.A.: Orario

Ø 114 X 170 mors 2

CARR.: **FAC** FAC

MOTORE: **ISKRA**

TIPO: **AMJ5790 => T**

ARM. V1: **12** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2750**

APPLIC.: **Sollevamento**

SERV: **S2-3' / S3-**

CODICE: **KLMT3525-**

1792/AC

EX.11212388



ROTAZIONE V.L.A.: Orario

Ø 112 X 177 mors 2

CARR.: **FENNER** PIATTAFORM

MOTORE: **ISKRA**

TIPO: **AMJ5754=>C**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **2,05** HP

U./MIN: **3000**

APPLIC.: **Sollevamento**

SERV: **S3-12%**

CODICE: **KLMT1156-**

1793/AC

EX.11212388



ROTAZIONE V.L.A.: Orario

Ø 112 X 177 mors 2

CARR.: **FENNER** PIATTAFORM

MOTORE: **ISKRA**

TIPO: **AMJ5755=>C**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,8** HP

U./MIN: **3000 - 320**

APPLIC.: **Sollevamento**

SERV: **S3 - 12%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2947-**



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 160 mors 2

CARR.: **FIAT- OM** LIFTER LC-S

MOTORE: **ISKRA**

TIPO: **AMJ5767<=C**

ARM. V1: **24** A1: **140**

ECC.: **COMPOUND**

V2: A2:

KW: **2,2** HP

U./MIN: **2700**

APPLIC.: **Sollevamento** SERV: **S3-5%**

CODICE: **KLMT3877-**

024341

114806D



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 217 mors 2

CARR.: **HPI** HAULOTTE

MOTORE: **ISKRA**

TIPO: **AMJ5775<=C**

ARM. V1: **12** A1: **400**

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2100**

APPLIC.: **Sollevamento** SERV: **S3- 10%**

CODICE: **KLMT3624-**

113349



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 185 mors 2

CARR.: **HPI - VARI** VARI

MOTORE: **ISKRA**

TIPO: **AMJ5722<=C**

ARM. V1: **24** A1: **120**

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **S3=8%- S**

CODICE: **KLMT2905-**

113305R



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 207 mors 2

CARR.: **HPI - VARI** VARI

MOTORE: **ISKRA**

TIPO: **AMJ4751<=C**

ARM. V1: **24** A1: **120**

ECC.: **COMPOUND**

V2: A2:

KW: **1,9/2,2** HP

U./MIN: **4500/4200**

APPLIC.: **Sollevamento** SERV: **S3=12% -**

CODICE: **KLMT3742-**

25006000

25010800



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 170 mors 2

CARR.: **HYDRAPP** HYDR-APP

MOTORE: **ISKRA**

TIPO: **AMJ5822<= T**

ARM. V1: **12** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

APPLIC.: **Sollevamento** SERV: **S2-2' / S3-**

CATALOGO MOTORI



SRL

CODICE: **KLMT3151-**

8519015



ROTAZIONE V.L.A.: Antiorario ?

Ø 178 x 365 mors 2

CARR.: **HYSTER**

NACCO

MOTORE: **ISKRA**

TIPO: **AMT4660<=**

ARM. V1: **36 - 48**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **6,9 - 9,1**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S2-15'**

CODICE: **KLMT2424-**

11216205

E190008

E190020

1547220524



ROTAZIONE V.L.A.: Orario

Ø 114 x 173 mors 2

CARR.: **JUNGHEINRICH EJD**

MOTORE: **ISKRA**

TIPO: **AMJ5718=>R**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-4%**

CODICE: **KLMT2215-**

11212628

1517220528

1517220529



ROTAZIONE V.L.A.: Orario

Ø 112 x 256 mors 2

CARR.: **JUNGHEINRICH EJC12,5**

MOTORE: **ISKRA**

TIPO: **AMJ5221=>B**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,1**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1639-**

50005729

1547220513



ROTAZIONE V.L.A.: Orario

Ø 125 x 237 mors 2

CARR.: **JUNGHEINRICH BOSCH- OIL**

MOTORE: **ISKRA**

TIPO: **AMK5636=>R**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT2700-**

50125677

114134B



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 167 mors 2

CARR.: **JUNGHEINRICH JUNG.**

MOTORE: **ISKRA**

TIPO: **AMJ5729<=C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,5**

HP

U./MIN: **3000**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1196-**

27894450
1517220524
27885520
1517220524



ROTAZIONE V.L.A.: Orario

Ø 125 x 241 mors 2

CARR.: **JUNGHEINRIGH EJC14/16**

MOTORE: **ISKRA**

TIPO: **AMK5644=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2640-**

1517220524



ROTAZIONE V.L.A.: Orario

Ø 125 x 241 mors 2

CARR.: **JUNGHEINRIGH EJC14/16**

MOTORE: **ISKRA**

TIPO: **AMK5519=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT2866-**



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 170 mors 2

CARR.: **LIFTER PRAMA LIFTER**

MOTORE: **ISKRA**

TIPO: **AMJ5761<= T**

ARM. V1: **12** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S2-2' / S3-**

CODICE: **KLMT1635-**

0039761125
110678E
11212559*



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 195 mors 2

CARR.: **LINDE - HPI - V L10 - VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5114<=C**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2780-**

11216004
1517220536



ROTAZIONE V.L.A.: Orario

Ø 150 x 340 mors 2

CARR.: **MARIOTTI MARIOTTI**

MOTORE: **ISKRA**

TIPO: **AMP4512=>F**

ARM. V1: **36** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT3274-**

97M20-30200

97M2030200

97M20-10200

97M2010200



ROTAZIONE V.L.A.: Antiorario

Ø 178 x 346 mors 2

CARR.: **mitsubishi** FB15KRT

MOTORE: **ISKRA**

TIPO: **AMT4650<=C**

ARM. V1: 24 A1: 530

ECC.: **SERIE**

V2: A2:

KW: 8,8 HP

U./MIN: 1650

APPLIC.: Sollevamento SERV: S3 - 15%

CODICE: **KLMT3500-**



ROTAZIONE V.L.A.: Orario

Ø 125 x 230 mors 2

CARR.: **OIL SISTEM** VARI

MOTORE: **ISKRA**

TIPO: **AMK5685=>T**

ARM. V1: 24 A1: 205

ECC.: **COMPOUND**

V2: A2:

KW: 3,0 HP

U./MIN: 2600

APPLIC.: Sollevamento SERV: S3-16%

CODICE: **KLMT3725-**



ROTAZIONE V.L.A.: Orario

Ø 125 x 230 mors 2

CARR.: **OIL SISTEM** VARI

MOTORE: **ISKRA**

TIPO: **AMK5513=>T**

ARM. V1: 24 A1: 205

ECC.: **COMPOUND**

V2: A2:

KW: 3,0 HP

U./MIN: 2600

APPLIC.: Sollevamento SERV: S3-16% S

CODICE: **KLMT3618-**

1788/AC

W-9795



ROTAZIONE V.L.A.: Orario

Ø 112 x 175 mors 2

CARR.: **PIATTAFORMA** AIRO TC24-0

MOTORE: **ISKRA**

TIPO: **AMJ5580=>C**

ARM. V1: 12 A1:

ECC.: **SERIE**

V2: A2:

KW: 1,4 HP

U./MIN: 2800

APPLIC.: Sollevamento SERV: S3

CODICE: **KLMT3195-**

36179

39200424

11212599



ROTAZIONE V.L.A.: Antiorario

Ø 93 x 133 mors 2

CARR.: **PIATTAFORMA** GENIE

MOTORE: **ISKRA**

TIPO: **AMF4615<=C**

ARM. V1: 24 A1:

ECC.: **SERIE**

V2: A2:

KW: 1,2 HP

U./MIN: 3000

APPLIC.: Sollevamento SERV: S3 - 4%

CATALOGO MOTORI



SRL

CODICE: **KLMT4056-**



CARR.: **PIATTAFORMA NIFTY**

MOTORE: **ISKRA**

TIPO: **AMT5605=>C**

ARM. V1: **48** A1: **175**

ECC.: **SERIE**

V2: A2:

KW: **6** HP

U./MIN: **2800**

ROTAZIONE V.L.A.: Orario

Ø 178 X 347 mors 2

APPLIC.: Sollevamento

SERV: S3-40%

CODICE: **KLMT1598-**

087905012

087905120*



CARR.: **PIMESPO** IDEA TX

MOTORE: **ISKRA**

TIPO: **AMK5668=>C**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3300**

ROTAZIONE V.L.A.: Orario

Ø 125 X 266 mors 2

APPLIC.: Sollevamento

SERV: S3

CODICE: **KLMT2040-**

95311803

11212357

1547220504

1547220533



CARR.: **PIMESPO** SIROA

MOTORE: **ISKRA**

TIPO: **AMJ5284=>R**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2500**

ROTAZIONE V.L.A.: Orario

Ø 112 X 182 mors 2

APPLIC.: Sollevamento

SERV: S3-7%

CODICE: **KLMT1686-**

11216025

1517220565

0541200058*



CARR.: **PIMESPO** SIROA

MOTORE: **ISKRA**

TIPO: **AMJ5286=>F**

ARM. V1: **48** A1: **100**

ECC.:

V2: A2:

KW: **2** HP

U./MIN: **2500**

ROTAZIONE V.L.A.: Orario

Ø 112 X 191 mors 2

APPLIC.: Sollevamento

SERV: S3=7%

CODICE: **KLMT2676-**



CARR.: **PIMESPO - LIN** TRASPALLET

MOTORE: **ISKRA**

TIPO: **AMG1635<=C**

ARM. V1: **24** A1: **7**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1,2** HP

U./MIN: **5000**

ROTAZIONE V.L.A.: Antiorario

Ø 106 X 136 mors 2

APPLIC.: Sollevamento

SERV: S3 - 8,5%

CATALOGO MOTORI



SRL

CODICE: **KLMT2587-**

0009760944



ROTAZIONE V.L.A.: Orario

Ø 112 x 158 mors 2

CARR.: **STILL**

EGU20N

MOTORE: **ISKRA**

TIPO: **AMJ5772=>T**

ARM. V1: **24**

A1: **120**

ECC.:

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3 = 5%**

CODICE: **KLMT2366-**

11216077



ROTAZIONE V.L.A.: Orario

Ø 112 x 173 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5701=>C**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,6**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1570-**

11212085

599999047

543913416

EX11212069



ROTAZIONE V.L.A.: Orario

Ø 114 x 170 mors 2

CARR.: **VARI**

HIDROIRMA -

MOTORE: **ISKRA**

TIPO: **AMJ5649=>C**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1571-**

11212089

14916500105

=EFEL36305

EX11212071



ROTAZIONE V.L.A.: Orario

Ø 114 x 178 mors 2

CARR.: **VARI**

OMFB

MOTORE: **ISKRA**

TIPO: **AMJ5653=>C**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1574-**

11212087

c162010000

EX.11212068



ROTAZIONE V.L.A.: Orario

Ø 112 x 180 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5651=>C**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1576-**

11212099

EX11212099



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 140 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AME1704<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2169-**

11212864



ROTAZIONE V.L.A.: Orario

Ø 112 x 173 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5238=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2093-**

11216204

1517220561



ROTAZIONE V.L.A.: Orario

Ø 114 x 204 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMJ5717=>B IP65**

ARM. V1: **12** A1: **250**

ECC.: **COMPOUND**

V2: A2:

KW: **1,7** HP

U./MIN: **2500**


APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT1599-**

11212792

200081290



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 195 mors 2

CARR.: **VARI**

HPI - MIC - LU

MOTORE: **ISKRA**

TIPO: **AMJ5226<=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **1700**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1577-**

11212107

24007500

81060001



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 170 mors 2

CARR.: **VARI**

HYDRAPP - S

MOTORE: **ISKRA**

TIPO: **AMJ5705<=>T**

ARM. V1: **12** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1951-**

11212196

24005800

EX11212196



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 140 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AME1708<= C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1578-**

11212108

24006000

2200525



ROTAZIONE V.L.A.: Antiorario

Ø 113 x 172 mors 2

CARR.: **VARI**

HYDRAPP - J

MOTORE: **ISKRA**

TIPO: **AMJ5667<=T**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1588-**

11212360

1517220575

1517220510



ROTAZIONE V.L.A.: Orario

Ø 112 x 210 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMJ5570=>B**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1776-**

11212198

c162039000

81060201

EX.11212198



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

CARR.: **VARI**

OIL SISTEM-

MOTORE: **ISKRA**

TIPO: **AME1588<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1738-**

11212516



ROTAZIONE V.L.A.: Orario

Ø 112 x 180 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5110=>T**

ARM. V1: **12** A1:

ECC.:

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1593-**

11212609



ROTAZIONE V.L.A.: Antiorario

Ø 112 X 170 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMJ5175<=T**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1596-**

11212622

102680-13-12



ROTAZIONE V.L.A.: Orario

Ø 114 X 150 mors 2

CARR.: **VARI**

SMITHS - LIF

MOTORE: **ISKRA**

TIPO: **AMJ4664=>T**

ARM. V1: **12** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,6** HP

U./MIN: **2750**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1597-**

11212630

106513

106720



ROTAZIONE V.L.A.: Antiorario

Ø 80 X 152 mors 2

CARR.: **VARI**

HPI - LUCAS

MOTORE: **ISKRA**

TIPO: **AME1689<=C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2101-**

11216203



ROTAZIONE V.L.A.: Orario

Ø 114 X 201 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5716=>F**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,7** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT2042-**

11212147

ad.47045911

EX11212147

1547220511



ROTAZIONE V.L.A.: Orario

Ø 80 X 138 mors 2

CARR.: **VARI**

OMFB-BERE

MOTORE: **ISKRA**

TIPO: **AME1706=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT3079-**

11216389
c162 OS1 029



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 176 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AME1749<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3461-**

11216193



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 140 mors 2

CARR.: **VARI**

ADRIA COMM

MOTORE: **ISKRA**

TIPO: **AME1707<= C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3-9%ED**

CODICE: **KLMT2513-**

11216173



EX11212226

ROTAZIONE V.L.A.: Orario

Ø 80 x 138 mors 2

CARR.: **VARI**

OIL SISTEM-L

MOTORE: **ISKRA**

TIPO: **AME1590=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,15** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3-50%**

CODICE: **KLMT3449-**

C162095000



ROTAZIONE V.L.A.: Orario

Ø 125 x 251 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5695=>T**

ARM. V1: **12** A1: **440**

ECC.: **COMPOUND**

V2: A2:

KW: **2,4** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-8% / S**

CODICE: **KLMT3393-**

0318101

=EFEL36629



ROTAZIONE V.L.A.: Orario

Ø 112 x 198 mors 2

CARR.: **VARI**

HIDRO TECH

MOTORE: **ISKRA**

TIPO: **AMJ5632=>C**

ARM. V1: **12** A1: **400**

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S2- 1' S3-**

CATALOGO MOTORI



SRL

CODICE: **KLMT2898-**

11216104



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AME1567<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,15** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3-50%**

CODICE: **KLMT2791-**

11212633



ROTAZIONE V.L.A.: Orario

Ø 115 x 159 mors 2

CARR.: **VARI**

HIDROIRMA

MOTORE: **ISKRA**

TIPO: **AMJ5222=>T**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-7,5%**

CODICE: **KLMT3718-**

11216463

101688-5-12

FL101688-5-1



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 79 x 141 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AME1769<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **3500**

APPLIC.: **Sollevamento**

SERV: **S3-10%ED**

CODICE: **KLMT3701-**

1547220531

R918BN7167

R918ZN7167

EX.11212925



ROTAZIONE V.L.A.: Orario

Ø 112 x 182 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5285=>R**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%ED**

CODICE: **KLMT3595-**

20054391341

543913411



ROTAZIONE V.L.A.: Orario

Ø 114 x 179 mors 2

CARR.: **VARI**

HIDROIRMA

MOTORE: **ISKRA**

TIPO: **AMJ5131=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3-5%ED**

CATALOGO MOTORI



SRL

CODICE: **KLMT2787-**

11212957
0136355080



ROTAZIONE V.L.A.: Orario

Ø 112 x 175 mors 2

CARR.: **VARI**

OIL SISTEM -

MOTORE: **ISKRA**

TIPO: **AMJ5272=>C**

ARM. V1: **12** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-7%**

CODICE: **KLMT3598-**

C162077000
MERLO: 6311
W-5643
56250A150L5



ROTAZIONE V.L.A.: Orario

Ø 112 x 215 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5143=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3-14%ED**

CODICE: **KLMT1579-**

11212182
101688-3-12-



ROTAZIONE V.L.A.: Orario

Ø 79 x 141 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AME1623=>C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1581-**

9000162924
c162040000
81061121
EX11212199



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

CARR.: **VARI**

OIL SISTEM-L

MOTORE: **ISKRA**

TIPO: **AME1589<=>C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3-17%**

CODICE: **KLMT1585-**

11212332



ROTAZIONE V.L.A.: Orario

Ø 125 x 238 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AMK5637=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1586-**

11212358

1547220506



ROTAZIONE V.L.A.: Orario

Ø 112 X 182 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMJ5568=>R**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1589-**

11212393

102020-24



ROTAZIONE V.L.A.: Orario

Ø 125 X 238 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AMK5639=>T**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1590-**

11212492

543923808



ROTAZIONE V.L.A.: Orario

Ø 114 X 179 mors 2

CARR.: **VARI**

HIDROIRMA

MOTORE: **ISKRA**

TIPO: **AMJ5132=>C**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2100-**

11216208

600-0415

1517220558



ROTAZIONE V.L.A.: Orario

Ø 114 X 201 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5720=>F**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3=4% - S**

CODICE: **KLMT3387-**

11216464

101688-5-24



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 79 X 141 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AME1770<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3-8%ED**

CATALOGO MOTORI



SRL

CODICE: **KLMT1580-**

11212188
24008100
01.008.046*



ROTAZIONE V.L.A.: Antiorario

Ø 125 x 251 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMK5615<=T**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15% /**

CODICE: **KLMT3765-**



ROTAZIONE V.L.A.: Orario

Ø 150 x 315 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMP4526 =>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S2-28'**

CODICE: **KLMT3450-**

C126051007
C1260S1007



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

CARR.: **VARI**

OIL SISTEM-L

MOTORE: **ISKRA**

TIPO: **AME1557<=>C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3-17%**

CODICE: **KLMT1572-**

11212090
14916500123
EX11212074



ROTAZIONE V.L.A.: Orario

Ø 114 x 178 mors 2

CARR.: **VARI**

OMFB

MOTORE: **ISKRA**

TIPO: **AMJ5654=>C**

ARM. V1: **24** A1: **150**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2250**

APPLIC.: **Sollevamento**

SERV: **S3-5% - S**

CODICE: **KLMT3700-**

MF-4047

EX11216189



ROTAZIONE V.L.A.: Orario

Ø 80 x 138 mors 2

CARR.: **VARI**

FENNER

MOTORE: **ISKRA**

TIPO: **AME1795 =>C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3200**

APPLIC.: **Sollevamento**

SERV: **S3-20%ED**

CATALOGO MOTORI



SRL

CODICE: **KLMT1569-**

11212001
1517220500
244306



ROTAZIONE V.L.A.: Orario

Ø 112 x 208 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5185=>F**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1308-**

11212148
ad.47045912
EX11212148
1547220510



ROTAZIONE V.L.A.: Orario

Ø 80 x 140 mors 2

CARR.: **VARI**

TRASP. BT 14

MOTORE: **ISKRA**

TIPO: **AME1593=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1121-**

11212398
1517220530
11212854*



ROTAZIONE V.L.A.: Orario

Ø 125 x 230 mors 2

CARR.: **VARI**

BOSCH - HYT

MOTORE: **ISKRA**

TIPO: **AMK5682=>F**

ARM. V1: **24**

A1: 205

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-16%**

CODICE: **KLMT1119-**

11212303



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 342 mors 5

CARR.: **VARI**

NN

MOTORE: **ISKRA**

TIPO: **AMP5605<=>F**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **4,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1117-**

11212169
24006100
24011800



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 180 mors 2

CARR.: **VARI**

HYDRAPP-BE

MOTORE: **ISKRA**

TIPO: **AMJ5690<=T**

ARM. V1: **24**

A1: 160

ECC.: **SERIE**

V2:

A2:

KW: **2,1**

HP

U./MIN: **2250**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3980-**

AD.114227



ROTAZIONE V.L.A.: Antiorario

Ø 106 X 136 mors 2

CARR.: **VARI**

TRASPALLET

MOTORE: **ISKRA**

TIPO: **AMG1635<=>C**

ARM. V1: **24**

A1: **7**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **1,2**

HP

U./MIN: **5000**

APPLIC.: **Sollevamento**

SERV: **S3 - 8,5%**

CODICE: **KLMT3951-**

24MC4TWA

24MC42TWA

EC3/2.4/35-0

11.212.306



ROTAZIONE V.L.A.: Orario

Ø 125 X 226 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5633=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15%ED**

CODICE: **KLMT3893-**

11216518

C1620s1043



ROTAZIONE V.L.A.: Orario

Ø 113 X 185 mors 2

CARR.: **VARI**

JUNGHEINRI

MOTORE: **ISKRA**

TIPO: **AMJ5779=>C**

ARM. V1: **24**

A1: **115**

ECC.: **COMPOUND**

V2:

A2:

KW: **1,9 / 2,1**

HP

U./MIN: **2700 / 225**

APPLIC.: **Sollevamento**

SERV: **S3-6% ED**

CODICE: **KLMT1573-**

11212086

543923801

543923813

EX11212056



ROTAZIONE V.L.A.: Orario

Ø 112 X 190 mors 2

CARR.: **VARI**

CAT. - HIDRO

MOTORE: **ISKRA**

TIPO: **AMJ5650=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1923-**

11212100

EX11212100



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 X 138 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AME1705<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT2288-**

11216122
C1620S1011



ROTAZIONE V.L.A.: Orario

Ø 125 x 230 mors 2

CARR.: **VARI**

BOSCH - HYT

MOTORE: **ISKRA**

TIPO: **AMK5504=>F**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT2654-**

11212229



ROTAZIONE V.L.A.: Orario

Ø 112 x 243 mors 2

CARR.: **VARI**

FARAONA

MOTORE: **ISKRA**

TIPO: **AMJ5518=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2207-**

026381
11212855



ROTAZIONE V.L.A.: Orario

Ø 112 x 215 mors 2

CARR.: **VARI**

CENTRALINE

MOTORE: **ISKRA**

TIPO: **AMJ5233=>C**

ARM. V1: **24** A1: **320**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2783-**

11216357



ROTAZIONE V.L.A.: Antiorario

Ø 125 x 205 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMK5523<=T**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15% S**

CODICE: **KLMT2129-**

OMG3543050



ROTAZIONE V.L.A.: Orario

Ø 112 x 173 mors 2

CARR.: **VARI**

ANTEO

MOTORE: **ISKRA**

TIPO: **AMJ5239=>C**

ARM. V1: **24** A1: **120**

ECC.: **COMPOUND**

V2: A2:

KW: **2,2** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3905-**

C1620S1040



ROTAZIONE V.L.A.: Orario

Ø 125 x 212 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5531=>T**

ARM. V1: **24**

A1: **200**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-8% / S**

CODICE: **KLMT2786-**

11212127



ROTAZIONE V.L.A.: Orario

Ø 125 x 238 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5649=>F**

ARM. V1: **24**

A1: **205**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3933-**

11216196



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 138 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AME1710<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2083-**

AD.022436

AD.9836662

1517220511

EX.11212299



ROTAZIONE V.L.A.: Orario

Ø 112 x 190 mors 2

CARR.: **VARI**

PIMESPO

MOTORE: **ISKRA**

TIPO: **AMJ5721=>B**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-4%**

CODICE: **KLMT2076-**

11212111

1517220564



ROTAZIONE V.L.A.: Orario

Ø 112 x 200 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5254=>F**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1594-**

11212610

EX.11212610



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 158 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMJ5730<=T**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1924-**

11212311



ROTAZIONE V.L.A.: Orario

Ø 112 x 189 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5554 =>C**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **2,1**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3377-**

11216239

101688-3-12-



ROTAZIONE V.L.A.: Orario

Ø 79 x 141 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AME1721=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3-10%ED**

CODICE: **KLMT3014-**

11216514



ROTAZIONE V.L.A.: Orario

Ø 125 x 195 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5534=>T**

ARM. V1: **24**

A1: **100**

ECC.:

V2:

A2:

KW: **3**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3238-**

C1620S1030



ROTAZIONE V.L.A.: Orario

Ø 125 x 212 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5527=>T**

ARM. V1: **24**

A1: **200**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-8% / S**

CATALOGO MOTORI



SRL

CODICE: **KLMT3374-**

C162094000



ROTAZIONE V.L.A.: Orario

Ø 125 X 212 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5503=>T**

ARM. V1: **24**

A1: **200**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15% I**

CODICE: **KLMT3354-**

11216133

31-00613



ROTAZIONE V.L.A.: Orario

Ø 112 X 200 mors 2

CARR.: **VARI**

OMG - 715K

MOTORE: **ISKRA**

TIPO: **AMJ5707=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,1**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-10% E**

CODICE: **KLMT1601-**

8103607

111895

095306051

EX11212618



ROTAZIONE V.L.A.: Antiorario

Ø 125 X 229 mors 2

CARR.: **VARI**

HPI - LINDE-

MOTORE: **ISKRA**

TIPO: **AMK5666<=C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1744-**

11212555

101250-10-24

EX11212555



ROTAZIONE V.L.A.: Orario

Ø 114 X 150 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AMJ5183=>T**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3133-**

C1620S1003

35804701



ROTAZIONE V.L.A.: Orario

Ø 112 X 173 mors 2

CARR.: **VARI**

OIL SISTEM -

MOTORE: **ISKRA**

TIPO: **AMJ5279=>C**

ARM. V1: **24**

A1: **120**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1640-**

11212070



ROTAZIONE V.L.A.: Orario

Ø 114 x 165 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5636=>C**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

OIL SISTEM

CODICE: **KLMT1649-**

G082230



ROTAZIONE V.L.A.: Orario

Ø 115 x 159 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5127=>T**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **2,2**

HP

U./MIN: **2750**

APPLIC.: **Sollevamento**

SERV: **S3 - 4,5%**

HIDROIRMA -

CODICE: **KLMT1705-**

11212255

543923812

EX11212216



ROTAZIONE V.L.A.: Orario

Ø 113 x 160 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5529=>T**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

HIDROIRMA -

CODICE: **KLMT1714-**

11212958

543923812

EX11212417



ROTAZIONE V.L.A.: Orario

Ø 114 x 165 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5273=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3**

OIL SISTEM -

CODICE: **KLMT3038-**

11216164



ROTAZIONE V.L.A.: Orario

Ø 114 x 160 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5714=>R**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-4%**

VARI

CATALOGO MOTORI



SRL

CODICE: **KLMT1583-**

11212286
24009400
9110840001



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 180 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMJ5545<=T**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1832-**

11212974



ROTAZIONE V.L.A.: Orario

Ø 125 x 199 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5688=>T**

ARM. V1: **48** A1: **100**

ECC.:

V2: A2:

KW: **3** HP

U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT1592-**

11212570
543933803



ROTAZIONE V.L.A.: Orario

Ø 112 x 178 mors 2

CARR.: **VARI**

BT - HIDROIR

MOTORE: **ISKRA**

TIPO: **AMJ5133=>C**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2538-**

11212581
1547220516
EX.11212581



ROTAZIONE V.L.A.: Orario

Ø 125 x 240 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMK5532=>**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%ED**

CODICE: **KLMT3438-**

11212640
102020-48



ROTAZIONE V.L.A.: Orario

Ø 125 x 238 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AMK5533=>T**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1111-**

11216241
47045904
106721
ex.11212631



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 160 mors 2

CARR.: **VARI - LINDE** VARI -TRASP.

MOTORE: **ISKRA**

TIPO: **AME1723<=C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S2-4MIN.**

CODICE: **KLMT1120-**

11212355

1547220500



ROTAZIONE V.L.A.: Orario

Ø 112 x 166 mors 2

CARR.: **WAGNER** EGT

MOTORE: **ISKRA**

TIPO: **AMJ5565=>R**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2558-**

MPA1827122
8510613



ROTAZIONE V.L.A.: Antiorario

Ø 180 x 365 mors 2

CARR.: **YALE** ERP18ATF

MOTORE: **ISKRA**

TIPO: **AMT4655<=**

ARM. V1: **36 - 48** A1:

ECC.: **SERIE**

V2: A2:

KW: **6,9 - 9,1** HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S2-15'**