

CATALOGO MOTORI



SRL

CODICE: **KLMT3954-**

0526956



ROTAZIONE V.L.A.: Orario

Ø 220 x 265 mors 2

CARR.: **STILL**

R60-30

MOTORE: **JULI**

TIPO: **GP144-14/4,3**

ARM. V1: **80**

A1: **200**

ECC.: **SERIE**

V2:

A2:

KW: **13,5**

HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT3639-**

0009760953



ROTAZIONE V.L.A.: Orario ?

Ø 190 x 320 mors 3

CARR.: **FIAT- OM**

XR

MOTORE: **JULI**

TIPO: **AP4G6-B1-2**

ARM. V1: **3F X 27**

A1: **350**

ECC.: **ASINCRONO Hz:72**

V2:

A2:

KW: **11,5**

HP

U./MIN: **2040**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT3340-**

0009760923



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 260 x 370 mors 3

CARR.: **FIAT- OM**

ac XE25

MOTORE: **JULI**

TIPO: **AP4H6-L2-1**

ARM. V1: **3F X 45**

A1: **360**

ECC.: **ASINCRONO 100Hz**

V2:

A2:

KW: **22**

HP

U./MIN: **2890**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT2582-**

95353003

95351347

1002054



ROTAZIONE V.L.A.: Orario

Ø 178 x 283 mors 2

CARR.: **FIAT- OM**

XE15-18

MOTORE: **JULI**

TIPO: **GP116-14/7,9**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT3172-**

529525



ROTAZIONE V.L.A.: Orario

Ø 250 x 335 mors 2

CARR.: **FIAT- OM**

XE40 - XE50

MOTORE: **JULI**

TIPO: **GP164-M1**

ARM. V1: **80**

A1: **320**

ECC.: **SERIE**

V2:

A2:

KW: **21**

HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3871-**

8263500553



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 336 mors 3

CARR.: **FIAT- OM** XE18-20AC

MOTORE: **JULI**

TIPO: **AF104-K1 ???**

ARM. V1: **3F X 28 ??** A1: **130 ?**

ECC.: **ASINCRONO Hz:69 ??**

V2: A2:

KW: **4,5 ??** HP

U./MIN: **2000 ??**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3868-**

8263500552



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 370 mors 3

CARR.: **FIAT- OM** XE18-20AC

MOTORE: **JULI**

TIPO: **AF104-K1 ???**

ARM. V1: **3F X 28 ??** A1: **130 ?**

ECC.: **ASINCRONO Hz:69 ??**

V2: A2:

KW: **4,5 ??** HP

U./MIN: **2000 ??**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3272-**

9761322

0009761322

1011094



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 245 x 350 mors 3

CARR.: **FIAT- OM** XE22

MOTORE: **JULI**

TIPO: **AF4H4-L2-1**

ARM. V1: **3F x 48** A1: **140**

ECC.: **ASINCRONO 100Hz**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3188-**

888406568



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220 x 322 mors 4

CARR.: **FIAT- OM** TSR30

MOTORE: **JULI**

TIPO: **GF144-Q1**

ARM. V1: **48** A1: **131**

ECC.: **SERIE**

V2: A2:

KW: **5,2** HP

U./MIN: **1680**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CODICE: **KLMT2929-**

529061

158338AT

158339GT



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 325 x 740 mors 2+2

CARR.: **FIAT- OM** XE40

MOTORE: **JULI**

TIPO: **GF186-S7**

ARM. V1: **80** A1: **180**

ECC.: **SEPARATA**

V2: **16** A2: **22**

KW: **12,5** HP

U./MIN: **1150**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT3912-**

5094600



ROTAZIONE V.L.A.: Orario

Ø 200 x 290 mors 3

CARR.: **JUNGHEINRICH JUNGH.**

MOTORE: **JULI**

TIPO: **AP124- K2**

ARM. V1: **3F - 14 A** A1: **325**

ECC.: **ASINCRONO Hz:60**

V2: A2:

KW: **6** HP

U./MIN: **1720**

APPLIC.: **Sollevamento**

SERV: **S3 - 20%**

CODICE: **KLMT3697-**

50039366



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225 x 295 mors 3

CARR.: **JUNGHEINRICH ETV**

MOTORE: **JULI**

TIPO: **SG112M-4PD/2**

ARM. V1: **3F X 28** A1: **174**

ECC.: **ASINCRONO Hz:55**

V2: A2:

KW: **6** HP

U./MIN: **1535**

APPLIC.: **Sollevamento**

SERV: **S**

CODICE: **KLMT2769-**

50061651

50040214

1002057

1012016



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225 x 342 mors 3

CARR.: **JUNGHEINRICH ETV214G**

MOTORE: **JULI**

TIPO: **SG112M-4PE/3**

ARM. V1: **3F X 28** A1: **346**

ECC.: **ASINCRONO 60Hz**

V2: A2:

KW: **12** HP

U./MIN: **1660**

APPLIC.: **Sollevamento**

SERV: **S3 15%**

CODICE: **KLMT1870-**

68003970

1002100



ROTAZIONE V.L.A.: Orario

Ø 225 x 346 mors 2

CARR.: **JUNGHEINRICH ETV14**

MOTORE: **JULI**

TIPO: **P13-06**

ARM. V1: **48** A1: **330**

ECC.: **SERIE**

V2: A2:

KW: **11,5** HP

U./MIN: **1150**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT1384-**

68176140



ROTAZIONE V.L.A.: Orario

Ø 220 x 343 mors 2

CARR.: **JUNGHEINRICH ETV13,5**

MOTORE: **JULI**

TIPO: **P13-01/68176140**

ARM. V1: **48** A1: **190**

ECC.: **SERIE**

V2: A2:

KW: **7,8** HP

U./MIN: **1680**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1374-**

68002730

19990520



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 205 mors 4

CARR.: **JUNGHEINRICH ERE20**

MOTORE: **JULI**

TIPO: **F9,5-54**

ARM. V1: **24**

A1: **100**

ECC.: **SERIE**

V2:

A2:

KW: **1,7**

HP

U./MIN: **2100**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT1381-**

681052200



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 290 x 268 mors 4

CARR.: **JUNGHEINRICH AMEISE EFG**

MOTORE: **JULI**

TIPO: **F18-1/6810522**

ARM. V1: **24**

A1: **215**

ECC.: **SERIE**

V2:

A2:

KW: **4**

HP

U./MIN: **1750**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3095-**

50448722



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 165 x 183 mors 3

CARR.: **JUNGHEINRICH ERE120**

MOTORE: **JULI**

TIPO: **AF084-K1**

ARM. V1: **3F X 14**

A1: **95**

ECC.: **ASINCRONO 120Hz**

V2:

A2:

KW: **1,6**

HP

U./MIN: **3370**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3894-**

50304979

831320201

8313202001

51050621



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 147 x 145 mors 3

CARR.: **JUNGHEINRICH ERE/EJE**

MOTORE: **JULI**

TIPO: **AF074-L1**

ARM. V1: **3F X 14**

A1: **65**

ECC.: **ASINCRONO 96Hz**

V2:

A2:

KW: **1,0**

HP

U./MIN: **2600**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT1375-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225 x 320 mors 4

CARR.: **JUNGHEINRICH ETV14G**

MOTORE: **JULI**

TIPO: **F13-05/19960163**

ARM. V1: **48**

A1: **140**

ECC.: **SERIE**

V2:

A2:

KW: **5,4**

HP

U./MIN: **1670**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT2680-**

68003920



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225

X 320

mors 2+2

CARR.: **JUNGHEINRICH ETV14G**

MOTORE: **JULI**

TIPO: **F13-05**

ARM. V1: **48**

A1: **140**

ECC.: **SEPARATA**

V2: **13**

A2: **10**

KW: **5,4**

HP

U./MIN: **1670**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1921-**

50040512

5049301

52001780

"ELSE"



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 185

X 260

mors 2+2

CARR.: **JUNGHEINRICH EFG-DF13-20**

MOTORE: **JULI**

TIPO: **GF116-Q7**

ARM. V1: **48**

A1: **104**

ECC.: **INDIPENDENTE**

V2: **15**

A2: **13**

KW: **4**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV:

CODICE: **KLMT1385-**

681766406

6817664

19990250



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 226

X 320

mors 4

CARR.: **JUNGHEINRICH ETV 13,5 q. /**

MOTORE: **JULI**

TIPO: **F13-02/6817664**

ARM. V1: **48**

A1: **140**

ECC.: **SERIE**

V2:

A2:

KW: **5,4**

HP

U./MIN: **1670**

APPLIC.: **Trazione**

SERV: **S2=60MIN**

CODICE: **KLMT3621-**

8593500601



ROTAZIONE V.L.A.: Orario

Ø 257

X 305

mors 3

CARR.: **LINDE 336/03**

MOTORE: **JULI**

TIPO: **AP124-K3**

ARM. V1: **3F - 48**

A1: **470**

ECC.: **ASINCRONO Hz:89**

V2:

A2:

KW: **28**

HP

U./MIN: **2490**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT3549-**

8593500602



ROTAZIONE V.L.A.: Orario

Ø 257

X 305

mors 3

CARR.: **LINDE 336/03**

MOTORE: **JULI**

TIPO: **AP124-K3**

ARM. V1: **3F - 48**

A1: **260**

ECC.: **ASINCRONO Hz:110**

V2:

A2:

KW: **17**

HP

U./MIN: **3200**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3367-**

0009810826

0009810895A



ROTAZIONE V.L.A.: Orario

Ø 186 x 280 mors 2

CARR.: **LINDE**

335

MOTORE: **JULI**

TIPO: **GP116-F1**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1024-**

0009761155

0009768155

308550



ROTAZIONE V.L.A.: Orario

Ø 185 x 320 mors 2

CARR.: **LINDE**

E16S

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48**

A1: **230**

ECC.: **COMPOUND**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1032-**

0009761177

0009768177

1002008

11170034



ROTAZIONE V.L.A.: Orario

Ø 185 x 275 mors 2

CARR.: **LINDE**

E16 - E18

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48**

A1: **230**

ECC.: **COMPOUND**

V2:

A2:

KW: **9**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT2563-**

0029761001

375617



ROTAZIONE V.L.A.: Orario

Ø 250 x 342 mors 2

CARR.: **LINDE**

E40 - E48

MOTORE: **JULI**

TIPO: **GP164-14/2,2**

ARM. V1: **80**

A1: **220**

ECC.: **COMPOUND**

V2:

A2:

KW: **15**

HP **20**

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3=15%**

CODICE: **KLMT1877-**

0527575



ROTAZIONE V.L.A.: Orario

Ø 220 x 265 mors 2

CARR.: **LINDE**

336-E20

MOTORE: **JULI**

TIPO: **GP144-14/4,3**

ARM. V1: **80**

A1: **200**

ECC.: **SERIE**

V2:

A2:

KW: **13,5**

HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3754-**

10011--



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 0 X 0 mors 0

CARR.: **LINDE**

N20

MOTORE: **JULI**

TIPO: **GF114-14/1.2**

ARM. V1: **24**

A1: **104 ?**

ECC.: **SERIE ?**

V2:

A2:

KW: **2**

HP

U./MIN: **2750**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3421-**

3243500521



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 290 mors 4

CARR.: **LINDE**

324 -E15

MOTORE: **JULI**

TIPO: **GF114-F1**

ARM. V1: **24**

A1: **162**

ECC.: **SERIE**

V2:

A2:

KW: **3**

HP

U./MIN: **1700**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3420-**

3243500522



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 290 mors 4

CARR.: **LINDE**

324 -E15

MOTORE: **JULI**

TIPO: **GF114-F1**

ARM. V1: **24**

A1: **162**

ECC.: **SERIE**

V2:

A2:

KW: **3**

HP

U./MIN: **1700**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3881-**

0009761356

0009761345?

1011141?



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 245 X 350 mors 3

CARR.: **LINDE**

336-03

MOTORE: **JULI**

TIPO: **AF4H4-L2-2**

ARM. V1: **3F x 48**

A1: **140**

ECC.: **ASINCRONO 100Hz**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3880-**

0009761344



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 0 X 0 mors 0

CARR.: **LINDE**

336-03

MOTORE: **JULI**

TIPO: **AF4H4-L2-1**

ARM. V1: **3F x 48**

A1: **140**

ECC.: **ASINCRONO 100Hz**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT3270-**

0009761291



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 243 X 338 mors 3

CARR.: **LINDE**

E25 TRIFASE

MOTORE: **JULI**

TIPO: **AF126-R1**

ARM. V1: **3F x 48** A1: **140**

ECC.: **ASINCRONO 100Hz**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3865-**

8263500518



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 350 mors 2+2

CARR.: **LINDE**

LINDE

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48** A1: **104**

ECC.: **SEPARATA**

V2: **12** A2: **17**

KW: **4** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT2019-**

8263500506

826J076144

98250221

1001106



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 350 mors 4

CARR.: **LINDE**

LINDE

MOTORE: **JULI**

TIPO: **GF116-14/2.8**

ARM. V1: **48** A1: **104**

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT3866-**

8263500501



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 350 mors 4

CARR.: **LINDE**

LINDE

MOTORE: **JULI**

TIPO: **GF116-14/2.8**

ARM. V1: **48** A1: **104**

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT1007-**

0009761105

0009768105

363280



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220 X 308 mors 4

CARR.: **LINDE**

R14 - R16

MOTORE: **JULI**

TIPO: **GF144-14/4,3**

ARM. V1: **48** A1: **131**

ECC.: **SERIE**

V2: A2:

KW: **5,2** HP

U./MIN: **1680**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT3713-**

0009761294



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 282 mors 2+2

CARR.: **LINDE**

E20

MOTORE: **JULI**

TIPO: **GF144-X5**

ARM. V1: **80**

A1: **78**

ECC.: **SEPARATA**

V2:

A2:

KW: **5,5**

HP

U./MIN: **2250**

APPLIC.: **Trazione**

SERV: **60 MIN**

CODICE: **KLMT1012-**

0009761125

0009761244

0009761126

0009761245



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 350 mors 4

CARR.: **LINDE**

E25/E30

MOTORE: **JULI**

TIPO: **GF146-14/7,8**

ARM. V1: **80**

A1: **94**

ECC.: **SERIE**

V2:

A2:

KW: **6,4**

HP

U./MIN: **1650**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CODICE: **KLMT1013-**

0009761127d

0009761248d

0009761194s

0009761247s



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 282 mors 4

CARR.: **LINDE**

E20

MOTORE: **JULI**

TIPO: **GF144-14/5,4**

ARM. V1: **80**

A1: **78**

ECC.: **SERIE**

V2:

A2:

KW: **5,5**

HP

U./MIN: **2250**

APPLIC.: **Trazione**

SERV: **60 MIN**

CODICE: **KLMT1919-**

0009761271

0029761271



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 285 X 390 mors 4

CARR.: **LINDE**

E40-48

MOTORE: **JULI**

TIPO: **GF186-24/1,1**

ARM. V1: **80**

A1: **180**

ECC.: **SERIE**

V2:

A2:

KW: **12,5**

HP

U./MIN: **1150**

APPLIC.: **Trazione**

SERV: **60MIN**

CODICE: **KLMT1008-**

0009761106



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 281 X 374 mors 4

CARR.: **LINDE**

E40

MOTORE: **JULI**

TIPO: **GF186-24/1,1**

ARM. V1: **80**

A1: **180**

ECC.: **SERIE**

V2:

A2:

KW: **12,5**

HP

U./MIN: **1150**

APPLIC.: **Trazione**

SERV: **60MIN**

CATALOGO MOTORI



SRL

CODICE: **KLMT3831-**

AK20E-01 24

7536

AK20E-0124V



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 mors 3

CARR.: **LINDE** E15-386

MOTORE: **JULI - HUB MOTOR-**

TIPO: **EM100-03 S110H28/A54F**

ARM. V1: **3F x 14** A1: **310**

ECC.: **ASINCRONO Hz:157**

V2: A2:

KW: **5** HP

U./MIN: **3030**

APPLIC.: **Sollevamento** SERV: **S3-16%**

CODICE: **KLMT3835-**

4220008530

4220008534

AK20E-0148V

7539



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 mors 3

CARR.: **LINDE** E20PH-386

MOTORE: **JULI - HUB MOTOR-**

TIPO: **EM100-02 A110H28/A54F**

ARM. V1: **3F x 28** A1: **351**

ECC.: **ASINCRONO Hz:175**

V2: A2:

KW: **11** HP

U./MIN: **3360**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT3830-**

AK20E-01 24

7536

AK20E-0124V



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 mors 3

CARR.: **LINDE** E15-386

MOTORE: **JULI -FAHR MOTOR-**

TIPO: **EM112-02 A50F28/A54F**

ARM. V1: **3F x 14** A1: **210**

ECC.: **ASINCRONO Hz:111**

V2: A2:

KW: **3,5** HP

U./MIN: **2140**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT3834-**

4220008530

4220008534

AK20E-0148V

7539



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 mors 3

CARR.: **LINDE** E20PH-386

MOTORE: **JULI -FAHR MOTOR-**

TIPO: **EM112-01 A50F28/A54F**

ARM. V1: **3F x 28** A1: **144**

ECC.: **ASINCRONO Hz:156**

V2: A2:

KW: **5** HP

U./MIN: **3040**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT1734-**

AD.32435005

(3243500521)



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 290 mors 4

CARR.: **LINDE** E15

MOTORE: **JULI - SCH**

TIPO: **R190/3-7**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1525**

APPLIC.: **Trazione** SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT1733-**

AD.32435005
(3243500522)



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 290 mors 4

CARR.: **LINDE** E15

MOTORE: **JULI - SCH**

TIPO: **R190/3-7**

ARM. V1: 24 A1:

ECC.: **SERIE**

V2: A2:

KW: 3 HP

U./MIN: 1525

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1736-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 291 mors 4

CARR.: **LINDE** E16

MOTORE: **JULI - SCH**

TIPO: **R190/4-6**

ARM. V1: 48 A1:

ECC.: **SERIE**

V2: A2:

KW: 4 HP

U./MIN: 1900

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1735-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 x 291 mors 4

CARR.: **LINDE** E16

MOTORE: **JULI - SCH**

TIPO: **R190/8**

ARM. V1: 48 A1:

ECC.: **SERIE**

V2: A2:

KW: 4 HP

U./MIN: 1900

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1039-**

0009761251
0009768251



ROTAZIONE V.L.A.: Orario

Ø 184 x 295 mors 2

CARR.: **LINDE - STILL** 335

MOTORE: **JULI**

TIPO: **GP116-14/7**

ARM. V1: 48 A1: 230

ECC.: **SERIE**

V2: A2:

KW: 9 HP

U./MIN: 2900

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT3971-**

0009810815
0009810885



ROTAZIONE V.L.A.: Orario

Ø 184 x 295 mors 2

CARR.: **LINDE - STILL** 335

MOTORE: **JULI**

TIPO: **GP116-14/7,9**

ARM. V1: 48 A1: 230

ECC.: **SERIE**

V2: A2:

KW: 9 HP

U./MIN: 2900

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2548-**

0009761159

0009768159



ROTAZIONE V.L.A.: Orario

Ø 185 x 320 mors 2

CARR.: **LINDE - STILL** E16S

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1643-**

0009760908

0009760900

0009761249

1002045



ROTAZIONE V.L.A.: Orario

Ø 220 x 265 mors 2

CARR.: **LINDE - STILL** E20 / E25 / E3

MOTORE: **JULI**

TIPO: **GP144-Q2**

ARM. V1: **80** A1: **200**

ECC.: **SERIE**

V2: A2:

KW: **13,5** HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT1035-**

0009761197

0009768197



ROTAZIONE V.L.A.: Orario

Ø 220 x 270 mors 2

CARR.: **LINDE - STILL** E20 / E25 / E3

MOTORE: **JULI**

TIPO: **GP144-14/4,3**

ARM. V1: **80** A1: **200**

ECC.: **SERIE**

V2: A2:

KW: **13,5** HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT3397-**

0009760928



ROTAZIONE V.L.A.: Orario

Ø 186 x 286 mors 2

CARR.: **OM-LINDE** XE15-18

MOTORE: **JULI**

TIPO: **GP116-14/7,9**

ARM. V1: **48** A1: **230**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT2985-**

95319877



ROTAZIONE V.L.A.: Orario

Ø 225 x 346 mors 2

CARR.: **PIMESPO** THESI2

MOTORE: **JULI**

TIPO: **GP138-P6**

ARM. V1: **48** A1: **330**

ECC.: **SERIE**

V2: A2:

KW: **11,5** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3035-**

888408362



ROTAZIONE V.L.A.: Orario

Ø 251 X 335 mors 2

CARR.: **PIMESPO** DUAL 15/3

MOTORE: **JULI**

TIPO: **GP164-M2**

ARM. V1: **80** A1: **320**

ECC.: **SEPARATA**

V2: **50** A2: **23**

KW: **21** HP

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT2356-**

95325279

4494457



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 X 198 mors 2+2

CARR.: **PIMESPO** CTX20

MOTORE: **JULI**

TIPO: **GF084-G6**

ARM. V1: **24** A1: **60**

ECC.: **SEPARATA**

V2: **7** A2: **11**

KW: **1,2** HP

U./MIN: **2700**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT2438-**

95325041



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 142 X 195 mors 2+2

CARR.: **PIMESPO** TRASPALLET

MOTORE: **JULI**

TIPO: **GF084-G2**

ARM. V1: **24** A1: **55**

ECC.: **SEPARATA**

V2: **7** A2: **11**

KW: **1** HP

U./MIN: **2800**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT2629-**

95325304



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 X 280 mors 2+2

CARR.: **PIMESPO** CTX20 - LOG

MOTORE: **JULI**

TIPO: **GF114-14/1,2**

ARM. V1: **24** A1: **130**

ECC.: **SEPARATA**

V2: **7** A2: **11**

KW: **2,5** HP

U./MIN: **3000**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT3574-**

0009761340



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 144 mors 3

CARR.: **PIMESPO** TL ac - CL ac

MOTORE: **JULI**

TIPO: **AF4D4-L1-3**

ARM. V1: **3F X 14** A1: **65**

ECC.: **ASINCRONO Hz:96**

V2: A2:

KW: **1,000** HP

U./MIN: **2600**

APPLIC.: **Trazione** SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT2241-**

95319869



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 224 X 275

mors 2+2

CARR.: **PIMESPO**

THESI2

MOTORE: **JULI**

TIPO: **GF144-14/4,5**

ARM. V1: **48**

A1: **131**

ECC.: **SEPARATA**

V2: **12**

A2: **16,8**

KW: **5,2**

HP

U./MIN: **1680**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CODICE: **KLMT1983-**

8263500517

8263509517



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 185 X 290

mors 2+2

CARR.: **PIMESPO**

TRATTORINO

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48**

A1: **80**

ECC.: **INDIPENDENTE**

V2: **12**

A2: **17**

KW: **3,2**

HP

U./MIN: **2050**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT2218-**

5049302

5055640AT

50040513*

50111893AT*



ROTAZIONE V.L.A.: Orario

Ø 178 X 305

mors 2

CARR.: **STEINBOCK**

STEINBOCK

MOTORE: **JULI**

TIPO: **GP116-F5**

ARM. V1: **48**

A1: **310**

ECC.: **COMPOUND**

V2: **12**

A2:

KW: **12**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT1228-**

336895

147041AT



ROTAZIONE V.L.A.: Orario

Ø 318 X 465

mors 3+2

CARR.: **STILL**

R70-30

MOTORE: **JULI**

TIPO: **GS186-24/1.1**

ARM. V1: **157**

A1: **150**

ECC.: **SEPARATA**

V2: **24**

A2: **13**

KW: **23,5**

HP

U./MIN: **2800**

APPLIC.: **GENERATORE**

SERV:

CODICE: **KLMT3536-**

531823



ROTAZIONE V.L.A.: Orario

Ø 315 X 242

mors 3

CARR.: **STILL**

R70-25

MOTORE: **JULI**

TIPO: **SG224-E1-1**

ARM. V1: **3 x 400V.**

A1: **32**

ECC.: **ASINCRONO Hz240**

V2:

A2:

KW: **20**

HP

U./MIN: **2400**

APPLIC.: **GENERATORE**

SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT2861-**

530159
163406AT
0009760935



ROTAZIONE V.L.A.: Orario

Ø 190 x 295 mors 2

CARR.: **STILL**

RX50-15

MOTORE: **JULI**

TIPO: **GP116-B3**

ARM. V1: **24**

A1: **400**

ECC.: **SERIE**

V2:

A2:

KW: **7,6**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3706-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 305 x 390 mors 3

CARR.: **STILL**

RX60.50

MOTORE: **JULI**

TIPO: **AP416-B1-1**

ARM. V1: **3F X 43**

A1: **420**

ECC.: **ASINCRONO Hz:92**

V2:

A2:

KW: **25**

HP

U./MIN: **2700**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT2087-**

382660
354847
526951
1002010



ROTAZIONE V.L.A.: Orario

Ø 185 x 320 mors 2

CARR.: **STILL**

R20

MOTORE: **JULI**

TIPO: **GP116-14/7.9**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT2664-**

149735
156232
527835



ROTAZIONE V.L.A.: Orario

Ø 185 x 300 mors 2

CARR.: **STILL**

R20

MOTORE: **JULI**

TIPO: **GP116-14/7.9**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT2077-**

527576
0527576
1002082



ROTAZIONE V.L.A.: Orario

Ø 251 x 367 mors 2

CARR.: **STILL**

R60/35N

MOTORE: **JULI**

TIPO: **GP164-M1**

ARM. V1: **80**

A1: **320**

ECC.: **SERIE**

V2:

A2:

KW: **21**

HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2298-**

468432
4468432
4474130
1001245



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 146 X 240 mors 2+2

CARR.: **STILL** EGU18

MOTORE: **JULI**

TIPO: **GF084-G5**

ARM. V1: **24** A1: **61**

ECC.: **SEPARATA**

V2: **8,5** A2: **11**

KW: **1,2** HP

U./MIN: **2850**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3318-**

4492424



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 268 mors 3

CARR.: **STILL** EXU S22

MOTORE: **JULI**

TIPO: **AF4G3-L1-1**

ARM. V1: **3F X 14** A1: **166**

ECC.: **ASINCRONO 71Hz**

V2: A2:

KW: **3** HP

U./MIN: **2040**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3710-**

1011016



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 298 mors 3

CARR.: **STILL** FM14ac

MOTORE: **JULI**

TIPO: **AF124-L3**

ARM. V1: **3F X 28** A1: **177**

ECC.: **ASINCRONO Hz:80**

V2: A2:

KW: **6** HP

U./MIN: **2340**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3599-**

8263500539



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 X 350 mors 3

CARR.: **STILL** RX20

MOTORE: **JULI**

TIPO: **AF104-K1**

ARM. V1: **3F X 28** A1: **130**

ECC.: **ASINCRONO Hz:69**

V2: A2:

KW: **4,5** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3590-**

8263500538



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 X 350 mors 3

CARR.: **STILL** RX20

MOTORE: **JULI**

TIPO: **AF104-K1**

ARM. V1: **3F X 28** A1: **130**

ECC.: **ASINCRONO Hz:69**

V2: A2:

KW: **4,5** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT3916-**

532048



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 350 x 630 mors 3

CARR.: **STILL**

RX7050

MOTORE: **JULI**

TIPO: **AF4K4-T1-1**

ARM. V1: **3F X 380** A1: **56**

ECC.: **ASINCRONO Hz:134**

V2: A2:

KW: **30** HP

U./MIN: **3980**

APPLIC.: **Trazione**

SERV: **S1**

CODICE: **KLMT2820-**

0157360

0528122

0157361



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 325 x 500 mors 3

CARR.: **STILL**

R70i

MOTORE: **JULI**

TIPO: **AF186-T1**

ARM. V1: **3F x 380** A1: **43**

ECC.: **ASINCRONO Hz.**

V2: A2:

KW: **22** HP

U./MIN: **3000**

APPLIC.: **Trazione**

SERV: **-**

CODICE: **KLMT3027-**

8263500521

157363

SX



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 x 350 mors 2+2

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48** A1: **104**

ECC.: **SEPARATA**

V2: **12** A2: **17**

KW: **4** HP

U./MIN: **2000**


APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT2981-**

161632

161633



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 0 x 0 mors 0

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48** A1: **104**

ECC.: **SEPARATA**

V2: **12** A2: **17**

KW: **4** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT2320-**

826007503

8263500520

8263500521

1001137



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 x 350 mors 2+2

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48** A1: **104**

ECC.: **SEPARATA**

V2: **12** A2: **17**

KW: **4** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CATALOGO MOTORI




SRL

CODICE: **KLMT3026-**

8263500520

0157362

DX



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210

X 350

mors 2+2

CARR.: **STILL**

R20-20

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48**

A1: **104**

ECC.: **SEPARATA**

V2: **12**

A2: **17**

KW: **4**

HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT3534-**

526941



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 326

X 475

mors 2+2

CARR.: **STILL**

R60 - 20/30

MOTORE: **JULI**

TIPO: **GF186-24/1,3**

ARM. V1: **80**

A1: **180**

ECC.: **SEPARATA**

V2: **16**

A2: **22**

KW: **12,5**

HP

U./MIN: **1150**

APPLIC.: **Trazione**

SERV: **60 MIN.**

CODICE: **KLMT2525-**

159176

159180

159181

8373500506



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 254

X 850

mors 2+2

CARR.: **STILL**

R60-18 R70-1

MOTORE: **JULI**

TIPO: **GF148-P8**

ARM. V1: **80**

A1: **165**

ECC.: **SEPARATA**

V2: **12**

A2: **16**

KW: **11**

HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1250-**

386390

149699AT

149700GT

156536



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 326

X 475

mors 2+2

CARR.: **STILL**

R60 - 20/30

MOTORE: **JULI**

TIPO: **GF186-24/1,3**

ARM. V1: **80**

A1: **180**

ECC.: **SEPARATA**

V2: **16**

A2: **22**

KW: **12,5**

HP

U./MIN: **1150**

APPLIC.: **Trazione**

SERV: **60 MIN.**