

# CATALOGO MOTORI



SRL

CODICE: **KLMT1005-**

00097611020

0009761112

0009761182

0009761192



ROTAZIONE V.L.A.: Orario

Ø 177 x 338 mors 2

CARR.: **LINDE**

E10 - 12 - 15

MOTORE: **BOSCH**

TIPO: **0136601005**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP

U./MIN: **1900**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1894-**

0039761119

0039810718

0039810720

0039810726



ROTAZIONE V.L.A.: Antiorario

Ø 106 x 116 mors 2

CARR.: **LINDE**

T16

MOTORE: **ECIA**

TIPO: **112237**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3- 10%**

CODICE: **KLMT1029-**

0009761163

0009761108

95306034

506522



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 195 mors 2

CARR.: **LINDE**

XG12

MOTORE: **HPI**

TIPO: **109524J**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S2 - 3min.**

CODICE: **KLMT2962-**

106721

506514

106721C

106721D



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 152 mors 2

CARR.: **LINDE**

TRASP. XA20

MOTORE: **HPI**

TIPO: **106721**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1,2** HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S2-4MIN.**

CODICE: **KLMT2901-**

0009761163n

0009761108n

95306034new

506522new



ROTAZIONE V.L.A.: Antiorario

Ø 113 x 195 mors 2

CARR.: **LINDE**

L12

MOTORE: **HPI**

TIPO: **109524J**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S2 - 3min.**

# CATALOGO MOTORI



SRL

CODICE: **KLMT3621-**

8593500601



ROTAZIONE V.L.A.: Orario

Ø 257

X 305

mors 3

CARR.: **LINDE**

336/03

MOTORE: **JULI**

TIPO: **AP124-K3**

ARM. V1: **3F - 48**

A1: **470**

ECC.: **ASINCRONO Hz:89**

V2:

A2:

KW: **28**

HP

U./MIN: **2490**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT3549-**

8593500602



ROTAZIONE V.L.A.: Orario

Ø 257

X 305

mors 3

CARR.: **LINDE**

336/03

MOTORE: **JULI**

TIPO: **AP124-K3**

ARM. V1: **3F - 48**

A1: **260**

ECC.: **ASINCRONO Hz:110**

V2:

A2:

KW: **17**

HP

U./MIN: **3200**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1024-**

0009761155

0009768155

308550



ROTAZIONE V.L.A.: Orario

Ø 185

X 320

mors 2

CARR.: **LINDE**

E16S

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48**

A1: **230**

ECC.: **COMPOUND**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3367-**

0009810826

0009810895A



ROTAZIONE V.L.A.: Orario

Ø 186

X 280

mors 2

CARR.: **LINDE**

335

MOTORE: **JULI**

TIPO: **GP116-F1**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1032-**

0009761177

0009768177

1002008

11170034



ROTAZIONE V.L.A.: Orario

Ø 185

X 275

mors 2

CARR.: **LINDE**

E16 - E18

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48**

A1: **230**

ECC.: **COMPOUND**

V2:

A2:

KW: **9**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **15%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1877-**

0527575



ROTAZIONE V.L.A.: Orario

Ø 220 X 265 mors 2

CARR.: **LINDE**

336-E20

MOTORE: **JULI**

TIPO: **GP144-14/4,3**

ARM. V1: **80**

A1: **200**

ECC.: **SERIE**

V2:

A2:

KW: **13,5**

HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT2563-**

0029761001



ROTAZIONE V.L.A.: Orario

Ø 250 X 342 mors 2

CARR.: **LINDE**

E40 - E48

MOTORE: **JULI**

TIPO: **GP164-14/2.2**

ARM. V1: **80**

A1: **220**

ECC.: **COMPOUND**

V2:

A2:

KW: **15**

HP **20**

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3=15%**

CODICE: **KLMT3831-**

AK20E-01 24

7536

AK20E-0124V



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 mors 3

CARR.: **LINDE**

E15-386

MOTORE: **JULI - HUB MOTOR-**

TIPO: **EM100-03 S110H28/A54F**

ARM. V1: **3F x 14**

A1: **310**

ECC.: **ASINCRONO Hz:157**

V2:

A2:

KW: **5**

HP

U./MIN: **3030**

APPLIC.: **Sollevamento**

SERV: **S3-16%**

CODICE: **KLMT3835-**

4220008530

4220008534

AK20E-0148V

7539



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 mors 3

CARR.: **LINDE**

E20PH-386

MOTORE: **JULI - HUB MOTOR-**

TIPO: **EM100-02 A110H28/A54F**

ARM. V1: **3F x 28**

A1: **351**

ECC.: **ASINCRONO Hz:175**

V2:

A2:

KW: **11**

HP

U./MIN: **3360**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT2211-**

0009801706

907-010-0114

50022151



ROTAZIONE V.L.A.: Orario

Ø 112 X 213 mors 2

CARR.: **LINDE**

L16L

MOTORE: **SCHABMULLER**

TIPO: **D112/2R-126/103-../05**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2470**

APPLIC.: **Sollevamento**

SERV: **S3-10'**

# CATALOGO MOTORI



SRL

CODICE: **KLMT2876-**

0009810823

5786083-001

50016913



ROTAZIONE V.L.A.: Orario

Ø 125 X 243 mors 2

CARR.: **LINDE** V10 146

MOTORE: **SCHABMULLER**

TIPO: **D125/3R-519/502-../05**

ARM. V1: **24** A1: **165**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3310**

APPLIC.: **Sollevamento** SERV: **S3 = 10%**

CODICE: **KLMT1043-**

0009810705

0009810785



ROTAZIONE V.L.A.: Orario

Ø 210 X 370 mors 2

CARR.: **LINDE** E20 -25 - 30 V

MOTORE: **SCHABMULLER**

TIPO: **R210/10,5R-94/54**

ARM. V1: **80** A1: **160**

ECC.: **SERIE**

V2: A2:

KW: **10,5** HP

U./MIN: **2260**

APPLIC.: **Sollevamento** SERV: **S3 = 20%**

CODICE: **KLMT1011-**

0009761118

0009761198A

067410P



ROTAZIONE V.L.A.: Orario

Ø 184 X 290 mors 2

CARR.: **LINDE** E10-12-15

MOTORE: **STILL**

TIPO: **GP**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: **KLMT1097-**

3653500000

3653500000L

0009810731

5814281



ROTAZIONE V.L.A.: Antiorario

Ø 125 X 228 mors 2

CARR.: **LINDE - FENWI L16 TRASP**

MOTORE: **HPI**

TIPO: **107264G**

ARM. V1: **24** A1: **0**

ECC.: **COMPOUND**

V2: **0** A2: **0**

KW: **3** HP **0**

U./MIN: **0**

APPLIC.: **Sollevamento** SERV: **S2= 2MIN**

CODICE: **KLMT1635-**

0039761125

110678E

11212559\*



ROTAZIONE V.L.A.: Antiorario

Ø 112 X 195 mors 2

CARR.: **LINDE - HPI - V L10 - VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5114<=C**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento** SERV: **S3-10%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT2548-**

0009761159

0009768159



ROTAZIONE V.L.A.: Orario

Ø 185 x 320 mors 2

CARR.: **LINDE - STILL** E16S

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1039-**

0009761251

0009768251



ROTAZIONE V.L.A.: Orario

Ø 184 x 295 mors 2

CARR.: **LINDE - STILL** 335

MOTORE: **JULI**

TIPO: **GP116-14/7**

ARM. V1: **48** A1: **230**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT3971-**

0009810815

0009810885



ROTAZIONE V.L.A.: Orario

Ø 184 x 295 mors 2

CARR.: **LINDE - STILL** 335

MOTORE: **JULI**

TIPO: **GP116-14/7,9**

ARM. V1: **48** A1: **230**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1643-**

0009760908

0009760900

0009761249

1002045



ROTAZIONE V.L.A.: Orario

Ø 220 x 265 mors 2

CARR.: **LINDE - STILL** E20 / E25 / E3

MOTORE: **JULI**

TIPO: **GP144-Q2**

ARM. V1: **80** A1: **200**

ECC.: **SERIE**

V2: A2:

KW: **13,5** HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT1035-**

0009761197

0009768197



ROTAZIONE V.L.A.: Orario

Ø 220 x 270 mors 2

CARR.: **LINDE - STILL** E20 / E25 / E3

MOTORE: **JULI**

TIPO: **GP144-14/4,3**

ARM. V1: **80** A1: **200**

ECC.: **SERIE**

V2: A2:

KW: **13,5** HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT3081-**

0009760906



ROTAZIONE V.L.A.: Orario

Ø 185 x 294 mors 2

CARR.: **LINDE - STILL** E12 - E15

MOTORE: **JULY**

TIPO: **GP116-B1**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT1018-**

0009761137

0009761150

0009761154

0009761156



ROTAZIONE V.L.A.: Orario

Ø 185 x 290 mors 2

CARR.: **LINDE - STILL** E12 - E15

MOTORE: **STILL**

TIPO: **GP116-14/5,5**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-**

CODICE: **KLMT2782-**

0009761178

354801



ROTAZIONE V.L.A.: Orario

Ø 185 x 290 mors 2

CARR.: **LINDE - STILL** E12 - E15

MOTORE: **STILL**

TIPO: **GP116-14/5,5**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT1021-**

0009761148

0009768148

138285AT



ROTAZIONE V.L.A.: Orario

Ø 255 x 355 mors 2

CARR.: **LINDE - STILL** E20-25-30

MOTORE: **STILL**

TIPO: **065912**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **15** HP **20**

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3=15%**

CODICE: **KLMT1016-**

0009761130

0009761139

0009768130

0009768139



ROTAZIONE V.L.A.: Orario

Ø 255 x 338 mors 2

CARR.: **LINDE - STILL** E20 - E25 - E3

MOTORE: **STILL**

TIPO: **065942P**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **15** HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT2689-**

0009761188



ROTAZIONE V.L.A.: Orario

Ø 250 x 342 mors 2

CARR.: **LINDE - STILL** E20-25-30

MOTORE: **STILL**

TIPO: **GP164-14/2.2**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **15** HP **20**

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3=15%**

CODICE: **KLMT3397-**

0009760928



ROTAZIONE V.L.A.: Orario

Ø 186 x 286 mors 2

CARR.: **OM-LINDE** XE15-18

MOTORE: **JULI**

TIPO: **GP116-14/7.9**

ARM. V1: **48** A1: **230**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento** SERV: **15%**

CODICE: **KLMT1473-**

95303081

0009761176

95305345 \*\*

003591\*\*\*



ROTAZIONE V.L.A.: Antiorario

Ø 107 x 135 mors 2

CARR.: **PIMESPO - LIN** TRASPALLET

MOTORE: **HPI**

TIPO: **AE2C 109512 (nero)**

ARM. V1: **24** A1: **10**

ECC.: **MAG. PERM.**

V2: A2:

KW: **1,2** HP

U./MIN:

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT2676-**



ROTAZIONE V.L.A.: Antiorario

Ø 106 x 136 mors 2

CARR.: **PIMESPO - LIN** TRASPALLET

MOTORE: **ISKRA**

TIPO: **AMG1635<=C**

ARM. V1: **24** A1: **7**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1,2** HP

U./MIN: **5000**

APPLIC.: **Sollevamento** SERV: **S3 - 8,5%**

CODICE: **KLMT1111-**

11216241

47045904

106721

ex.11212631



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 160 mors 2

CARR.: **VARI - LINDE** VARI-TRASP.

MOTORE: **ISKRA**

TIPO: **AME1723<=C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4500**

APPLIC.: **Sollevamento** SERV: **S2-4MIN.**