

# CATALOGO MOTORI



SRL

CODICE: **KLMT1028-**

0009761161  
0039761110  
0009768161  
0136501075



CARR.: **LINDE** L16AP  
MOTORE: **BOSCH**  
TIPO: **AMP4649<=>S**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **1,5** HP  
U./MIN: **2500**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 258 morsa 4

APPLIC.: **Trazione** SERV:

CODICE: **KLMT1001-**

000976  
0009761151N  
0136501081



CARR.: **LINDE** L16  
MOTORE: **BOSCH**  
TIPO: **AMP4653<=>S**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **1,2** HP  
U./MIN: **1200**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 258 morsa 4

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT1003-**

0009761101  
0009761181



CARR.: **LINDE** E12 - E15  
MOTORE: **ELEKTROMOTORENWERK**  
TIPO: **R1902-3I2 e 178I2**  
ARM. V1: **24** A1: **108**  
ECC.: **SERIE**  
V2: A2:  
KW: **2** HP  
U./MIN: **1950**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 253 morsa 3+1

APPLIC.: **Trazione** SERV: **S2 = 35'**

CODICE: **KLMT3420-**

3243500522



CARR.: **LINDE** 324 -E15  
MOTORE: **JULI**  
TIPO: **GF114-F1**  
ARM. V1: **24** A1: **162**  
ECC.: **SERIE**  
V2: A2:  
KW: **3** HP  
U./MIN: **1700**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 290 morsa 4

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT3421-**

3243500521



CARR.: **LINDE** 324 -E15  
MOTORE: **JULI**  
TIPO: **GF114-F1**  
ARM. V1: **24** A1: **162**  
ECC.: **SERIE**  
V2: A2:  
KW: **3** HP  
U./MIN: **1700**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 290 morsa 4

APPLIC.: **Trazione** SERV: **S2-60'**

# CATALOGO MOTORI



SRL

CODICE: **KLMT3754-**

10011--



ROTAZIONE V.L.A.: Entrambi i sensi

Ø  X  mors

CARR.: **LINDE** N20

MOTORE: **JULI**

TIPO: **GF114-14/1.2**

ARM. V1: **24** A1: **104 ?**

ECC.: **SERIE ?**

V2: A2:

KW: **2** HP

U./MIN: **2750**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3881-**

0009761356

0009761345?

1011141?



ROTAZIONE V.L.A.: Entrambi i sensi

Ø  X  mors

CARR.: **LINDE** 336-03

MOTORE: **JULI**

TIPO: **AF4H4-L2-2**

ARM. V1: **3F x 48** A1: **140**

ECC.: **ASINCRONO 100Hz**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3880-**

0009761344



ROTAZIONE V.L.A.: Entrambi i sensi

Ø  X  mors

CARR.: **LINDE** 336-03

MOTORE: **JULI**

TIPO: **AF4H4-L2-1**

ARM. V1: **3F x 48** A1: **140**

ECC.: **ASINCRONO 100Hz**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3270-**

0009761291



ROTAZIONE V.L.A.: Entrambi i sensi

Ø  X  mors

CARR.: **LINDE** E25 TRIFASE

MOTORE: **JULI**

TIPO: **AF126-R1**

ARM. V1: **3F x 48** A1: **140**

ECC.: **ASINCRONO 100Hz**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3865-**

8263500518



ROTAZIONE V.L.A.: Entrambi i sensi

Ø  X  mors

CARR.: **LINDE** LINDE

MOTORE: **JULI**

TIPO: **GF116-Q5**

ARM. V1: **48** A1: **104**

ECC.: **SEPARATA**

V2: **12** A2: **17**

KW: **4** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV: **60MIN.**

# CATALOGO MOTORI



SRL

CODICE: **KLMT3866-**

8263500501



CARR.: **LINDE** LINDE

MOTORE: **JULI**

TIPO: **GF116-14/2.8**

ARM. V1: **48** A1: **104**

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **2000**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 350 mors 4

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT1007-**

0009761105

0009768105

363280



CARR.: **LINDE** R14 - R16

MOTORE: **JULI**

TIPO: **GF144-14/4,3**

ARM. V1: **48** A1: **131**

ECC.: **SERIE**

V2: A2:

KW: **5,2** HP

U./MIN: **1680**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220 X 308 mors 4

APPLIC.: **Trazione**

SERV: **60 MIN.**

CODICE: **KLMT2019-**

8263500506

826J076144

98250221

1001106



CARR.: **LINDE** LINDE

MOTORE: **JULI**

TIPO: **GF116-14/2.8**

ARM. V1: **48** A1: **104**

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **2000**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 350 mors 4

APPLIC.: **Trazione**

SERV: **60MIN.**

CODICE: **KLMT1919-**

0009761271

0029761271



CARR.: **LINDE** E40-48

MOTORE: **JULI**

TIPO: **GF186-24/1,1**

ARM. V1: **80** A1: **180**

ECC.: **SERIE**

V2: A2:

KW: **12,5** HP

U./MIN: **1150**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 285 X 390 mors 4

APPLIC.: **Trazione**

SERV: **60MIN**

CODICE: **KLMT1008-**

0009761106



CARR.: **LINDE** E40

MOTORE: **JULI**

TIPO: **GF186-24/1,1**

ARM. V1: **80** A1: **180**

ECC.: **SERIE**

V2: A2:

KW: **12,5** HP

U./MIN: **1150**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 281 X 374 mors 4

APPLIC.: **Trazione**

SERV: **60MIN**

# CATALOGO MOTORI



SRL

**CODICE: KLMT1013-**

0009761127d  
0009761248d  
0009761194s  
0009761247s



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 282 morsa 4

CARR.: **LINDE** E20  
MOTORE: **JULI**  
TIPO: **GF144-14/5,4**  
ARM. V1: **80** A1: **78**  
ECC.: **SERIE**  
V2: A2:  
KW: **5,5** HP  
U./MIN: **2250**

APPLIC.: **Trazione** SERV: **60 MIN**

**CODICE: KLMT3713-**

0009761294



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 282 morsa 2+2

CARR.: **LINDE** E20  
MOTORE: **JULI**  
TIPO: **GF144-X5**  
ARM. V1: **80** A1: **78**  
ECC.: **SEPARATA**  
V2: A2:  
KW: **5,5** HP  
U./MIN: **2250**

APPLIC.: **Trazione** SERV: **60 MIN**

**CODICE: KLMT1012-**

0009761125  
0009761244  
0009761126  
0009761245



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 350 morsa 4

CARR.: **LINDE** E25/E30  
MOTORE: **JULI**  
TIPO: **GF146-14/7,8**  
ARM. V1: **80** A1: **94**  
ECC.: **SERIE**  
V2: A2:  
KW: **6,4** HP  
U./MIN: **1650**

APPLIC.: **Trazione** SERV: **60 MIN.**

**CODICE: KLMT3830-**

AK20E-01 24  
7536  
AK20E-0124V



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 morsa 3

CARR.: **LINDE** E15-386  
MOTORE: **JULI -FAHR MOTOR-**  
TIPO: **EM112-02 A50F28/A54F**  
ARM. V1: **3F x 14** A1: **210**  
ECC.: **ASINCRONO Hz:111**  
V2: A2:  
KW: **3,5** HP  
U./MIN: **2140**

APPLIC.: **Trazione** SERV: **S2-60'**

**CODICE: KLMT3834-**

4220008530  
4220008534  
AK20E-0148V  
7539



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 306 X 681 morsa 3

CARR.: **LINDE** E20PH-386  
MOTORE: **JULI -FAHR MOTOR-**  
TIPO: **EM112-01 A50F28/A54F**  
ARM. V1: **3F x 28** A1: **144**  
ECC.: **ASINCRONO Hz:156**  
V2: A2:  
KW: **5** HP  
U./MIN: **3040**

APPLIC.: **Trazione** SERV: **S2-60'**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1733-**

AD.32435005  
(3243500522)



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 290 morsa 4

CARR.: **LINDE** E15

MOTORE: **JULI - SCH**

TIPO: **R190/3-7**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1525**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1734-**

AD.32435005  
(3243500521)



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 290 morsa 4

CARR.: **LINDE** E15

MOTORE: **JULI - SCH**

TIPO: **R190/3-7**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1525**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1735-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 291 morsa 4

CARR.: **LINDE** E16

MOTORE: **JULI - SCH**

TIPO: **R190/8**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **1900**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1736-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 291 morsa 4

CARR.: **LINDE** E16

MOTORE: **JULI - SCH**

TIPO: **R190/4-6**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **1900**


APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT2854-**

0009810817

1353665460



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 115 X 310 morsa 2

CARR.: **LINDE** T20S BR144

MOTORE: **LENZE**

TIPO: **13.536.65.460**

ARM. V1: **24** A1: **16**

ECC.: **RS AC**

V2: A2:

KW: **0,200** HP

U./MIN: **2700**

APPLIC.: **Trazione**

SERV: **S3-60%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT3444-**

0009761308  
0039768118



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 145 X 230 mors 4

CARR.: **LINDE** L14AP  
MOTORE: **LEROY ?**  
TIPO: **LEROY**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **?** HP  
U./MIN: **?**

APPLIC.: **Trazione** SERV: **?**

CODICE: **KLMT1010-**

0009761115  
0009761195



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 185 X 245 mors 4

CARR.: **LINDE** E10 - E12 - E1  
MOTORE: **LINDE**  
TIPO: **257179F**  
ARM. V1: **24** A1: **104**  
ECC.: **SERIE**  
V2: A2:  
KW: **2** HP  
U./MIN: **2000**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT4029-**

0009761289



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 267 X 260 mors 2+2

CARR.: **LINDE** R14  
MOTORE: **LINDE**  
TIPO: **GF144-P10**  
ARM. V1: **48** A1: **131**  
ECC.: **SEPARATA**  
V2: A2:  
KW: **5,4** HP  
U./MIN: **1700**

APPLIC.: **Trazione** SERV: **S2-60min**

CODICE: **KLMT1014-**

0009761128  
0009761138  
0009761141  
0009761142



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220 X 340 mors 4

CARR.: **LINDE** E20/E25/E30  
MOTORE: **LINDE**  
TIPO: **GF146-14/7,8**  
ARM. V1: **80** A1: **94**  
ECC.: **SERIE**  
V2: A2:  
KW: **6,4** HP  
U./MIN: **1550**

APPLIC.: **Trazione** SERV: **60MIN.**

CODICE: **KLMT1006-**

0009761104  
0009761184



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 178 X 253 mors 4

CARR.: **LINDE** E12-E15 - 2°s.  
MOTORE: **SCHABMULLER**  
TIPO: **R178/2-58/60**  
ARM. V1: **24** A1: **104**  
ECC.: **SERIE**  
V2: A2:  
KW: **2** HP  
U./MIN: **2040**

APPLIC.: **Trazione** SERV:

# CATALOGO MOTORI



SRL

CODICE: **KLMT1851-**

0039761130

0039768130



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 253 morsa 4

CARR.: **LINDE** T30

MOTORE: **SCHABMULLER**

TIPO: **R150/1,5-940/515 EIG.IMP**

ARM. V1: 24 A1:

ECC.: **SERIE**

V2: A2:

KW: 1,5 HP

U./MIN: 2315

APPLIC.: **Trazione**

SERV: **S2-45'**

CODICE: **KLMT1969-**

0039761113



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 253 morsa 4

CARR.: **LINDE** L14

MOTORE: **SCHABMULLER**

TIPO: **R150/1,5-862/515 EIG.IMP**

ARM. V1: 24 A1:

ECC.: **SERIE**

V2: A2:

KW: 1,5 HP

U./MIN: 2315

APPLIC.: **Trazione**

SERV: **S2-45'**

CODICE: **KLMT2269-**

0039761112



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 178 X 250 morsa 4

CARR.: **LINDE** N20

MOTORE: **SCHABMULLER**

TIPO: **R178/2-682/544EIG.IMP.**

ARM. V1: 24 A1: 109

ECC.: **SERIE**

V2: A2:

KW: 2 HP

U./MIN: 2850

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT2864-**

0039761127



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 178 X 250 morsa 4

CARR.: **LINDE** N20 ?

MOTORE: **SCHABMULLER**

TIPO: **R178/2-726/544EIG.IMP.**

ARM. V1: 24 A1: 109

ECC.: **SERIE**

V2: A2:

KW: 2 HP

U./MIN: 2850

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3847-**

0009761025

3085



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 271 morsa 3+1

CARR.: **LINDE** E10334Z

MOTORE: **SCHABMULLER**

TIPO: **TSL150-100-891**

ARM. V1: 24 A1:

ECC.: **SERIE**

V2: A2:

KW: 2,2 HP

U./MIN: 2185

APPLIC.: **Trazione**

SERV: **S2-60'**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1769-**

0009761201  
5764429-001

50016818



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 288 mors 4

CARR.: **LINDE** COMMISSION

MOTORE: **SCHABMULLER**

TIPO: **R150/2K-885/598**

ARM. V1: **24** A1: **110**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **2850**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1038-**

0009761228  
0009761274

50017042



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 178 X 290 mors 4

CARR.: **LINDE** K10.01

MOTORE: **SCHABMULLER**

TIPO: **R178/3,4K-697/559**

ARM. V1: **48** A1: **85**

ECC.: **SERIE**

V2: A2:

KW: **3,4** HP

U./MIN: **2240**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1009-**

0009761109  
0009761189  
0009761116  
0009761196



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 332 mors 4

CARR.: **LINDE** E20 - E25 - E3

MOTORE: **SCHABMULLER**

TIPO: **R210/5,6K-69/47**

ARM. V1: **80** A1: **82**

ECC.: **SERIE**

V2: A2:

KW: **5,6** HP

U./MIN: **1700**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1294-**

4034081-001  
4034081/4



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 325 X 345 mors 4

CARR.: **LINDE** ° TRATTORE P

MOTORE: **MAWDSLEY'S**

TIPO: **4034081/1**

ARM. V1: **67** A1:

ECC.: **SERIE**

V2: A2:

KW: **13,4** HP

U./MIN: **1080**

APPLIC.: **Trazione**

SERV: **1 H**

CODICE: **KLMT1002-**

0009761002  
0009761013  
PRX005393-0  
50027758



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 325 X 345 mors 4

CARR.: **LINDE** ° TRATTORE P

MOTORE: **SCHABMULLER**

TIPO: **R325/13,4FK-39/33**

ARM. V1: **67** A1: **233**

ECC.: **SERIE**

V2: A2:

KW: **13,4** HP

U./MIN: **1095**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**



# CATALOGO MOTORI



SRL

CODICE: **KLMT2331-**

0009761170

TF12/581242



CARR.: **LINDE - FENWI** XA20 - XG12 -

MOTORE: **LE ROY SOMMER**

TIPO: **TF12/0009761170**

ARM. V1: **24**

A1: **35**

ECC.: **SERIE**

V2:

A2:

KW: **0,62**

HP

U./MIN: **3200**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø  X  mors

APPLIC.: **Trazione**

SERV: **S2 = 1H**