

CATALOGO MOTORI



SRL

CODICE: **KLMT1647-**

4329200



ROTAZIONE V.L.A.: Orario

Ø 192 X 392 morsa 2

CARR.: **CLARK** CLARK

MOTORE: **GIEM**

TIPO: **K2P102**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **HP**

U./MIN:

APPLIC.: **Sollevamento**


SERV:

CODICE: **KLMT1516-**

K124B00

4321384

K2T124CLAR



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 432 morsa 4

CARR.: **CLARK** EPM30

MOTORE: **GIEM**

TIPO: **K2T124/B**

ARM. V1: **80-83** A1: **184**

ECC.: **SERIE**

V2: A2:

KW: **12,8** HP

U./MIN: **1700**

APPLIC.: **Trazione**

SERV: **S2 = 60MI**

CODICE: **KLMT1811-**

K2P102A

K2P102AEAA



ROTAZIONE V.L.A.: Orario

Ø 195 X 375 morsa 2

CARR.: **DETAS** SE20

MOTORE: **GIEM**

TIPO: **K2P102A**

ARM. V1: **48** A1: **220**

ECC.: **SERIE**

V2: A2:

KW: **8,5** HP

U./MIN: **2070**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT1518-**

670109

670112

K2P108

K108C01



ROTAZIONE V.L.A.: Orario

Ø 195 X 465 morsa 2

CARR.: **DETAS** SE32

MOTORE: **GIEM**

TIPO: **K2P108CL**

ARM. V1: **80** A1: **240**

ECC.: **SERIE**

V2: A2:

KW: **15,5** HP

U./MIN: **2100**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT1515-**

K122B01

K122B01



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 520 morsa 4

CARR.: **DETAS** DETAS

MOTORE: **GIEM**

TIPO: **K2T122B**

ARM. V1: **48** A1: **180**

ECC.: **SERIE**

V2: A2:

KW: **7** HP

U./MIN: **1050**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT1519-**

K2T104

K104B02



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 195 X 483 morsa 4

CARR.: **DETAS** 15Q

MOTORE: **GIEM**

TIPO: **K2T104B**

ARM. V1: **48** A1: **105**

ECC.: **SERIE**

V2: A2:

KW: **4,2** HP

U./MIN: **1300**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1521-**

K2T128



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 520 morsa 4

CARR.: **DETAS** DETAS

MOTORE: **GIEM**

TIPO: **K2T128/A**

ARM. V1: **72** A1: **189**

ECC.: **SERIE**

V2: A2:

KW: **12** HP

U./MIN: **1300**

APPLIC.: **Trazione**

SERV: **S2-60MIN**

CODICE: **KLMT1784-**



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 245 morsa 2

CARR.: **FIAT- OM** E

MOTORE: **ANSALDO**

TIPO: **K1P0731 B006**

ARM. V1: **36-48** A1: **38/37**

ECC.: **COMPOUND**

V2: A2:

KW: **0,87/1,21** HP

U./MIN: **1740/2420**

APPLIC.: **Servosterzo**

SERV: **S6-25%**

CODICE: **KLMT1783-**

9430618

9433922



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 228 morsa 2

CARR.: **FIAT- OM** E15/3C

MOTORE: **ANSALDO**

TIPO: **K1P0731 B005**

ARM. V1: **36-48** A1: **38/37**

ECC.: **COMPOUND**

V2: A2:

KW: **0,87/1,21** HP

U./MIN: **1740/2420**

APPLIC.: **Servosterzo**

SERV: **S6-25%**

CODICE: **KLMT1445-**

9297413

9831345



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 245 morsa 2

CARR.: **FIAT- OM** E25B

MOTORE: **ANSALDO**

TIPO: **K1P0731B000**

ARM. V1: **72** A1: **28**

ECC.: **COMPOUND**

V2: A2:

KW: **1,44** HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1748-**

9433921



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 259 morsa 2

CARR.: **FIAT- OM** E25B

MOTORE: **ANSALDO**

TIPO: **K1P0761B001**

ARM. V1: **72** A1: **28,4/6**

ECC.: **COMPOUND**

V2: A2:

KW: **1,42/0,25** HP

U./MIN: **1850/2450**

APPLIC.: **Servosterzo**

SERV: **S6 - 25%**

CODICE: **KLMT1895-**

9280841

PCUS1.5



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 257 morsa 2

CARR.: **FIAT- OM** E35B

MOTORE: **ANSALDO**

TIPO: **K1P0731 B000**

ARM. V1: **80** A1: **17,5**

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN: **3000**

APPLIC.: **Servosterzo**

SERV: **INT.25%**

CODICE: **KLMT1745-**

9295473



ROTAZIONE V.L.A.: Orario

Ø 185 X 350 morsa 2

CARR.: **FIAT- OM** E12C - E15C

MOTORE: **ANSALDO**

TIPO: **K1P0921B000**

ARM. V1: **48** A1: **215**

ECC.: **SERIE**

V2: A2:

KW: **7** HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT1101-**

9423913

9294108



ROTAZIONE V.L.A.: Orario

Ø 200 X 430 morsa 2

CARR.: **FIAT- OM** E20B - E25B

MOTORE: **ANSALDO**

TIPO: **K1P1041B013**

ARM. V1: **72** A1: **203-8**

ECC.: **SERIE**

V2: A2:

KW: **11-4,8** HP

U./MIN: **1600-2600**

APPLIC.: **Sollevamento**

SERV: **S3 - 12%**

CODICE: **KLMT2270-**

9283145



ROTAZIONE V.L.A.: Orario

Ø 259 X 612 morsa 2

CARR.: **FIAT- OM** E30- E35 -E30

MOTORE: **ANSALDO**

TIPO: **MYP66**

ARM. V1: **80** A1: **160-6**

ECC.: **SERIE**

V2: A2:

KW: **11-4** HP

U./MIN: **1500-2600**

APPLIC.: **Sollevamento**

SERV: **S2 = 60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT1441-**

9294796
9272204
9272226
9286981



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 222 X 426 mors 6

CARR.: **FIAT- OM** E12CE - E15B
MOTORE: **ANSALDO**
TIPO: **E112 MSP**
ARM. V1: **36** A1: **145**
ECC.: **SERIE**
V2:
KW: **4,05** HP **5,5**
U./MIN: **2500**

APPLIC.: **Trazione** SERV: **INTERM. 6**

CODICE: **KLMT1102-**

9427069
9427068
9296153
9296154



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 165 X 314 mors 4

CARR.: **FIAT- OM** E12-15C- E12
MOTORE: **ANSALDO**
TIPO: **K1T0851B002**
ARM. V1: **48** A1: **91**
ECC.: **SERIE**
V2:
KW: **3,5** HP
U./MIN: **3100**

APPLIC.: **Trazione** SERV:

CODICE: **KLMT1444-**

9297152
9297153
9295885
K1T0961BA0



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 186 X 322 mors 4

CARR.: **FIAT- OM** E20B - E25B
MOTORE: **ANSALDO**
TIPO: **K1T0961B001** 4cavi
ARM. V1: **72** A1: **77**
ECC.: **SERIE**
V2:
KW: **4,35** HP
U./MIN: **2650**

APPLIC.: **Trazione** SERV: **S2=60'**

CODICE: **KLMT1437-**

9278716
9451498



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 260 X 515 mors 4

CARR.: **FIAT- OM** E30- E35 -E30
MOTORE: **ANSALDO**
TIPO: **TCUS25T**
ARM. V1: **80** A1: **150**
ECC.: **SERIE**
V2:
KW: **10** HP
U./MIN:

APPLIC.: **Trazione** SERV: **S2 = 60'**

CODICE: **KLMT1469-**

9460161
9460101
K2P088CEC



ROTAZIONE V.L.A.: Orario

Ø 165 X 378 mors 2

CARR.: **FIAT- OM** EU3/12-EU3/1
MOTORE: **GIEM**
TIPO: **K2P088**
ARM. V1: **48** A1: **235**
ECC.: **SERIE**
V2:
KW: **9** HP
U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1458-**

9456063
9453345
9452593
K2P104AEAA



ROTAZIONE V.L.A.: Orario

Ø 194 X 395 mors 2

CARR.: **FIAT- OM** E15NH - E18
MOTORE: **GIEM**
TIPO: **K2P104A**
ARM. V1: **72-80** A1: **200**
ECC.: **SERIE**
V2:
KW: **11,6\12,9** A2:
HP
U./MIN: **2150\2390**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT1456-**

9456061
9453637
K12AD013D



ROTAZIONE V.L.A.: Orario

Ø 239 X 454 mors 2

CARR.: **FIAT- OM** E35N - E40N -
MOTORE: **GIEM**
TIPO: **K2P122C**
ARM. V1: **72-80** A1: **250**
ECC.: **SERIE**
V2:
KW: **15,2\17** A2:
HP
U./MIN: **2420\2700**

APPLIC.: **Sollevamento** SERV: **S3 - 20%**

CODICE: **KLMT1457-**

9456062
9453112
K106A01



ROTAZIONE V.L.A.: Orario

Ø 195 X 433 mors 2

CARR.: **FIAT- OM** E20NH-E25N-
MOTORE: **GIEM**
TIPO: **K2P106CL**
ARM. V1: **72-80** A1: **246**
ECC.: **SERIE**
V2:
KW: **14,5\16,1** A2:
HP
U./MIN: **2500\2780**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1470-**

9461401
9456335
K2T086CCC



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 163 X 368 mors 2+2

CARR.: **FIAT- OM** EU3/12-EU3/1
MOTORE: **GIEM**
TIPO: **K2T086CL**
ARM. V1: **24** A1: **208**
ECC.: **INDIPENDENTE**
V2: **24** A2: **14,5**
KW: **4** HP
U./MIN: **1600**

APPLIC.: **Trazione** SERV: **S2 - 60MI**

CODICE: **KLMT1465-**

9458211
9455390
K126A00
K2T126ASAA



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 482 mors 2+2

CARR.: **FIAT- OM** EU25- EU28-
MOTORE: **GIEM**
TIPO: **K2T126**
ARM. V1: **72-80** A1: **194**
ECC.: **INDIPENDENTE**
V2: **33** A2: **12**
KW: **11,7-13** HP
U./MIN: **1560-1740**

APPLIC.: **Trazione** SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT1451-**

9453344
9441103
K10AD004D
K2T108AAAD



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 195 X 450 morsa 4

CARR.: **FIAT- OM** E15NH-E18N-
MOTORE: **GIEM**
TIPO: **K2T108AL**
ARM. V1: **72-80** A1: **136**
ECC.: **SERIE**
V2:
KW: **8,39,2** A2:
HP
U./MIN: **1850/2060**

APPLIC.: **Trazione** SERV: **S2-60MIN.**

CODICE: **KLMT1449-**

9452802

K2T126ASAA



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 482 morsa 4

CARR.: **FIAT- OM** E20NH-E25N-
MOTORE: **GIEM**
TIPO: **K2T126**
ARM. V1: **72-80** A1: **194**
ECC.: **SERIE**
V2:
KW: **11,7 / 13** A2:
HP
U./MIN: **1560/1740**

APPLIC.: **Trazione** SERV: **S2-60 MIN**

CODICE: **KLMT1464-**

9458209
9456573

K122B04



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 238 X 435 morsa 2+2

CARR.: **FIAT- OM** EU18-EU20 -
MOTORE: **GIEM**
TIPO: **K2T122**
ARM. V1: **80** A1: **136**
ECC.: **INDIPENDENTE**
V2: **32,6** A2: **9,3**
KW: **9,2** HP
U./MIN: **2060**

APPLIC.: **Trazione** SERV:

CODICE: **KLMT2049-**

9272190
9269665
9269667
9286956



ROTAZIONE V.L.A.: Orario

Ø 185 X 490 morsa 2

CARR.: **FIAT- OM** E12CE - E15B
MOTORE: **PELLIZZARI**
TIPO: **E100MSP**
ARM. V1: **36-48** A1: **260**
ECC.: **COMPOUND**
V2:
KW: **6,76** A2:
HP **9-14**
U./MIN: **1300-2000**

APPLIC.: **Sollevamento** SERV: **LIMIT.3'**

CODICE: **KLMT1517-**

3031023



ROTAZIONE V.L.A.: Orario

Ø 194 X 395 morsa 3

CARR.: **MONTINI** M
MOTORE: **GIEM**
TIPO: **K2P104A**
ARM. V1: **48** A1: **235**
ECC.: **SERIE**
V2:
KW: **8,5** A2:
HP
U./MIN: **1250**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2117-**

K2P106CEC
K106C00



ROTAZIONE V.L.A.: Orario

Ø 195 X 445 mors 2

CARR.: **MONTINI** MONTINI
MOTORE: **GIEM**
TIPO: **K2P106CL**
ARM. V1: **80** A1: **260**
ECC.: **SERIE**
V2: A2:
KW: **17** HP
U./MIN: **2750**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT2118-**

EP.montini

K126A02



ROTAZIONE V.L.A.: Orario

Ø 240 X 500 mors 2

CARR.: **MONTINI** MONTINI
MOTORE: **GIEM**
TIPO: **K2P126A**
ARM. V1: **80** A1:
ECC.: **SERIE**
V2: A2:
KW: **17** HP
U./MIN: **1500**

APPLIC.: **Sollevamento** SERV: **S3 - 20%**

CODICE: **KLMT1564-**

TR.montini

K122B00



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 238 X 430 mors 4

CARR.: **MONTINI** P2000
MOTORE: **GIEM**
TIPO: **K2T122B**
ARM. V1: **48** A1: **280**
ECC.: **SERIE**
V2: A2:
KW: **10** HP
U./MIN: **1050**

APPLIC.: **Trazione** SERV: **S2-60MIN**

CODICE: **KLMT1878-**

3031017

K126A03
K2T126ACAA



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 240 X 482 mors 4

CARR.: **MONTINI** MONTINI
MOTORE: **GIEM**
TIPO: **K2T126A**
ARM. V1: **80** A1: **200**
ECC.: **SERIE**
V2: A2:
KW: HP
U./MIN: **1700**

APPLIC.: **Trazione** SERV: **S2-60MIN**

CODICE: **KLMT2214-**

K2P104ASAA



ROTAZIONE V.L.A.: Orario

Ø 194 X 395 mors 3

CARR.: **PIERALISI** PIERALISI
MOTORE: **GIEM**
TIPO: **K2P104A**
ARM. V1: **48** A1: **210**
ECC.: **SERIE**
V2: A2:
KW: **7,65** HP
U./MIN: **1320**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**