

CATALOGO MOTORI



SRL

CODICE: **KLMT2265-**

8237110

50039147



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 182 mors 2

CARR.: **ACCALON** ACCALON

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-716/576-120-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3723-**

30301550

50027850*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 mors 2

CARR.: **AGV** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-50/11MK**

ARM. V1: **44** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **3020**

APPLIC.: **Servosterzo**

SERV: **S3-52%**

CODICE: **KLMT3851-**

50022014*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 mors 2

CARR.: **AGV** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-46/3-81-46-TA**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT1362-**

58014

0058014

0005751156



ROTAZIONE V.L.A.: Orario

Ø 150 X 319 mors 2

CARR.: **CESAB** MAK400 -MA

MOTORE: **SCHABMULLER**

TIPO: **R150/2RK-888/821-../10**

ARM. V1: **80** A1: **32**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **1370**

APPLIC.: **Servosterzo**

SERV: **S3-58%**

CODICE: **KLMT1303-**

4308579

3068582

3793375

50025879**



ROTAZIONE V.L.A.: Orario

Ø 112 X 245 mors 2

CARR.: **CLARK** CLARK

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5K-693/521-3,2/01**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **1525**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT1245-**

3793377
4309465
4309466
50018301



ROTAZIONE V.L.A.: Orario

Ø 112 X 245 mors 2

CARR.: **CLARK** CLARK

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5K-694/511-../01**

ARM. V1: **80** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,6** HP

U./MIN: **1270**

APPLIC.: **Servosterzo**

SERV: **S3-60%**

CODICE: **KLMT1302-**

4307567
4307568
3792789
3067282



ROTAZIONE V.L.A.: Orario

Ø 112 X 240 mors 2

CARR.: **CLARK** EPN25N

MOTORE: **SCHABMULLER**

TIPO: **P112/0,6K-606/583-../05**

ARM. V1: **80** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,6** HP

U./MIN: **1940**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3572-**

R014100035

50073255***



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 185 mors 3

CARR.: **E80** AGV

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013.51**

ARM. V1: **3F - 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT3485-**

R014350091
318AZ0154

50068688*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 110 X 340 mors 3

CARR.: **E80 - OCME** AGV

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013.51**

ARM. V1: **3F - 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT3934-**

B436600303
B436600254

50073254*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 110 X 340 mors 3

CARR.: **ELETTRIC80** AGV

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013.51**

ARM. V1: **3F - 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CATALOGO MOTORI



CODICE: **KLMT3467-**

R014320014

50060154*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 158 morsi 3

CARR.: **ELETRIC80** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106AB-10**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,51** HP

U./MIN: **3850**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3737-**

50068218*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 158 morsi 3

CARR.: **ELETRIC80** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-10.46**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,51** HP

U./MIN: **3850**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3468-**

50078262



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 300 morsi 3

CARR.: **ELETRIC80** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT3469-**

R014350053



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 170 morsi 3

CARR.: **ELETRIC80** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-58%**

CODICE: **KLMT3537-**

50038842*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsi 2

CARR.: **ELETRIC80** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-62/25-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CATALOGO MOTORI



CODICE: **KLMT3653-**

50071596



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 158 morsa 3

CARR.: **EUROIMPIANTI RIDUTTORE**

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-23.46**

ARM. V1: **3F-32** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,60** HP

U./MIN: **3800**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3291-**

50031285*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsa 2

CARR.: **EUROIMPIANTI SKILLED**

MOTORE: **SCHABMULLER**

TIPO: **TSL102-3.46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT2297-**

0009810803

50034933*

903-010



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 165 morsa 3

CARR.: **FENWICK TRASPALLET**

MOTORE: **SCHABMULLER - HESS**

TIPO: **R112/0,25-746/687-81-25**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,25** HP

U./MIN: **1465**

APPLIC.: **Servosterzo**

SERV: **S3-29%**

CODICE: **KLMT3332-**

45235420500

50041505*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 morsa 3

CARR.: **FIAT- OM CTX**

MOTORE: **SCHABMULLER**

TIPO: **TSL100-172-18**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN: **1345**

APPLIC.: **Servosterzo**

SERV: **S3-78%**

CODICE: **KLMT2542-**

416142

931772

8416142

50041505*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 161 morsa 3

CARR.: **FIAT- OM SU - SV - SD**

MOTORE: **SCHABMULLER**

TIPO: **R100/0,15-231/172-81-18 SO**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2694-**

95319864

908-013



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 275 mors 2

CARR.: **FIAT- OM** A2

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-./22**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3614-**

925736

8020889

020889

50062925



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 mors 3

CARR.: **FIAT- OM** TSR

MOTORE: **SCHABMULLER**

TIPO: **TSL100-131**

ARM. V1: **48** A1: **12,6**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3 - 56%**

CODICE: **KLMT3432-**

40313500801



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 mors 2

CARR.: **FIAT- OM** XE80

MOTORE: **SCHABMULLER**

TIPO: **TSL150-100-882**

ARM. V1: **80** A1: **30,5**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Servosterzo**

SERV: **S3-100%**

CODICE: **KLMT3157-**

3001857

H3001857

50028263*



ROTAZIONE V.L.A.: Orario

Ø 150 X 415 mors 2

CARR.: **HUBTEX** HUBTEX 25 q.

MOTORE: **SCHABMULLER**

TIPO: **R150/3,5RK-504/806-08/10**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **3,5** HP

U./MIN: **1500**

APPLIC.: **Servosterzo**

SERV: **S2**

CODICE: **KLMT1095-**

0363036

0363374

696087

50019627



ROTAZIONE V.L.A.: Orario

Ø 112 X 245 mors 2

CARR.: **HYSTER** ERB12,5 - A1

MOTORE: **SCHABMULLER**

TIPO: **P112/0,7K-542/533-3,8/10**

ARM. V1: **24** A1: **42**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,7** HP

U./MIN: **1530**

APPLIC.: **Servosterzo**

SERV: **S3 - 50%**

CATALOGO MOTORI



SRL

CODICE: **KLMT4031-**

0501.331.434
8814405



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 274 morsa 3

CARR.: **HYSTER** HYSTER
MOTORE: **SCHABMULLER**
TIPO: **TSA106-65-002.50**
ARM. V1: **28 - 3F** A1:
ECC.: **ASINCRONO Hz:**
V2: A2:
KW: **0,58** HP
U./MIN: **2580**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT2798-**

1567605
1525635
3072296
50060160*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 260 morsa 3

CARR.: **HYSTER** NACCO
MOTORE: **SCHABMULLER**
TIPO: **TSA106-65-3.46**
ARM. V1: **3F- 14,5** A1:
ECC.: **ASINCRONO Hz120**
V2: A2:
KW: **0,65** HP
U./MIN: **3210**

APPLIC.: **Servosterzo** SERV: **S2-60'**

CODICE: **KLMT3043-**

1565619
0501217374
580051498



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 260 morsa 3

CARR.: **HYSTER** NACCO
MOTORE: **SCHABMULLER**
TIPO: **TSA106-65-2.46**
ARM. V1: **3F- 28** A1:
ECC.: **ASINCRONO Hz:95**
V2: A2:
KW: **0,65** HP
U./MIN: **3210**

APPLIC.: **Servosterzo** SERV: **S2-60'**

CODICE: **KLMT3044-**

1498989
50049214*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 208 morsa 3

CARR.: **HYSTER** R16
MOTORE: **SCHABMULLER**
TIPO: **TSA100B-3.44**
ARM. V1: **3F- 28** A1:
ECC.: **ASINCRONO Hz95**
V2: A2:
KW: **0,9** HP
U./MIN: **2640**

APPLIC.: **Servosterzo** SERV: **S2-60'**

CODICE: **KLMT3721-**

416636
60003263-0
50073674
50029669*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 145 morsa 2

CARR.: **INDUMAT** MOTORUOTA
MOTORE: **SCHABMULLER**
TIPO: **P102/0,05-42/26-81/46**
ARM. V1: **48** A1: **2**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,05** HP
U./MIN: **3200**

APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT3357-**

411982

402971

50015388*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 145 mors 2

CARR.: **INDUMAT** MOTORUOTA

MOTORE: **SCHABMULLER**

TIPO: **P102/0,05-35/9-81/46**

ARM. V1: **48** A1: **2**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,05** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2462-**

411982

402971

EX.50018720



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 145 mors 2

CARR.: **INDUMAT** MOTORUOTA

MOTORE: **SCHABMULLER**

TIPO: **P102/0,05-42/24-81/46**

ARM. V1: **48** A1: **2**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,05** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2127-**



ROTAZIONE V.L.A.: Orario

Ø 112 X 236 mors 2

CARR.: **IRION** IRION

MOTORE: **SCHABMULLER**

TIPO: **N112/1,1RK-550/529**

ARM. V1: **48** A1: **31,8**

ECC.: **COMPOUND**

V2: A2:

KW: **1,1** HP

U./MIN: **3180**

APPLIC.: **Servosterzo**

SERV: **S3 - 38%**

CODICE: **KLMT1000-**

0005751138

9029242 kalm



ROTAZIONE V.L.A.: Orario

Ø 112 X 220 mors 2

CARR.: **IRION** IRION

MOTORE: **SCHABMULLER**

TIPO: **D112/1,5RK-505/611-../05**

ARM. V1: **80** A1: **33**

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2080**

APPLIC.: **Servosterzo**

SERV: **S3 - 10%**

CODICE: **KLMT1370-**

63188990

27634700*

50018532*

50023989**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 186 mors 3

CARR.: **JUNGHEINRICH JUNG.**

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-154/131-81/35**

ARM. V1: **48** A1: **12,6**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3-56%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2058-**

28707670
28707670
908-012-0017
9080120017



ROTAZIONE V.L.A.: Orario

Ø 125 X 270 mors 2

CARR.: **JUNGHEINRICH E25**
MOTORE: **SCHABMULLER**
TIPO: **D125/2R-7/7-..05**
ARM. V1: **80** A1: **33,5**
ECC.: **COMPOUND**
V2: A2:
KW: **2** HP
U./MIN: **2450**

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2381-**

013516
1405669*
8013518
50019890*



ROTAZIONE V.L.A.:

Ø 150 X 191 mors 2

CARR.: **JUNGHEINRICH JUNGHEINRI**
MOTORE: **SCHABMULLER**
TIPO: **P150/1-361/242-..15**
ARM. V1: **80** A1: **16**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **1** HP
U./MIN: **2000**

APPLIC.: **Servosterzo** SERV: **S3-40%**

CODICE: **KLMT1499-**

27504400*



ROTAZIONE V.L.A.: Orario

Ø 150 X 275 mors 2

CARR.: **JUNGHEINRICH JUNG.**
MOTORE: **SCHABMULLER**
TIPO: **D150/2R-119/39**
ARM. V1: **80** A1: **33**
ECC.: **COMPOUND**
V2: A2:
KW: **2** HP
U./MIN: **1300**

APPLIC.: **Servosterzo** SERV: **S3-40%**

CODICE: **KLMT1425-**

9031713
9031.713
907-010-0129
50016239



ROTAZIONE V.L.A.: Orario

Ø 112 X 0 mors 2

CARR.: **KALMAR IRION**
MOTORE: **SCHABMULLER**
TIPO: **D112/1,5RK-668/611-3,2/0,5**
ARM. V1: **80** A1:
ECC.:
V2: A2:
KW: **1,5** HP
U./MIN:

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT3901-**

50184603



ROTAZIONE V.L.A.: Orario

Ø 112 X 222 mors 2

CARR.: **KOMATSU FB16M-2E**
MOTORE: **SCHABMULLER**
TIPO: **D112/0,8R-732/681-..0,5**
ARM. V1: **48** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **0,800** HP
U./MIN: **2400**

APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT1036-**

0009761202



ROTAZIONE V.L.A.: Orario

Ø 100 X 149 mors 2

CARR.: **LANSING** T20

MOTORE: **SCHABMULLER**

TIPO: **D100/1,2R-105/107**

ARM. V1: **24** A1: **89**

ECC.: **SERIE**

V2: A2:

KW: **1,2** HP

U./MIN: **2900**

APPLIC.: **Servosterzo**

SERV: **S3 - 8%**

CODICE: **KLMT2126-**

5782661



ROTAZIONE V.L.A.: Orario

Ø 112 X 265 mors 2

CARR.: **LANSING** LANSING

MOTORE: **SCHABMULLER**

TIPO: **P112/0,7K-519/146**

ARM. V1: **24** A1: **40**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,7** HP

U./MIN: **2330**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1356-**

5782662

908010008

908-010-0008



ROTAZIONE V.L.A.: Orario

Ø 112 X 265 mors 2

CARR.: **LANSING** LANSING

MOTORE: **SCHABMULLER**

TIPO: **P112/0,7K-519/152**

ARM. V1: **48** A1: **19**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,7** HP

U./MIN: **2450**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2940-**

6900774-001



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 275 mors 2

CARR.: **LANSING** LANSING

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-./22**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1324-**

5786157-001

50021307



ROTAZIONE V.L.A.: Orario

Ø 112 X 220 mors 2

CARR.: **LANSING** VARI

MOTORE: **SCHABMULLER**

TIPO: **D112/0,9RK-629/607**

ARM. V1: **48** A1: **27,5**

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **2400**

APPLIC.: **Servosterzo**

SERV: **S3-27%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3920-**

J0261373

C242645

50050451



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 185 mors 2

CARR.: **LGV** LGV

MOTORE: **SCHABMULLER**

TIPO: **TSL125A-595**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2900**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3028-**

0276419

999

J0276419

50050451*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 300 mors 2

CARR.: **LGV** LGV

MOTORE: **SCHABMULLER**

TIPO: **TSL125A-595.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2900**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2675-**

200732

200732.

50037176*

50045413*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 mors 2

CARR.: **LGV** ESATECNA-S

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-38/3-81-51IN**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT1033-**

0009761186

0199990350

50018535

50018943*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 186 mors 3

CARR.: **LINDE** W10

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-128/149**

ARM. V1: **23,5** A1: **25**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2950**

APPLIC.: **Servosterzo**

SERV: **S3 - 60%**

CODICE: **KLMT1019-**

0009761143

0009810718

0009810795



ROTAZIONE V.L.A.: Orario

Ø 100 X 220 mors 2

CARR.: **LINDE** E12 - E15

MOTORE: **SCHABMULLER**

TIPO: **N100/0,4RK-119/104**

ARM. V1: **24** A1: **24**

ECC.: **COMPOUND**

V2: A2:

KW: **0,4** HP

U./MIN: **2750**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT1025-**

0009761157

0009768157

0009810720**

50016831**



ROTAZIONE V.L.A.: Orario

Ø 100 X 208 morsa 2

CARR.: **LINDE** E12 - E15

MOTORE: **SCHABMULLER**

TIPO: **N100/0,4RK-136/126**

ARM. V1: **24** A1: **26**

ECC.: **COMPOUND**

V2: A2:

KW: **0,4** HP

U./MIN: **2530**

APPLIC.: **Servosterzo**

SERV: **S 1**

CODICE: **KLMT1015-**

0009761129

0009810713*

0009810793A

907-007-0001



ROTAZIONE V.L.A.: Orario

Ø 112 X 194 morsa 2

CARR.: **LINDE** E10-E12-E15

MOTORE: **SCHABMULLER**

TIPO: **N100/0,75RK-100/100**

ARM. V1: **24** A1: **44**

ECC.: **SEPARATA**

V2: A2:

KW: **0,75** HP

U./MIN: **3800**

APPLIC.: **Servosterzo**

SERV: **S3-80%**

CODICE: **KLMT2646-**

0009761281



ROTAZIONE V.L.A.: Orario

Ø 112 X 220 morsa 2

CARR.: **LINDE** E15

MOTORE: **SCHABMULLER**

TIPO: **D112/0,8R-762/680-../05**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,8** HP

U./MIN: **2360**

APPLIC.: **Servosterzo**

SERV: **S3-40%**

CODICE: **KLMT1026-**

0009761158

0009768158

0009810721

50019584



ROTAZIONE V.L.A.: Orario

Ø 100 X 217 morsa 2

CARR.: **LINDE** E15S

MOTORE: **SCHABMULLER**

TIPO: **N100/0,4RK-137/127-../04**

ARM. V1: **48** A1: **13**

ECC.: **COMPOUND**

V2: A2:

KW: **0,4** HP

U./MIN: **2450**

APPLIC.: **Servosterzo**

SERV: **S 1**

CODICE: **KLMT1020-**

0009761144

0009810719

0009810796

0009768144



ROTAZIONE V.L.A.: Orario

Ø 100 X 219 morsa 2

CARR.: **LINDE** E15 S

MOTORE: **SCHABMULLER**

TIPO: **N100/0,4RK-120/119**

ARM. V1: **48** A1: **12,4**

ECC.: **COMPOUND**

V2: A2:

KW: **0,4** HP

U./MIN: **2960**

APPLIC.: **Servosterzo**

SERV: **S 1**

CATALOGO MOTORI



SRL

CODICE: **KLMT1027-**

0009761160
0009768160
0009810727
50019764



ROTAZIONE V.L.A.: Orario

Ø 112 X 217 mors 2

CARR.: **LINDE** E16P - E18P
MOTORE: **SCHABMULLER**
TIPO: **D112/0,9RK-591/607-4,1/05**
ARM. V1: **48** A1: **27,5**
ECC.: **COMPOUND**
V2: A2:
KW: **0,9** HP
U./MIN: **2400**

APPLIC.: **Servosterzo** SERV: **S3 = 27%**

CODICE: **KLMT1046-**

0009810804
0009761174
50019827
50035328*



ROTAZIONE V.L.A.: Orario

Ø 112 X 220 mors 2

CARR.: **LINDE** retrattile R14
MOTORE: **SCHABMULLER**
TIPO: **D112/0,5RK-649/663**
ARM. V1: **48** A1: **16**
ECC.: **COMPOUND**
V2: A2:
KW: **0,5** HP
U./MIN: **1225**

APPLIC.: **Servosterzo** SERV: **S3 - 45%**

CODICE: **KLMT2511-**

0029761005



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 273 mors 2

CARR.: **LINDE** P200
MOTORE: **SCHABMULLER**
TIPO: **D150/1,2LK-893/824**
ARM. V1: **80** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **1,2** HP
U./MIN: **1020**

APPLIC.: **Servosterzo** SERV: **S2 - 60'**

CODICE: **KLMT2072-**

0009760905
0009760905
3378250042



ROTAZIONE V.L.A.: Orario

Ø 125 X 238 mors 2

CARR.: **LINDE** E48
MOTORE: **SCHABMULLER**
TIPO: **D125/1,1RK-727/669-..02**
ARM. V1: **80** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **1,1** HP
U./MIN: **2155**

APPLIC.: **Servosterzo** SERV: **S2-60'**

CODICE: **KLMT1044-**

0009810715
0009761123
0009810704
0009810784-



ROTAZIONE V.L.A.: Orario

Ø 112 X 224 mors 2

CARR.: **LINDE** E 20 - 25 - 30
MOTORE: **SCHABMULLER**
TIPO: **D112/1,1R-61/35-..J10**
ARM. V1: **80** A1: **20**
ECC.: **COMPOUND**
V2: **0** A2: **0**
KW: **1,1** HP **0**
U./MIN: **1790**

APPLIC.: **Servosterzo** SERV: **S3 - 25%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1022-**

0009761149
0009761133
0009810723
0009768149



ROTAZIONE V.L.A.: Orario

Ø 112 X 217 mors 2

CARR.: **LINDE** E20 - 25 - 30
MOTORE: **SCHABMULLER**
TIPO: **D112/1,1RK-629/596**
ARM. V1: **80** A1: **19,5**
ECC.: **COMPOUND**
V2: A2:
KW: **1,1** HP
U./MIN: **2130**

APPLIC.: **Servosterzo** SERV: **S3 - 20%**

CODICE: **KLMT1040-**

0009761269
8407513



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 273 mors 2

CARR.: **LINDE - STILL** R14 - 113---
MOTORE: **SCHABMULLER**
TIPO: **D150/0,9LK-879/818**
ARM. V1: **48** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **0,9** HP
U./MIN: **820**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT2436-**

0009761277
9531984
908-013



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 275 mors 2

CARR.: **LINDE - STILL** R14 - 113---
MOTORE: **SCHABMULLER**
TIPO: **D150/0,9LK-901/818-../22**
ARM. V1: **48** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **0,9** HP
U./MIN: **820**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT3409-**

0009761282
50040966*



ROTAZIONE V.L.A.: Orario

Ø 112 X 220 mors 2

CARR.: **LINDE - STILL** R07-20H
MOTORE: **SCHABMULLER**
TIPO: **P112/0,5-714/645-../04**
ARM. V1: **80** A1: **8,5**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,5** HP
U./MIN: **1380**

APPLIC.: **Servosterzo** SERV: **S3 - 42%**

CODICE: **KLMT1325-**

50016274



ROTAZIONE V.L.A.: Orario

Ø 125 X 244 mors 2

CARR.: **LINDE M** E 40 ns. modif
MOTORE: **SCHABMULLER**
TIPO: **D125/1R-571/565 - ../05**
ARM. V1: **80** A1: **16,5**
ECC.: **COMPOUND**
V2: A2:
KW: **1** HP
U./MIN: **3520**

APPLIC.: **Servosterzo** SERV: **S3 = 37%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3463-**

50015974*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 188 morsa 2

CARR.: **MCF** MCF

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-595/567**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2779-**

168120376

9030080007

50015362*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsa 2

CARR.: **MLR** MLR

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-11/3-81-51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3440-**

50054214*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 280 morsa 2

CARR.: **MLR** MLR

MOTORE: **SCHABMULLER**

TIPO: **TSL102A-3.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT2886-**

50057216*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 280 morsa 2

CARR.: **MLR** MLR

MOTORE: **SCHABMULLER**

TIPO: **TSL102A-25.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3532-**

4190992

901353

60000549-0

50015355*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 203 morsa 2

CARR.: **MOTORUOTA** MOTORUOTA

MOTORE: **SCHABMULLER**

TIPO: **P102/0,05-13/7-62-46**

ARM. V1: **24** A1: -

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,05** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI



CODICE: **KLMT1814-**

50015936

50015936



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 145 morsa 2

CARR.: **MOTORUOTA** MOTORUOTA

MOTORE: **SCHABMULLER**

TIPO: **P102/0,05-13/9-62-46**

ARM. V1: **48** A1: **2**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,05** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1327-**

403124

00299528

50161403



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 148 morsa 3

CARR.: **NISSAN** STEINBOCK

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-118/117**

ARM. V1: **23,5** A1: **27**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2960**

APPLIC.: **Servosterzo**

SERV: **S3-60%**

CODICE: **KLMT4024-**

C15600.0011



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 304 morsa 2

CARR.: **NUOVAFIMA** VARI

MOTORE: **SCHABMULLER**

TIPO: **TSL125A-576.51-IN**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2846-**

C15600.0005

50054566*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 190 morsa 2

CARR.: **NUOVAFIMA** VARI

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-587/576**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3687-**

318AZ0009

50071428*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 300 morsa 3

CARR.: **OCME** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013.51**

ARM. V1: **3F-32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CATALOGO MOTORI



CODICE: **KLMT2485-**

0009761016
9848450*

50054426*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 253 morsa 3

CARR.: **PIMESPO** TSX - TLX - C

MOTORE: **SCHABMULLER**

TIPO: **TSL100A-177.46**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV: **S3=59%**

CODICE: **KLMT3460-**

45395420500
9852440*

50062178*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 255 morsa 3

CARR.: **PIMESPO** LOGO 1 AC

MOTORE: **SCHABMULLER**

TIPO: **TSL100A-178.46**

ARM. V1: **24** A1: **36**

ECC.: **SERIE**

V2: A2:

KW: **0,6** HP

U./MIN: **3185**

APPLIC.: **Servosterzo**

SERV: **S3=38%**

CODICE: **KLMT2520-**

95319489

50034882



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 160 morsa 2

CARR.: **PIMESPO** MODO3

MOTORE: **SCHABMULLER**

TIPO: **P112/0,6-745/686-81-46 HES**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,600** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S3=26%**

CODICE: **KLMT2579-**

95325593



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 237 morsa 2

CARR.: **PIMESPO** THESI

MOTORE: **SCHABMULLER**

TIPO: **TSL150A-850**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,5** HP

U./MIN: **1440**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3736-**

2542282

EX.2542282



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 181 morsa 3

CARR.: **ROCLA** ROCLA MULT

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-17.93**

ARM. V1: **3F x 32** A1:

ECC.: **ASINCRONO Hz:120**

V2: A2:

KW: **0,600** HP

U./MIN: **3485**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT2894-**

C9999980069

901445

50015389*

50015959



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsi 2

CARR.: **ROCLA** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-36/3-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT2883-**

211394

901257

50030436*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsi 2

CARR.: **ROCLA** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-12/3-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT1084-**

04968284

04967273 ex

26914558

50030501 ex



ROTAZIONE V.L.A.: Orario

Ø 125 X 276 morsi 2

CARR.: **STEINBOCK** STEINBOCK

MOTORE: **SCHABMULLER**

TIPO: **D125/1,5RK-684/636-..06HES**

ARM. V1: **80** A1: **26,2**

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **1995**

APPLIC.: **Servosterzo**

SERV: **S3 - 20%**

CODICE: **KLMT2665-**

04842189



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 215 morsi 3

CARR.: **STEINBOCK** WK-10 TRILA

MOTORE: **SCHABMULLER**

TIPO: **R125/0,8-619/627-210-43**

ARM. V1: **80** A1: **14**

ECC.: **SERIE**

V2: A2:

KW: **0,8** HP

U./MIN: **1995**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT2188-**

8416142

50029813*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 250 morsi 3

CARR.: **STILL** EGV-S13

MOTORE: **SCHABMULLER**

TIPO: **R100/0,15-225/172-81-18 SO**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT3164-**

938552
4479938
50055487



CARR.: **STILL** TRASPALLET
MOTORE: **SCHABMULLER**
TIPO: **TSL100-172.18**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,4?** HP
U./MIN:

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 164 morsi 3

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2205-**

415877
917993
8415877
50027129



CARR.: **STILL** GX13
MOTORE: **SCHABMULLER**
TIPO: **R112/0,6-665/631-81-51MKTV**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,6** HP
U./MIN: **3470**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 290 morsi 3

APPLIC.: **Servosterzo** SERV: **S3=33%**

CODICE: **KLMT2762-**

8423754
8424347
8421722
50041682



CARR.: **STILL** EK12
MOTORE: **SCHABMULLER**
TIPO: **R100/0,4-232/170-81-46**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,4** HP
U./MIN: **5505**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 255 morsi 3

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1150-**

148452
0524241*
0377148452
50019958*



CARR.: **STILL** R07-20H
MOTORE: **SCHABMULLER**
TIPO: **P112/0,5-714/645-../04**
ARM. V1: **80** A1: **8,5**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,5** HP
U./MIN: **1380**

ROTAZIONE V.L.A.: Orario

Ø 112 X 220 morsi 2

APPLIC.: **Servosterzo** SERV: **S3 - 42%**

CODICE: **KLMT3836-**

101736
000101736
50068307*



CARR.: **SWISSLOG** LGV-guida las
MOTORE: **SCHABMULLER**
TIPO: **TSA106-50-11.46**
ARM. V1: **14,5 x 3F** A1:
ECC.: **ASINCRONO Hz:140**
V2: A2:
KW: **0,400** HP
U./MIN: **3745**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 134 morsi 3

APPLIC.: **Servosterzo** SERV: **S2-60'**

CATALOGO MOTORI



CODICE: **KLMT1774-**

9999980014**

C9999980014

50038166



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 314 morsi 2

CARR.: **SYSTEM** BOX

MOTORE: **SCHABMULLER**

TIPO: **P125/0,4-710/595-120-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2900**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3522-**

959504-503

211786

C9999980071

50068829*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 191 morsi 2

CARR.: **SYSTEM** AGV

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-(591)/576**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3459-**

C9999980049

32MRZ011

R014100011

50048959*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 189 morsi 2

CARR.: **SYSTEM** SYSTEM

MOTORE: **SCHABMULLER**

TIPO: **TSL125A-576.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3799-**

9940144628

50015354*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsi 2

CARR.: **SYSTEM** SYSTEM

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-12/3-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT2770-**

411836

50020060

50015586



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 190 morsi 2

CARR.: **SYSTEM** SYSTEM

MOTORE: **SCHABMULLER**

TIPO: **TSL125A-576.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT1322-**

9999980008
R014320010
60007470-0
50015377*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsi 2

CARR.: **SYSTEM** SYSTEM

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-27/3-81-46 m TW**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3879-**

50059757*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 136 morsi 3

CARR.: **VARI** LGV-guida las

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-11.25**

ARM. V1: **14,5 x 3F** A1:

ECC.: **ASINCRONO Hz:140**

V2: A2:

KW: **0,4** HP

U./MIN: **3745**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT1329-**

50019284
9030080020



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 244 morsi 2

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-21/10-81-46-TA**

ARM. V1: **18** A1: **29,3**

ECC.:

V2: A2:

KW: **0,4** HP

U./MIN: **2860**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3012-**

28715280



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 0 morsi 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P112/0,3-620/628**

ARM. V1: **21** A1: **18,5**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,3** HP

U./MIN: **2130**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT2848-**

2000735

50015357*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsi 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-18/8-81-46**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2835**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3186-**

50041674



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 160 morsi 2

CARR.: **VARI** MODO3

MOTORE: **SCHABMULLER**

TIPO: **P112/0,3-745/698-81-46 HES**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,300** HP

U./MIN: **1600**

APPLIC.: **Servosterzo**

SERV: **S3-26%**

CODICE: **KLMT1323-**

50016228

0009810763



ROTAZIONE V.L.A.: Orario

Ø 112 X 240 morsi 2

CARR.: **VARI** LANSING BA

MOTORE: **SCHABMULLER**

TIPO: **D112/1RK-664/622**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN: **1740**

APPLIC.: **Servosterzo**

SERV: **S3-18%**

CODICE: **KLMT4001-**

50076989*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 197 morsi 3

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-10.46**

ARM. V1: **3 F 32** A1:

ECC.: **ASINCRONO Hz:**

V2: A2:

KW: HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3442-**

50061466



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 158 morsi 3

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-10.46**

ARM. V1: **3F- 28** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,51** HP

U./MIN: **3850**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3527-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 170 morsi 3

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-58%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3903-**

50039752



ROTAZIONE V.L.A.: Antiorario

Ø 151 X 318 morsa 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **D150/1,5LK-902/835-./15**

ARM. V1: **48** A1: **43**

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2060**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3635-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 163 morsa 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-62/25-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3773-**

50036993



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 244 morsa 2

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-20/3-81-46-IN**

ARM. V1: **48** A1:

ECC.:

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3757-**

50065228*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 189 morsa 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-595/576-81-51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3301-**

411836



50024424*

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 189 morsa 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-617/576-81-51TWMK**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT3321-**

50069077*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 198 morsa 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-716/576-120-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1298-**

411254

8411254

9030070052

50015922



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 260 morsa 3

CARR.: **WAGNER** CZ10 - EK10

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-188/149-81-46-80**

ARM. V1: **23,5** A1: **25**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2950**

APPLIC.: **Servosterzo**

SERV: **S3-60%**

CODICE: **KLMT2543-**

918020

415948 - 841

8422988/841

50041501



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 255 morsa 3

CARR.: **WAGNER** FM14 - FM20

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-230/170-81-18**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **5505**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1299-**

8415948

415948 - 841

50026970

50028823



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 166 morsa 3

CARR.: **WAGNER** FM14 - FM20

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-222/170-81-18**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **5505**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1320-**

852980

8412070AT

8020889



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 165 morsa 3

CARR.: **WAGNER** EFSM

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-185/131-81-18**

ARM. V1: **48** A1: **12,6**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3 - 56%**

CATALOGO MOTORI



CODICE: **KLMT2056-**

401669
8401669
8410541
50017421



ROTAZIONE V.L.A.: Orario

Ø 150 X 205 mors 2

CARR.: **WAGNER** GX30-40

MOTORE: **SCHABMULLER**

TIPO: **P150/1-628/698-4,1/01**

ARM. V1: **80** A1: **15,9**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN: **1920**

APPLIC.: **Servosterzo**

SERV: **S3-40%**

CODICE: **KLMT1295-**

8405837
405837
916561
50031633



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 190 mors 3

CARR.: **WAGNER** K15

MOTORE: **SCHABMULLER**

TIPO: **R125/1,05FK 681/637-120-51**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,05** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2733-**

8020888
WA020888
8411696
50015331



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 166 mors 3

CARR.: **WAGNER - STIL FM**

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-184/149-81-18**

ARM. V1: **23,5** A1: **25**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2950**

APPLIC.: **Servosterzo**

SERV: **S3-60%**

CODICE: **KLMT1710-**

Y296321272
Y258433700
9070100091



ROTAZIONE V.L.A.: Orario

Ø 112 X 211 mors 2

CARR.: **YALE** YALE

MOTORE: **SCHABMULLER**

TIPO: **D112/1R-639/606**

ARM. V1: **36** A1: **40**

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN: **3160**

APPLIC.: **Servosterzo**

SERV: **S3-40%**