

# CATALOGO MOTORI



CODICE: **KLMT1040-**

0009761269

8407513



ROTAZIONE V.L.A.: Antiorario

Ø 150 x 273 mors 2

CARR.: **LINDE - STILL** R14 - 113---

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-879/818**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2436-**

0009761277

9531984

908-013



ROTAZIONE V.L.A.: Antiorario

Ø 150 x 275 mors 2

CARR.: **LINDE - STILL** R14 - 113---

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-../22**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3409-**

0009761282

50040966\*



ROTAZIONE V.L.A.: Orario

Ø 112 x 220 mors 2

CARR.: **LINDE - STILL** R07-20H

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5-714/645-../04**

ARM. V1: **80** A1: **8,5**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **1380**

APPLIC.: **Servosterzo**

SERV: **S3 - 42%**

CODICE: **KLMT3888-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 x 280 mors 3

CARR.: **STILL** COP20

MOTORE: **ISKRA**

TIPO: **ASJ1207**

ARM. V1: **24** A1:

ECC.:

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3889-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 x 185 mors 3

CARR.: **STILL** COP20

MOTORE: **ISKRA**

TIPO: **ASJ1207 ?**

ARM. V1: **24** A1:

ECC.:

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

# CATALOGO MOTORI



SRL

CODICE: **KLMT3018-**

=8423754

CSN362205



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 x 160 mors 3

CARR.: **STILL**

EK12

MOTORE: **MEZ - EM BRNO**

TIPO: **S56F**

ARM. V1: **48**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **0,4**

HP

U./MIN: **5500**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2188-**

8416142

50029813\*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 x 250 mors 3

CARR.: **STILL**

EGV-S13

MOTORE: **SCHABMULLER**

TIPO: **R100/0,15-225/172-81-18 SO**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **0,15**

HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3164-**

938552

4479938

50055487



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 x 164 mors 3

CARR.: **STILL**

TRASPALLET

MOTORE: **SCHABMULLER**

TIPO: **TSL100-172.18**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **0,4?**

HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2205-**

415877

917993

8415877

50027129



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 x 290 mors 3

CARR.: **STILL**

GX13

MOTORE: **SCHABMULLER**

TIPO: **R112/0,6-665/631-81-51MKTV**

ARM. V1: **48**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **0,6**

HP

U./MIN: **3470**

APPLIC.: **Servosterzo**

SERV: **S3=33%**

CODICE: **KLMT2762-**

8423754

8424347

8421722

50041682



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 x 255 mors 3

CARR.: **STILL**

EK12

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-232/170-81-46**

ARM. V1: **48**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **0,4**

HP

U./MIN: **5505**

APPLIC.: **Servosterzo**

SERV: **S1**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1150-**

148452

0524241\*

0377148452

50019958\*



ROTAZIONE V.L.A.: Orario

Ø 112 X 220 mors 2

CARR.: **STILL**

R07-20H

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5-714/645-../04**

ARM. V1: **80**

A1: **8,5**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **1380**

APPLIC.: **Servosterzo**

SERV: **S3 - 42%**

CODICE: **KLMT1203-**

302710

142557

344619



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 135 X 240 mors 3

CARR.: **STILL**

R50

MOTORE: **STILL**

TIPO: **G078-14/4,4**

ARM. V1: **24**

A1: **40**

ECC.: **SERIE**

V2:

A2:

KW: **0,48**

HP

U./MIN: **1200**

APPLIC.: **Servosterzo**

SERV: **S3 - 20%**

CODICE: **KLMT1567-**

065928



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 134 X 240 mors 3

CARR.: **STILL**

R50

MOTORE: **STILL**

TIPO: **G078-14/4**

ARM. V1: **24**

A1: **40**

ECC.: **SERIE**

V2:

A2:

KW: **0,48**

HP

U./MIN: **1200**

APPLIC.: **Servosterzo**

SERV: **20%**

CODICE: **KLMT1233-**

344622

144085

324675



ROTAZIONE V.L.A.: Orario

Ø 134 X 258 mors 2

CARR.: **STILL**

R25-25

MOTORE: **STILL**

TIPO: **GP078-14/4,6**

ARM. V1: **36-48**

A1: **68**

ECC.: **SERIE**

V2:

A2:

KW: **1,7**

HP

U./MIN: **2300**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1343-**

527770

344621

143571

316113



ROTAZIONE V.L.A.: Orario

Ø 134 X 258 mors 2

CARR.: **STILL**

R 60-16

MOTORE: **STILL**

TIPO: **GP078-14/5,5**

ARM. V1: **80**

A1: **35**

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP

U./MIN: **2400**

APPLIC.: **Servosterzo**

SERV: **S3 - 15%**

# CATALOGO MOTORI



SRL

CODICE: **KLMT1232-**

344620

527769

375608

302709



ROTAZIONE V.L.A.: Orario

Ø 135 x 258 mors 2

CARR.: **STILL**

R 60-20 R 60

MOTORE: **STILL**

TIPO: **GP078-14/5,5**

ARM. V1: **80**

A1: **35**

ECC.: **SERIE**

V2:

A2:

KW: **2**

HP

U./MIN: **2400**

APPLIC.: **Servosterzo**

SERV: **S3 - 15%**

CODICE: **KLMT1091-**

065911

132226



ROTAZIONE V.L.A.: Orario

Ø 120 x 250 mors 2

CARR.: **STILL**

R14 - R16

MOTORE: **STILL**

TIPO: **GP078-14/1,1**

ARM. V1: **80**

A1: **6,5**

ECC.: **COMPOUND**

V2:

A2:

KW: **0,32**

HP

U./MIN: **1200**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1489-**

B-481242X78



ROTAZIONE V.L.A.: Orario

Ø 142 x 210 mors 2

CARR.: **STILL-BAKER**

R20-25

MOTORE: **OHIO ELECTRIC MOTOR**

TIPO: **PM**

ARM. V1: **36-48**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW:

HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2733-**

8020888

WA020888

8411696

50015331



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 x 166 mors 3

CARR.: **WAGNER - STIL FM**

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-184/149-81-18**

ARM. V1: **23,5**

A1: **25**

ECC.: **SERIE**

V2:

A2:

KW: **0,4**

HP

U./MIN: **2950**

APPLIC.: **Servosterzo**

SERV: **S3-60%**