

CATALOGO MOTORI



SRL

CODICE: **KLMT3954-**

0526956



ROTAZIONE V.L.A.: Orario

Ø 220 x 265 mors 2

CARR.: **STILL**

R60-30

MOTORE: **JULI**

TIPO: **GP144-14/4,3**

ARM. V1: **80**

A1: **200**

ECC.: **SERIE**

V2:

A2:

KW: **13,5**

HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT3971-**

0009810815

0009810885



ROTAZIONE V.L.A.: Orario

Ø 184 x 295 mors 2

CARR.: **LINDE - STILL 335**

MOTORE: **JULI**

TIPO: **GP116-14/7,9**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1039-**

0009761251

0009768251



ROTAZIONE V.L.A.: Orario

Ø 184 x 295 mors 2

CARR.: **LINDE - STILL 335**

MOTORE: **JULI**

TIPO: **GP116-14/7**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT2548-**

0009761159

0009768159



ROTAZIONE V.L.A.: Orario

Ø 185 x 320 mors 2

CARR.: **LINDE - STILL E16S**

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48**

A1: **230**

ECC.: **COMPOUND**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT1643-**

0009760908

0009760900

0009761249

1002045



ROTAZIONE V.L.A.: Orario

Ø 220 x 265 mors 2

CARR.: **LINDE - STILL E20 / E25 / E3**

MOTORE: **JULI**

TIPO: **GP144-Q2**

ARM. V1: **80**

A1: **200**

ECC.: **SERIE**

V2:

A2:

KW: **13,5**

HP

U./MIN: **2550**

APPLIC.: **Sollevamento**

SERV: **15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1035-**

0009761197

0009768197



ROTAZIONE V.L.A.: Orario

Ø 220 x 270 mors 2

CARR.: **LINDE - STILL** E20 / E25 / E3

MOTORE: **JULI**

TIPO: **GP144-14/4,3**

ARM. V1: **80** A1: **200**

ECC.: **SERIE**

V2: A2:

KW: **13,5** HP

U./MIN: **2550**

APPLIC.: **Sollevamento** SERV: **15%**

CODICE: **KLMT3081-**

0009760906



ROTAZIONE V.L.A.: Orario

Ø 185 x 294 mors 2

CARR.: **LINDE - STILL** E12 - E15

MOTORE: **JULY**

TIPO: **GP116-B1**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT2782-**

0009761178

354801



ROTAZIONE V.L.A.: Orario

Ø 185 x 290 mors 2

CARR.: **LINDE - STILL** E12 - E15

MOTORE: **STILL**

TIPO: **GP116-14/5,5**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT1018-**

0009761137

0009761150

0009761154

0009761156



ROTAZIONE V.L.A.: Orario

Ø 185 x 290 mors 2

CARR.: **LINDE - STILL** E12 - E15

MOTORE: **STILL**

TIPO: **GP116-14/5,5**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-**

CODICE: **KLMT1021-**

0009761148

0009768148

138285AT



ROTAZIONE V.L.A.: Orario

Ø 255 x 355 mors 2

CARR.: **LINDE - STILL** E20-25-30

MOTORE: **STILL**

TIPO: **065912**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **15** HP **20**

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3=15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2689-**

0009761188



ROTAZIONE V.L.A.: Orario

Ø 250 x 342 mors 2

CARR.: **LINDE - STILL** E20-25-30

MOTORE: **STILL**

TIPO: **GP164-14/2.2**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **15** HP **20**

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3=15%**

CODICE: **KLMT1016-**

0009761130

0009761139

0009768130

0009768139



ROTAZIONE V.L.A.: Orario

Ø 255 x 338 mors 2

CARR.: **LINDE - STILL** E20 - E25 - E3

MOTORE: **STILL**

TIPO: **065942P**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **15** HP

U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT1482-**

9837239

81505001

5447208

28715950



ROTAZIONE V.L.A.: Antiorario

Ø 107 x 117 mors 2

CARR.: **PIMESPO-STILL TRASPALLET**

MOTORE: **HPI**

TIPO: **HE2C-109500**

ARM. V1: **24** A1: **10**

ECC.: **MAG.PERM.**

V2: A2:

KW: **0,8** HP

U./MIN:

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT4009-**



ROTAZIONE V.L.A.: Antiorario

Ø 106 x 134 mors 2

CARR.: **STILL** EXU20

MOTORE: **ECIA**

TIPO: **116956A**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,2** HP

U./MIN:

APPLIC.: **Sollevamento** SERV: **S3-10%**

CODICE: **KLMT2574-**

4498528

50039218



ROTAZIONE V.L.A.: Orario

Ø 125 x 261 mors 2

CARR.: **STILL** EGV14

MOTORE: **HALDEX BARNES**

TIPO: **24MA42-HSWA**

ARM. V1: **24** A1: **165**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3840**

APPLIC.: **Sollevamento** SERV: **S2 - 6,5MI**

CATALOGO MOTORI



SRL

CODICE: **KLMT1662-**

8410614NT

8400878AT



ROTAZIONE V.L.A.: Orario

Ø 125 x 220 mors 2

CARR.: **STILL**

EGV1250

MOTORE: **HESELMANN**

TIPO: **24MA42-3WAM**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3830**

APPLIC.: **Sollevamento**

SERV: **S3-8%**

CODICE: **KLMT2587-**

0009760944



ROTAZIONE V.L.A.: Orario

Ø 112 x 158 mors 2

CARR.: **STILL**

EGU20N

MOTORE: **ISKRA**

TIPO: **AMJ5772=>T**

ARM. V1: **24**

A1: **120**

ECC.:

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3 = 5%**

CODICE: **KLMT2861-**

530159

163406AT

0009760935



ROTAZIONE V.L.A.: Orario

Ø 190 x 295 mors 2

CARR.: **STILL**

RX50-15

MOTORE: **JULI**

TIPO: **GP116-B3**

ARM. V1: **24**

A1: **400**

ECC.: **SERIE**

V2:

A2:

KW: **7,6**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3706-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 305 x 390 mors 3

CARR.: **STILL**

RX60.50

MOTORE: **JULI**

TIPO: **AP416-B1-1**

ARM. V1: **3F X 43**

A1: **420**

ECC.: **ASINCRONO Hz:92**

V2:

A2:

KW: **25**

HP

U./MIN: **2700**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT2664-**

149735

156232

527835



ROTAZIONE V.L.A.: Orario

Ø 185 x 300 mors 2

CARR.: **STILL**

R20

MOTORE: **JULI**

TIPO: **GP116-14/7.9**

ARM. V1: **48**

A1: **230**

ECC.: **SERIE**

V2:

A2:

KW: **9**

HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2087-**

382660
354847
526951
1002010



ROTAZIONE V.L.A.: Orario

Ø 185 x 320 mors 2

CARR.: **STILL** R20
MOTORE: **JULI**
TIPO: **GP116-14/7.9**
ARM. V1: **48** A1: **230**
ECC.: **SERIE**
V2:
KW: **9** A2: **HP**
U./MIN: **2900**

APPLIC.: **Sollevamento** SERV: **15%**

CODICE: **KLMT2077-**

527576
0527576

1002082



ROTAZIONE V.L.A.: Orario

Ø 251 x 367 mors 2

CARR.: **STILL** R60/35N
MOTORE: **JULI**
TIPO: **GP164-M1**
ARM. V1: **80** A1: **320**
ECC.: **SERIE**
V2:
KW: **21** A2: **HP**
U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1683-**

8005536R
8405460
8405461
24MD22-WA



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 156 mors 2

CARR.: **STILL - WAGNE CS2000 - EK1**
MOTORE: **HESSSELMAN**
TIPO: **24MD22-WA**
ARM. V1: **24** A1:
ECC.: **COMPOUND**
V2:
KW: **2** A2: **HP**
U./MIN: **2730**

APPLIC.: **Sollevamento** SERV: **S3 - 5,5%**

CODICE: **KLMT3602-**

924676
013858
8014051
50016366



ROTAZIONE V.L.A.: Orario

Ø 178 x 370 mors 2

CARR.: **STILL-WAGNER WAGNER**
MOTORE: **SCHABMULLER**
TIPO: **R178/5RK-78/101-8,5/10**
ARM. V1: **24** A1: **260**
ECC.: **SERIE**
V2:
KW: **5** A2: **HP**
U./MIN: **2630**

APPLIC.: **Sollevamento** SERV: **S3**