

CATALOGO MOTORI



SRL

CODICE: **KLMT2362-**

MP113



ROTAZIONE V.L.A.: Antiorario

Ø 113 X 204 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **113 MP VP1 D**

ARM. V1: **48**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2000**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3503-**

20054392460

20054392460



ROTAZIONE V.L.A.: Orario

Ø 125 X 220 mors 2

CARR.: **LIFTER - VARI**

CENTRALINA

MOTORE: **ISKRA**

TIPO: **AMK5539=>T**

ARM. V1: **24**

A1: **205**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Servosterzo**

SERV: **S2-5'**

CODICE: **KLMT3483-**

2121



ROTAZIONE V.L.A.: Orario

Ø 150 X 0 mors 0

CARR.: **VARI**

ELECAR

MOTORE: **AMRE**

TIPO: **2121**

ARM. V1: **24**

A1: -

ECC.: **COMPOUND**

V2:

A2:

KW: **1,000**

HP

U./MIN: **1490**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT2795-**

2101F



ROTAZIONE V.L.A.: Orario

Ø 150 X 280 mors 2

CARR.: **VARI**

VARI

MOTORE: **AMRE**

TIPO: **150 SS**

ARM. V1: **36-48**

A1: **14**

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1400**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT4045-**

MR 737 40 1/



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 45 X 123 mors 2

CARR.: **VARI**

VARI

MOTORE: **BERNIO**

TIPO: **MR737**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,01**

HP

U./MIN: **52**

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2761-**

1517220551

0136401007



ROTAZIONE V.L.A.: Orario

Ø 125 x 250 mors 2

CARR.: **VARI**

VARI

MOTORE: **BOSCH**

TIPO: **AMK5663=>F**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **0,5**

HP

U./MIN: **1600**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3582-**

KLMT3582-20



ROTAZIONE V.L.A.: Orario

Ø 125 x 250 mors 2

CARR.: **VARI**

VARI

MOTORE: **BOSCH - MOD.**

TIPO: **by AMK5302=>F**

ARM. V1: **48**

A1: **20**

ECC.: **COMPOUND**

V2:

A2:

KW: **0,8**

HP

U./MIN: **2000**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3927-**

ME007

SE007.



ROTAZIONE V.L.A.: Orario

Ø 113 x 236 mors 2

CARR.: **VARI**

VARI

MOTORE: **CFR**

TIPO: **MSE 524 D.113 MP VP1 Q D**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2300**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3863-**

AG0900079

AG090-0079



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 110 x 133 mors 3

CARR.: **VARI**

VARI

MOTORE: **CFR**

TIPO: **125 NA VA Q FL.B14/80**

ARM. V1: **48**

A1: **0**

ECC.: **ASINCRONO Hz:88**

V2:

A2:

KW: **0,400**

HP

U./MIN: **2500**

APPLIC.: **Servosterzo**

SERV: **S2**

CODICE: **KLMT3955-**

ME018

ME018



ROTAZIONE V.L.A.: Orario

Ø 125 x 260 mors 2

CARR.: **VARI**

VARI

MOTORE: **CFR**

TIPO: **SE-125-NA-VA-Q**

ARM. V1: **80**

A1: **13**

ECC.: **COMPOUND**

V2:

A2:

KW: **0,800**

HP

U./MIN: **1700**

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT3171-**

SE043



ROTAZIONE V.L.A.: Orario

Ø 150 x 312 mors 2

CARR.: **VARI**

VARI

MOTORE: **CFR**

TIPO: **SE-151-PA-VA-Q GR.2**

ARM. V1: **80**

A1: **32**

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **1800**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3324-**

30911



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 114 x 140 mors 2

CARR.: **VARI**

VARI

MOTORE: **CIMA**

TIPO: **30911- Albero d.**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,800**

HP

U./MIN: **4500 ?**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3359-**

30912



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 104 x 140 mors 2

CARR.: **VARI**

VARI

MOTORE: **CIMA**

TIPO: **30912- Albero d.**

ARM. V1: **24**

A1: **42**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,800**

HP

U./MIN: **3000**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3499-**

1103308A/B

9003895C/D

11213186new



ROTAZIONE V.L.A.: Orario ?

Ø 125 x 253 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK6119**

ARM. V1: **24**

A1:

ECC.: **BRUSHLESS**

V2:

A2:

KW: **1,0**

HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3657-**

11216589



ROTAZIONE V.L.A.: Orario

Ø 125 x 280 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK4661=>**

ARM. V1: **24**

A1: **180**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3100**

APPLIC.: **Servosterzo**

SERV: **S2-13' - S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1118-**

11212297



ROTAZIONE V.L.A.: Orario

Ø 150 x 254 mors 2

CARR.: **VARI**

INDOS

MOTORE: **ISKRA**

TIPO: **AMP3302=>F**

ARM. V1: **36**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1200**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1122-**

11212591

1517220514



ROTAZIONE V.L.A.: Orario

Ø 125 x 235 mors 2

CARR.: **VARI**

HYTOS

MOTORE: **ISKRA**

TIPO: **AMK3303=>F**

ARM. V1: **72**

A1:

ECC.:

V2:

A2:

KW: **1**

HP

U./MIN: **1900**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3056-**

11216245

EX.11212154



ROTAZIONE V.L.A.: Orario

Ø 150 x 254 mors 2

CARR.: **VARI**

INDOS

MOTORE: **ISKRA**

TIPO: **AMP5614**

ARM. V1: **80**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **2000**

APPLIC.: **Servosterzo**

SERV: **S2**

CODICE: **KLMT1116-**

11212154



ROTAZIONE V.L.A.: Orario

Ø 150 x 254 mors 2

CARR.: **VARI**

INDOS

MOTORE: **ISKRA**

TIPO: **AMP3301**

ARM. V1: **80**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1500**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3840-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 84 x 167 mors 2

CARR.: **VARI**

NISSAN ?

MOTORE: **NIKKO**

TIPO: **NSK1850-015**

ARM. V1: **36-48**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,400**

HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT3711-**

S24P



ROTAZIONE V.L.A.: Antiorario

Ø 150 x 312 mors 2

CARR.: **VARI**

PGS

MOTORE: **PME**

TIPO: **S24P**

ARM. V1: **80**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,2**

HP

U./MIN: **1400**

APPLIC.: **Servosterzo**

SERV: **S6-25%**

CODICE: **KLMT3879-**

50059757*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 x 136 mors 3

CARR.: **VARI**

LGV-guida las

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-11.25**

ARM. V1: **14,5 x 3F**

A1:

ECC.: **ASINCRONO Hz:140**

V2:

A2:

KW: **0,4**

HP

U./MIN: **3745**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT1329-**

50019284

9030080020



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 x 244 mors 2

CARR.: **VARI**

RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-21/10-81-46-TA**

ARM. V1: **18**

A1: **29,3**

ECC.:

V2:

A2:

KW: **0,4**

HP

U./MIN: **2860**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3012-**

28715280



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 x 0 mors 2

CARR.: **VARI**

VARI

MOTORE: **SCHABMULLER**

TIPO: **P112/0,3-620/628**

ARM. V1: **21**

A1: **18,5**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,3**

HP

U./MIN: **2130**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT1323-**

50016228

0009810763



ROTAZIONE V.L.A.: Orario

Ø 112 x 240 mors 2

CARR.: **VARI**

LANSING BA

MOTORE: **SCHABMULLER**

TIPO: **D112/1RK-664/622**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1740**

APPLIC.: **Servosterzo**

SERV: **S3-18%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3186-**

CARR.: **VARI** MODO3

MOTORE: **SCHABMULLER**

TIPO: **P112/0,3-745/698-81-46 HES**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,300** HP

U./MIN: **1600**

50041674



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 160 mors 2

APPLIC.: **Servosterzo**

SERV: **S3-26%**

CODICE: **KLMT2848-**

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-18/8-81-46**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2835**

2000735



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 mors 2

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT4001-**

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-10.46**

ARM. V1: **3 F 32** A1:

ECC.: **ASINCRONO Hz:**

V2: A2:

KW: HP

U./MIN:

50076989*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 197 mors 3

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3442-**

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-10.46**

ARM. V1: **3F- 28** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,51** HP

U./MIN: **3850**

50061466



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 158 mors 3

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3527-**

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 170 mors 3

APPLIC.: **Servosterzo**

SERV: **S3-58%**



CATALOGO MOTORI



SRL

CODICE: **KLMT3321-**

50069077*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 x 198 mors 2

CARR.: **VARI**

VARI

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-716/576-120-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3757-**

50065228*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 x 189 mors 2

CARR.: **VARI**

VARI

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-595/576-81-51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3773-**

50036993



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 x 244 mors 2

CARR.: **VARI**

RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-20/3-81-46-IN**

ARM. V1: **48** A1:

ECC.: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3301-**

411836

50024424*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 x 189 mors 2

CARR.: **VARI**

VARI

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-617/576-81-51TWMK**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3635-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 x 163 mors 2

CARR.: **VARI**

VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-62/25-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3903-**

50039752



ROTAZIONE V.L.A.: Antiorario

Ø 151 x 318 mors 2

CARR.: **VARI**

VARI

MOTORE: **SCHABMULLER**

TIPO: **D150/1,5LK-902/835-../15**

ARM. V1: **48**

A1: **43**

ECC.: **COMPOUND**

V2:

A2:

KW: **1,5**

HP

U./MIN: **2060**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2957-**

MP113



ROTAZIONE V.L.A.: Antiorario

Ø 113 x 135 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **113 MP NV Q**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,6**

HP

U./MIN: **2000**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2123-**

ME019



SE019

ROTAZIONE V.L.A.: Orario

Ø 125 x 260 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **SE-125-NA-VA-Q**

ARM. V1: **24**

A1: **45**

ECC.: **COMPOUND**

V2:

A2:

KW: **0,800**

HP

U./MIN: **1150**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2122-**

ME001



SE001.

ROTAZIONE V.L.A.: Orario

Ø 113 x 236 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **MSE 524 D.113 MP VP1 Q D**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2300**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2394-**

F10359



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 x 160 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **F1035900**

ARM. V1: **24**

A1: **21**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,35**

HP

U./MIN: **1650**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CATALOGO MOTORI



SRL

CODICE: **KLMT1901-**

P536

E536



ROTAZIONE V.L.A.: Orario

Ø 150 x 285 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **150**

ARM. V1: **36**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1700**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2121-**

ME002

SE002.



ROTAZIONE V.L.A.: Orario

Ø 113 x 235 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **MSE 536 D.113 MP VP1 Q D**

ARM. V1: **36**

A1: **17**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2350**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1746-**

2119/CM



ROTAZIONE V.L.A.: Orario

Ø 125 x 250 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **125 P1**

ARM. V1: **48**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1533-**

ME003

SE113-MP-V

SE003.0011



ROTAZIONE V.L.A.: Orario

Ø 113 x 236 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **MSE 548 D.113 MP VP1 Q D**

ARM. V1: **48**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2000**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2124-**

ME021

M0058

E0058.0026

SE021.



ROTAZIONE V.L.A.: Orario

Ø 125 x 260 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **SE-125-NA-VA-Q**

ARM. V1: **48**

A1: **20,8**

ECC.: **COMPOUND**

V2:

A2:

KW: **0,800**

HP

U./MIN: **1640**

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2458-**

2104F



ROTAZIONE V.L.A.: Orario

Ø 150 x 280 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **150 SS**

ARM. V1: **48**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1400**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2955-**

MP113



ROTAZIONE V.L.A.: Antiorario

Ø 113 x 135 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **113 MP NV Q**

ARM. V1: **48**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,6**

HP

U./MIN: **2000**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2103-**

2.803201



2107*

2108F

ROTAZIONE V.L.A.: Orario

Ø 150 x 280 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **150 SS**

ARM. V1: **80**

A1: **14**

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1500**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT1534-**

ME006



SE006.0011

ROTAZIONE V.L.A.: Orario

Ø 115 x 230 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **MSE D.113 MP VP1 Q D**

ARM. V1: **80**

A1: **8**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2400**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2125-**

ME024



ME024

ROTAZIONE V.L.A.: Orario

Ø 125 x 260 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **SE-125-NA-VA-Q**

ARM. V1: **80**

A1: **15**

ECC.: **COMPOUND**

V2:

A2:

KW: **0,800**

HP

U./MIN: **1700**

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2200-**

2.803231

2124/G



ROTAZIONE V.L.A.: Orario

Ø 150 x 336 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **2124**

ARM. V1: **80**

A1: **19**

ECC.: **COMPOUND**

V2:

A2:

KW: **1,2**

HP

U./MIN: **1900**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT2361-**

SE037.0021



ROTAZIONE V.L.A.: Orario

Ø 150 x 332 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **SE-151-PA-VP1-Q**

ARM. V1: **80**

A1: **16**

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1500**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2510-**

FE071500



ROTAZIONE V.L.A.:

Ø 125 x 228 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **FE071500**

ARM. V1: **80**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,7**

HP

U./MIN: **2250**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3466-**

2221



ROTAZIONE V.L.A.: Orario

Ø 178 x 347 mors 2

CARR.: **VARI**

CARER R70

MOTORE: **VARI**

TIPO: **178**

ARM. V1: **80**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **1600**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2796-**

L27PA



ROTAZIONE V.L.A.: Antiorario

Ø 150 x 283 mors 2

CARR.: **VARI**

MORA

MOTORE: **VARI**

TIPO: **L27PA**

ARM. V1: **80**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1**

HP

U./MIN: **1400**

APPLIC.: **Servosterzo**

SERV: **S6-25%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3471-**

CARR.: **VARI - TCM** **VARI - H5**

ad.0-52000-8

MOTORE: **NIKKO**

ad.2921044H

TIPO: **AD.NSK1850-059**

ad.29210-44H

ARM. V1: **36-48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,55** HP

U./MIN:

ROTAZIONE V.L.A.: **Orario**

Ø **84** x **170**

mors **2**

APPLIC.: **Servosterzo**

SERV:

