

CATALOGO MOTORI



SRL

CODICE: **KLMT2905-**

113305R



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 207 mors 2

CARR.: **HPI - VARI** VARI

MOTORE: **ISKRA**

TIPO: **AMJ4751<=C**

ARM. V1: **24** A1: **120**

ECC.: **COMPOUND**

V2: A2:

KW: **1,9/2,2** HP

U./MIN: **4500/4200**

APPLIC.: **Sollevamento**

SERV: **S3=12% -**

CODICE: **KLMT3624-**

113349



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 185 mors 2

CARR.: **HPI - VARI** VARI

MOTORE: **ISKRA**

TIPO: **AMJ5722<=C**

ARM. V1: **24** A1: **120**

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3=8%- S**

CODICE: **KLMT1635-**

0039761125

110678E

11212559*



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 195 mors 2

CARR.: **LINDE - HPI - V L10 - VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5114<=C**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3=10%**

CODICE: **KLMT3873-**



ROTAZIONE V.L.A.: Orario

Ø 176 x 405 mors 2

CARR.: **VARI** FIORA

MOTORE: **BEST MOTOR**

TIPO: **177**

ARM. V1: **48** A1: **145**

ECC.: **COMPOUND**

V2: A2:

KW: **6** HP

U./MIN: **2650**

APPLIC.: **Sollevamento**

SERV: **S2 -50'**

CODICE: **KLMT1606-**

11214053

0136355053



ROTAZIONE V.L.A.: Orario

Ø 112 x 200 mors 2

CARR.: **VARI** VARI

MOTORE: **BOSCH**

TIPO: **AMJ5166 =>F**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,3** HP

U./MIN: **2400**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT3928-**

Z-EMDC-2E-



ROTAZIONE V.L.A.: Orario

Ø 150 x 343 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **BOSCH**

TIPO: **AMP5618=>F**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **5,5**

HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2992-**

1517220549

0136500040



ROTAZIONE V.L.A.: Orario

Ø 150 x 295 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **BOSCH**

TIPO: **AMP4664=>F**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **2,5**

HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S3 - 20%**

CODICE: **KLMT3114-**

0136501051



ROTAZIONE V.L.A.: Orario

Ø 150 x 315 mors 2

CARR.: **VARI**

VARI

MOTORE: **BOSCH**

TIPO: **QRL**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **3**

HP

U./MIN: **1300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1619-**

11214254

1517220540

0136501054



ROTAZIONE V.L.A.: Orario

Ø 150 x 340 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **BOSCH**

TIPO: **AMP4643=>F**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **4,1**

HP

U./MIN: **1200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1615-**

11214210

1517220546

0541400042

0136503010



ROTAZIONE V.L.A.: Orario

Ø 150 x 343 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **BOSCH**

TIPO: **AMP5610=>F**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **5,5**

HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1611-**

11214061
1697465/309

0136355061



ROTAZIONE V.L.A.: Orario

Ø 112 x 196 mors 2

CARR.: **VARI**

VOLVO - MER

MOTORE: **BOSCH**

TIPO: **AMJ5155=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1609-**

11214058

0136355058



ROTAZIONE V.L.A.: Orario

Ø 112 x 212 mors 2

CARR.: **VARI**

VARI

MOTORE: **BOSCH**

TIPO: **AMJ5163=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1604-**

11214012
0136350012



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 162 mors 2

CARR.: **VARI**

VARI - BT

MOTORE: **BOSCH**

TIPO: **AMJ4661<=T**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,9** HP

U./MIN: **4700**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1608-**

11214057
697710

0136355057



ROTAZIONE V.L.A.: Orario

Ø 112 x 200 mors 2

CARR.: **VARI**

JUNGHEINRI

MOTORE: **BOSCH**

TIPO: **AMJ5154=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3 - 10%**

CODICE: **KLMT3594-**

11214254M
1517220540

0136501054



ROTAZIONE V.L.A.: Orario

Ø 150 x 340 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **BOSCH**

TIPO: **AMP4643M=>F**

ARM. V1: **36** A1: **71**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT3106-**

0136501011*
0136501036**



ROTAZIONE V.L.A.: Orario

Ø 150 x 328 mors 2

CARR.: **VARI**
MOTORE: **BOSCH**
TIPO: **QRL**
ARM. V1: **40-48**
ECC.: **SERIE**
V2:
KW: **3**
U./MIN:

VARI

A1:

A2:
HP

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1153-**

1517220542
0009810775

0136501057



ROTAZIONE V.L.A.: Orario

Ø 150 x 310 mors 2

CARR.: **VARI**
MOTORE: **BOSCH**
TIPO: **AMP4633=>F**
ARM. V1: **48**
ECC.: **SERIE**
V2:
KW: **3,7**
U./MIN: **1200**

VARI

A1:

A2:
HP

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT1154-**

1517220547

0136501089



ROTAZIONE V.L.A.: Orario

Ø 150 x 310 mors 2

CARR.: **VARI**
MOTORE: **BOSCH**
TIPO: **AMP4657=>F**
ARM. V1: **48**
ECC.: **SERIE**
V2:
KW: **3,7**
U./MIN: **1600**

VARI

A1:

A2:
HP

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1621-**

1517220543
4109-0402

0136501058



ROTAZIONE V.L.A.: Orario

Ø 150 x 315 mors 2

CARR.: **VARI**
MOTORE: **BOSCH**
TIPO: **AMP4634=>F**
ARM. V1: **80**
ECC.: **SERIE**
V2:
KW: **3**
U./MIN: **1800**

BOSCH

A1:

A2:
HP

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3670-**

MP75
E736



ROTAZIONE V.L.A.: Orario

Ø 150 x 295 mors 2

CARR.: **VARI**
MOTORE: **BRUSA**
TIPO: **E736**
ARM. V1: **36**
ECC.: **SERIE**
V2:
KW: **4,5**
U./MIN: **2650**

VARI

A1: **150**

A2:
HP

APPLIC.: **Sollevamento**

SERV: **S3-15Min.**

CATALOGO MOTORI



SRL

CODICE: **KLMT3396-**

E172



ROTAZIONE V.L.A.: Orario

Ø 190 x 380 mors 2

CARR.: **VARI**

VARI

MOTORE: **BRUSA**

TIPO: **E172**

ARM. V1: **72**

A1: **165**

ECC.: **SERIE**

V2:

A2:

KW: **10**

HP

U./MIN: **1700**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT4012-**

MP113.0458



ROTAZIONE V.L.A.: Orario

Ø 113 x 132 mors 2

CARR.: **VARI**

WORKFRAM

MOTORE: **CFR**

TIPO: **MP NV Q DS S/FLANGIA**

ARM. V1: **24**

A1: **0**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,700**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3810-**



ROTAZIONE V.L.A.: Orario

Ø 150 x 310 mors 2

CARR.: **VARI**

VARI

MOTORE: **CFR**

TIPO: **EP51-RA-VA-QD**

ARM. V1: **24**

A1: **160**

ECC.: **SERIE**

V2:

A2:

KW: **3**

HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3412-**



ROTAZIONE V.L.A.: Orario

Ø 151 x 311 mors 2

CARR.: **VARI**

VARI

MOTORE: **CFR**

TIPO: **EP-151-RA-VA-Q GR.2**

ARM. V1: **48**

A1: **105**

ECC.: **COMPOUND**

V2:

A2:

KW: **4**

HP

U./MIN: **1750**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2493-**

30161



60282*

ROTAZIONE V.L.A.: Orario

Ø 113 x 190 mors 2

CARR.: **VARI**

CENTRALINA

MOTORE: **CIMA**

TIPO: **CIMA**

ARM. V1: **12**

A1: **175**

ECC.: **SERIE**

V2:

A2:

KW: **1,5**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1661-**

60273*

60271



ROTAZIONE V.L.A.: Orario

Ø 114 x 223 mors 2

CARR.: **VARI**

VARI

MOTORE: **CIMA**

TIPO: **D114**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3979-**



ROTAZIONE V.L.A.: Antiorario

Ø 106 x 130 mors 2

CARR.: **VARI**

TRASPALLET

MOTORE: **ECIA**

TIPO: **114227D**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **1,2**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2048-**

36503

EX.36270



ROTAZIONE V.L.A.: Orario

Ø 115 x 171 mors 2

CARR.: **VARI**

VARI

MOTORE: **EFEL**

TIPO: **36503=>**

ARM. V1: **12**

A1:

ECC.:

V2:

A2:

KW: **2**

HP

U./MIN: **2400**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2202-**

05180



ROTAZIONE V.L.A.: Orario

Ø 113 x 176 mors 2

CARR.: **VARI**

INCAB

MOTORE: **EFEL**

TIPO: **05180**

ARM. V1: **12**

A1:

ECC.:

V2:

A2:

KW: **1,3**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3561-**

36501



ROTAZIONE V.L.A.: Orario

Ø 78 x 150 mors 2

CARR.: **VARI**

VARI

MOTORE: **EFEL**

TIPO: **36501**

ARM. V1: **12**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **0,700**

HP

U./MIN: **2400**

APPLIC.: **Sollevamento**

SERV: **S2-2'**

CATALOGO MOTORI



SRL

CODICE: **KLMT1956-**

24009500



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 76 x 150 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **EFEL**

TIPO: **36798**

ARM. V1: **12**

A1: **90**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,7**

HP

U./MIN: **3500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT3402-**

36384



ROTAZIONE V.L.A.: Orario

Ø 114 x 180 mors 2

CARR.: **VARI**

VARI

MOTORE: **EFEL**

TIPO: **36384=>**

ARM. V1: **24**

A1: **160**

ECC.: **SERIE**

V2:

A2:

KW: **2,2**

HP

U./MIN: **1700**

APPLIC.: **Sollevamento**

SERV: **S2-7,5' S3**

CODICE: **KLMT2097-**

36569



ROTAZIONE V.L.A.: Orario

Ø 78 x 149 mors 2

CARR.: **VARI**

CENTRALINA

MOTORE: **EFEL**

TIPO: **d.80 36569 =>**

ARM. V1: **24**

A1: **50**

ECC.: **SERIE**

V2:

A2:

KW: **1,2**

HP

U./MIN: **3000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2477-**

24009600



ROTAZIONE V.L.A.: Antiorario

Ø 78 x 149 mors 2

CARR.: **VARI**

CENTRALINA

MOTORE: **EFEL**

TIPO: **d.80 36799 <=**

ARM. V1: **24**

A1: **70**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,800**

HP

U./MIN: **3200**

APPLIC.: **Sollevamento**

SERV: **S3-5% - S**

CODICE: **KLMT3481-**

24000400



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 180 mors 2

CARR.: **VARI**

VARI

MOTORE: **EFEL**

TIPO: **36561 <=**

ARM. V1: **24**

A1: **240**

ECC.: **SERIE**

V2:

A2:

KW: **2,5**

HP

U./MIN: **1300**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT2112-**

36380



ROTAZIONE V.L.A.: Orario

Ø 112 X 170 mors 2

CARR.: **VARI**

VARI

MOTORE: **EFEL**

TIPO: **36380=>**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **3**

HP

U./MIN: **4800**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3052-**

36808



ROTAZIONE V.L.A.: Orario

Ø 112 X 180 mors 2

CARR.: **VARI**

VARI

MOTORE: **EFEL**

TIPO: **36808=>**

ARM. V1: **24**

A1: **160**

ECC.: **SERIE**

V2:

A2:

KW: **2,2**

HP

U./MIN: **1700**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3600-**

48MD42TWA

48MD42-TWA



ROTAZIONE V.L.A.: Antiorario

Ø 112 X 156 mors 2

CARR.: **VARI**

AGV

MOTORE: **HESELMAN**

TIPO: **48MD42TWA**

ARM. V1: **48**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3 - 7%**

CODICE: **KLMT4043-**

24012400



ROTAZIONE V.L.A.: Antiorario

Ø 125 X 200 mors 2

CARR.: **VARI**

CENTRALINA

MOTORE: **HYDRAPP**

TIPO: **GJ**

ARM. V1: **24**

A1: **180**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **3,000**

HP

U./MIN: **3500**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT1571-**

11212089

14916500105

=EFEL36305

EX11212071



ROTAZIONE V.L.A.: Orario

Ø 114 X 178 mors 2

CARR.: **VARI**

OMFB

MOTORE: **ISKRA**

TIPO: **AMJ5653=>C**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1588-**

11212360

1517220575

1517220510



ROTAZIONE V.L.A.: Orario

Ø 112 x 210 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMJ5570=>B**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1593-**

11212609



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 170 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMJ5175<=T**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,6**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2366-**

11216077



ROTAZIONE V.L.A.: Orario

Ø 112 x 173 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5701=>C**

ARM. V1: **12**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **1,6**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1596-**

11212622

102680-13-12



ROTAZIONE V.L.A.: Orario

Ø 114 x 150 mors 2

CARR.: **VARI**

SMITHS - LIF

MOTORE: **ISKRA**

TIPO: **AMJ4664=>T**

ARM. V1: **12**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **1,6**

HP

U./MIN: **2750**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1597-**

11212630

106513

106720



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 152 mors 2

CARR.: **VARI**

HPI - LUCAS

MOTORE: **ISKRA**

TIPO: **AME1689<=C**

ARM. V1: **12**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT2169-**

11212864



ROTAZIONE V.L.A.: Orario

Ø 112 X 173 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5238=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT2101-**

11216203



ROTAZIONE V.L.A.: Orario

Ø 114 X 201 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5716=>F**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,7** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT1738-**

11212516



ROTAZIONE V.L.A.: Orario

Ø 112 X 180 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5110=>T**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT2093-**

11216204

1517220561



ROTAZIONE V.L.A.: Orario

Ø 114 X 204 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMJ5717=>B IP65**

ARM. V1: **12** A1: **250**

ECC.: **COMPOUND**

V2: A2:

KW: **1,7** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT1578-**

11212108

24006000

2200525



ROTAZIONE V.L.A.: Antiorario

Ø 113 X 172 mors 2

CARR.: **VARI**

HYDRAPP - J

MOTORE: **ISKRA**

TIPO: **AMJ5667<=T**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT2513-**

11216173

EX11212226



ROTAZIONE V.L.A.: Orario

Ø 80 x 138 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AME1590=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,15** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3-50%**

OIL SISTEM-L

CODICE: **KLMT1570-**

11212085

599999047

543913416

EX11212069



ROTAZIONE V.L.A.: Orario

Ø 114 x 170 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5649=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

HIDROIRMA -

CODICE: **KLMT2042-**

11212147

ad.47045911

EX11212147

1547220511



ROTAZIONE V.L.A.: Orario

Ø 80 x 138 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AME1706=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV:

OMFB-BERE

CODICE: **KLMT1577-**

11212107

24007500

81060001



ROTAZIONE V.L.A.: Antiorario

Ø 114 x 170 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5705<=T**

ARM. V1: **12** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

HYDRAPP - S

CODICE: **KLMT1574-**

11212087

c162010000

EX.11212068



ROTAZIONE V.L.A.: Orario

Ø 112 x 180 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5651=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

OIL SISTEM

CATALOGO MOTORI



SRL

CODICE: **KLMT1951-**

11212196

24005800

EX11212196



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 140 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AME1708<= C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1776-**

11212198

c162039000

81060201

EX.11212198



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

CARR.: **VARI**

OIL SISTEM-

MOTORE: **ISKRA**

TIPO: **AME1588<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1576-**

11212099

EX11212099



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 140 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AME1704<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1599-**

11212792

200081290



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 195 mors 2

CARR.: **VARI**

HPI - MIC - LU

MOTORE: **ISKRA**

TIPO: **AMJ5226<=C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **1700**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3595-**

20054391341

543913411



ROTAZIONE V.L.A.: Orario

Ø 114 x 179 mors 2

CARR.: **VARI**

HIDROIRMA

MOTORE: **ISKRA**

TIPO: **AMJ5131=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3-5%ED**

CATALOGO MOTORI



SRL

CODICE: **KLMT3393-**

0318101

=EFEL36629



ROTAZIONE V.L.A.: Orario

Ø 112 X 198 mors 2

CARR.: **VARI**

HIDRO TECH

MOTORE: **ISKRA**

TIPO: **AMJ5632=>C**

ARM. V1: **12**

A1: **400**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,1**

HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S2-1' S3-**

CODICE: **KLMT3449-**

C162095000



ROTAZIONE V.L.A.: Orario

Ø 125 X 251 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5695=>T**

ARM. V1: **12**

A1: **440**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,4**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-8% / S**

CODICE: **KLMT3079-**

11216389

c162 0S1 029



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 X 176 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AME1749<=>C**

ARM. V1: **12**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3461-**

11216193



ROTAZIONE V.L.A.: Antiorario

Ø 80 X 140 mors 2

CARR.: **VARI**

ADRIA COMM

MOTORE: **ISKRA**

TIPO: **AME1707<= C**

ARM. V1: **12**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3-9%ED**

CODICE: **KLMT2898-**

11216104



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 X 138 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AME1567<=>C**

ARM. V1: **12**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,15**

HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S3-50%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3598-**

C162077000
MERLO: 6311
W-5643
56250A150L5



CARR.: **VARI** OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5143=>C**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2300**

ROTAZIONE V.L.A.: Orario

Ø 112 x 215 mors 2

APPLIC.: Sollevamento

SERV: S3-14%ED

CODICE: **KLMT3701-**

1547220531
R918BN7167
R918ZN7167
EX.11212925



CARR.: **VARI** VARI

MOTORE: **ISKRA**

TIPO: **AMJ5285=>R**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

ROTAZIONE V.L.A.: Orario

Ø 112 x 182 mors 2

APPLIC.: Sollevamento

SERV: S3-5%ED

CODICE: **KLMT2791-**

11212633



CARR.: **VARI** HIDROIRMA

MOTORE: **ISKRA**

TIPO: **AMJ5222=>T**

ARM. V1: **12** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

ROTAZIONE V.L.A.: Orario

Ø 115 x 159 mors 2

APPLIC.: Sollevamento

SERV: S3-7,5%

CODICE: **KLMT3718-**

11216463
101688-5-12
FL101688-5-1



CARR.: **VARI** SMITHS

MOTORE: **ISKRA**

TIPO: **AME1769<=>C**

ARM. V1: **12** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **3500**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 79 x 141 mors 2

APPLIC.: Sollevamento

SERV: S3-10%ED

CODICE: **KLMT2787-**

11212957
0136355080



CARR.: **VARI** OIL SISTEM -

MOTORE: **ISKRA**

TIPO: **AMJ5272=>C**

ARM. V1: **12** A1: 230

ECC.: **COMPOUND**

V2: A2:

KW: **1,6** HP

U./MIN: **2600**

ROTAZIONE V.L.A.: Orario

Ø 112 x 175 mors 2

APPLIC.: Sollevamento

SERV: S3-7%

CATALOGO MOTORI



SRL

CODICE: **KLMT3980-**

AD.114227



ROTAZIONE V.L.A.: Antiorario

Ø 106 X 136 mors 2

CARR.: **VARI**

TRASPALLET

MOTORE: **ISKRA**

TIPO: **AMG1635<=C**

ARM. V1: **24**

A1: **7**

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **1,2**

HP

U./MIN: **5000**

APPLIC.: **Sollevamento**

SERV: **S3 - 8,5%**

CODICE: **KLMT1585-**

11212332



ROTAZIONE V.L.A.: Orario

Ø 125 X 238 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AMK5637=>F**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1586-**

11212358

1547220506



ROTAZIONE V.L.A.: Orario

Ø 112 X 182 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMJ5568=>R**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3905-**

C1620S1040



ROTAZIONE V.L.A.: Orario

Ø 125 X 212 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5531=>T**

ARM. V1: **24**

A1: **200**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-8% / S**

CODICE: **KLMT1573-**

11212086

543923801

543923813

EX11212056



ROTAZIONE V.L.A.: Orario

Ø 112 X 190 mors 2

CARR.: **VARI**

CAT. - HIDRO

MOTORE: **ISKRA**

TIPO: **AMJ5650=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1590-**

11212492
543923808



ROTAZIONE V.L.A.: Orario

Ø 114 x 179 mors 2

CARR.: **VARI**

HIDROIRMA

MOTORE: **ISKRA**

TIPO: **AMJ5132=>C**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1579-**

11212182
101688-3-12-



ROTAZIONE V.L.A.: Orario

Ø 79 x 141 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AME1623=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1594-**

11212610

EX.11212610



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 158 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMJ5730<=T**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3951-**

24MC4TWA
24MC42TWA
EC3/2.4/35-0
11.212.306



ROTAZIONE V.L.A.: Orario

Ø 125 x 226 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5633=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15%ED**

CODICE: **KLMT3387-**

11216464
101688-5-24



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 79 x 141 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AME1770<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4000**

APPLIC.: **Sollevamento**

SERV: **S3-8%ED**

CATALOGO MOTORI



SRL

CODICE: **KLMT1601-**

8103607
111895
095306051
EX11212618



ROTAZIONE V.L.A.: Antiorario

Ø 125 x 229 mors 2

CARR.: **VARI**

HPI - LINDE-

MOTORE: **ISKRA**

TIPO: **AMK5666<=C**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2129-**

OMG3543050

11212736*



ROTAZIONE V.L.A.: Orario

Ø 112 x 173 mors 2

CARR.: **VARI**

ANTEO

MOTORE: **ISKRA**

TIPO: **AMJ5239=>C**

ARM. V1: **24** A1: **120**

ECC.: **COMPOUND**

V2: A2:

KW: **2,2** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT3374-**

C162094000



ROTAZIONE V.L.A.: Orario

Ø 125 x 212 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5503=>T**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15% /**

CODICE: **KLMT1589-**

11212393
102020-24



ROTAZIONE V.L.A.: Orario

Ø 125 x 238 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AMK5639=>T**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1580-**

11212188
24008100
01.008.046*



ROTAZIONE V.L.A.: Antiorario

Ø 125 x 251 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMK5615<=T**

ARM. V1: **24** A1: **200**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15% /**

CATALOGO MOTORI



SRL

CODICE: **KLMT3765-**



CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMP4526 =>F**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **3**

HP

U./MIN: **1600**

ROTAZIONE V.L.A.: Orario

Ø 150 x 315 mors 2

APPLIC.: **Sollevamento**

SERV: **S2-28'**

CODICE: **KLMT3450-**

C126051007

C1260S1007



CARR.: **VARI**

OIL SISTEM-L

MOTORE: **ISKRA**

TIPO: **AME1557<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2800**

ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

APPLIC.: **Sollevamento**

SERV: **S3-17%**

CODICE: **KLMT2654-**

11212229



CARR.: **VARI**

FARAONA

MOTORE: **ISKRA**

TIPO: **AMJ5518=>B**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN:

ROTAZIONE V.L.A.: Orario

Ø 112 x 243 mors 2

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT3893-**

11216518

C1620s1043



CARR.: **VARI**

JUNGHEINRI

MOTORE: **ISKRA**

TIPO: **AMJ5779=>C**

ARM. V1: **24**

A1: **115**

ECC.: **COMPOUND**

V2:

A2:

KW: **1,9 / 2,1**

HP

U./MIN: **2700 / 225**

ROTAZIONE V.L.A.: Orario

Ø 113 x 185 mors 2

APPLIC.: **Sollevamento**

SERV: **S3-6% ED**

CODICE: **KLMT3354-**

11216133

31-00613



CARR.: **VARI**

OMG - 715K

MOTORE: **ISKRA**

TIPO: **AMJ5707=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,1**

HP

U./MIN: **2200**

ROTAZIONE V.L.A.: Orario

Ø 112 x 200 mors 2

APPLIC.: **Sollevamento**

SERV: **S3-10% E**

CATALOGO MOTORI



SRL

CODICE: **KLMT1572-**

11212090
14916500123
EX11212074



ROTAZIONE V.L.A.: Orario

Ø 114 x 178 mors 2

CARR.: **VARI** OMFB

MOTORE: **ISKRA**

TIPO: **AMJ5654=>C**

ARM. V1: **24** A1: **150**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2250**

APPLIC.: **Sollevamento** SERV: **S3-5% - S**

CODICE: **KLMT1117-**

11212169
24006100
24011800



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 180 mors 2

CARR.: **VARI** HYDRAPP-BE

MOTORE: **ISKRA**

TIPO: **AMJ5690<=T**

ARM. V1: **24** A1: **160**

ECC.: **SERIE**

V2: A2:

KW: **2,1** HP

U./MIN: **2250**

APPLIC.: **Sollevamento** SERV: **S3-10% -**

CODICE: **KLMT1569-**

11212001
1517220500
244306



ROTAZIONE V.L.A.: Orario

Ø 112 x 208 mors 2

CARR.: **VARI** VARI

MOTORE: **ISKRA**

TIPO: **AMJ5185=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2200**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1308-**

11212148
ad.47045912
EX11212148
1547220510



ROTAZIONE V.L.A.: Orario

Ø 80 x 140 mors 2

CARR.: **VARI** TRASP. BT 14

MOTORE: **ISKRA**

TIPO: **AME1593=>C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4500**

APPLIC.: **Sollevamento** SERV: **S3-10%**

CODICE: **KLMT3700-**

MF-4047

EX11216189



ROTAZIONE V.L.A.: Orario

Ø 80 x 138 mors 2

CARR.: **VARI** FENNER

MOTORE: **ISKRA**

TIPO: **AME1795 =>C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3200**

APPLIC.: **Sollevamento** SERV: **S3-20%ED**

CATALOGO MOTORI



SRL

CODICE: **KLMT1119-**

11212303



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 x 342 mors 5

CARR.: **VARI**

NN

MOTORE: **ISKRA**

TIPO: **AMP5605<=>F**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **4,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1121-**

11212398

1517220530

11212854*



ROTAZIONE V.L.A.: Orario

Ø 125 x 230 mors 2

CARR.: **VARI**

BOSCH - HYT

MOTORE: **ISKRA**

TIPO: **AMK5682=>F**

ARM. V1: **24**

A1: **205**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-16%**

CODICE: **KLMT1581-**

9000162924

c162040000

81061121

EX11212199



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

CARR.: **VARI**

OIL SISTEM-L

MOTORE: **ISKRA**

TIPO: **AME1589<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,5**

HP

U./MIN: **2800**

APPLIC.: **Sollevamento**

SERV: **S3-17%**

CODICE: **KLMT1705-**

11212255

543923812

EX11212216



ROTAZIONE V.L.A.: Orario

Ø 113 x 160 mors 2

CARR.: **VARI**

HIDROIRMA -

MOTORE: **ISKRA**

TIPO: **AMJ5529=>T**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2076-**

11212111

1517220564



ROTAZIONE V.L.A.: Orario

Ø 112 x 200 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5254=>F**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3014-**

11216514



ROTAZIONE V.L.A.: Orario

Ø 125 x 195 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5534=>T**

ARM. V1: **24**

A1: **100**

ECC.:

V2:

A2:

KW: **3**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT3377-**

11216239

101688-3-12-



ROTAZIONE V.L.A.: Orario

Ø 79 x 141 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AME1721=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3-10%ED**

CODICE: **KLMT2100-**

11216208

600-0415

1517220558



ROTAZIONE V.L.A.: Orario

Ø 114 x 201 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5720=>F**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3=4% - S**

CODICE: **KLMT3933-**

11216196



ROTAZIONE V.L.A.: Antiorario

Ø 80 x 138 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AME1710<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1924-**

11212311



ROTAZIONE V.L.A.: Orario

Ø 112 x 189 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMJ5554 =>C**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **2,1**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT1923-**

11212100

EX11212100



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 x 138 mors 2

CARR.: **VARI**

CAMPISA

MOTORE: **ISKRA**

TIPO: **AME1705<=>C**

ARM. V1: **24**

A1:

ECC.: **M. PERMANENTE**

V2:

A2:

KW: **0,8**

HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1744-**

11212555

101250-10-24

EX11212555



ROTAZIONE V.L.A.: Orario

Ø 114 x 150 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AMJ5183=>T**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT2083-**

AD.022436

AD.9836662

1517220511

EX.11212299



ROTAZIONE V.L.A.: Orario

Ø 112 x 190 mors 2

CARR.: **VARI**

PIMESPO

MOTORE: **ISKRA**

TIPO: **AMJ5721=>B**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-4%**

CODICE: **KLMT1714-**

11212958

543923812

EX11212417



ROTAZIONE V.L.A.: Orario

Ø 114 x 165 mors 2

CARR.: **VARI**

OIL SISTEM -

MOTORE: **ISKRA**

TIPO: **AMJ5273=>C**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3038-**

11216164



ROTAZIONE V.L.A.: Orario

Ø 114 x 160 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMJ5714=>R**

ARM. V1: **24**

A1: **150**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-4%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3133-**

C1620S1003
35804701



ROTAZIONE V.L.A.: Orario

Ø 112 x 173 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5279=>C**

ARM. V1: **24**

A1: **120**

ECC.: **COMPOUND**

V2:

A2:

KW: **2,2**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT1649-**

G082230



ROTAZIONE V.L.A.: Orario

Ø 115 x 159 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5127=>T**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **2,2**

HP

U./MIN: **2750**

APPLIC.: **Sollevamento**

SERV: **S3 - 4,5%**

CODICE: **KLMT2207-**

026381
11212855



ROTAZIONE V.L.A.: Orario

Ø 112 x 215 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5233=>C**

ARM. V1: **24**

A1: **320**

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1640-**

11212070



ROTAZIONE V.L.A.: Orario

Ø 114 x 165 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5636=>C**

ARM. V1: **24**

A1:

ECC.:

V2:

A2:

KW: **2**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2288-**

11216122
C1620S1011



ROTAZIONE V.L.A.: Orario

Ø 125 x 230 mors 2

CARR.: **VARI**

MOTORE: **ISKRA**

TIPO: **AMK5504=>F**

ARM. V1: **24**

A1: **200**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-20% -**

CATALOGO MOTORI



SRL

CODICE: **KLMT2786-**

11212127



ROTAZIONE V.L.A.: Orario

Ø 125 x 238 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5649=>F**

ARM. V1: **24**

A1: **205**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT2783-**

11216357



ROTAZIONE V.L.A.: Antiorario

Ø 125 x 205 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMK5523<=T**

ARM. V1: **24**

A1: **200**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S3-15% S**

CODICE: **KLMT3238-**

C1620S1030



ROTAZIONE V.L.A.: Orario

Ø 125 x 212 mors 2

CARR.: **VARI**

OIL SISTEM

MOTORE: **ISKRA**

TIPO: **AMK5527=>T**

ARM. V1: **24**

A1: **200**

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-8% / S**

CODICE: **KLMT1592-**

11212570

543933803



ROTAZIONE V.L.A.: Orario

Ø 112 x 178 mors 2

CARR.: **VARI**

BT - HIDROIR

MOTORE: **ISKRA**

TIPO: **AMJ5133=>C**

ARM. V1: **48**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3438-**

11212640

102020-48



ROTAZIONE V.L.A.: Orario

Ø 125 x 238 mors 2

CARR.: **VARI**

SMITHS

MOTORE: **ISKRA**

TIPO: **AMK5533=>T**

ARM. V1: **48**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1583-**

11212286
24009400
9110840001



ROTAZIONE V.L.A.: Antiorario

Ø 112 x 180 mors 2

CARR.: **VARI**

HYDRAPP

MOTORE: **ISKRA**

TIPO: **AMJ5545<=T**

ARM. V1: **48**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1832-**

11212974



ROTAZIONE V.L.A.: Orario

Ø 125 x 199 mors 2

CARR.: **VARI**

VARI

MOTORE: **ISKRA**

TIPO: **AMK5688=>T**

ARM. V1: **48**

A1: **100**

ECC.:

V2:

A2:

KW: **3**

HP

U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT2538-**

11212581
1547220516
EX.11212581



ROTAZIONE V.L.A.: Orario

Ø 125 x 240 mors 2

CARR.: **VARI**

BOSCH

MOTORE: **ISKRA**

TIPO: **AMK5532=>**

ARM. V1: **48**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-5%ED**

CODICE: **KLMT2836-**

MTX20A



ROTAZIONE V.L.A.: Orario

Ø 112 x 204 mors 2

CARR.: **VARI**

FENWICK

MOTORE: **M.MARELLI**

TIPO: **MTX20A**

ARM. V1: **24**

A1:

ECC.: **COMPOUND**

V2:

A2:

KW: **2**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3-5%**

CODICE: **KLMT3078-**

MLO-4001
MLO4001



ROTAZIONE V.L.A.: Antiorario

Ø 180 x 390 mors 2

CARR.: **VARI**

YALE

MOTORE: **PRESTOLITE**

TIPO: **MLQ4001**

ARM. V1: **80**

A1:

ECC.: **SERIE**

V2:

A2:

KW:

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3**

CATALOGO MOTORI



SRL

CODICE: **KLMT1326-**

50016327



ROTAZIONE V.L.A.: Orario

Ø 150 x 320 mors 2

CARR.: **VARI**

VARI

MOTORE: **SCHABMULLER**

TIPO: **R150/5RK-683/634**

ARM. V1: **36**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **5**

HP

U./MIN: **2720**

APPLIC.: **Sollevamento**

SERV: **S3-30%**

CODICE: **KLMT3642-**



ROTAZIONE V.L.A.: Orario

Ø 210 x 422 mors 2

CARR.: **VARI**

Vecchio tipo

MOTORE: **SCHABMULLER**

TIPO: **D210/10RK-93/50**

ARM. V1: **80**

A1: **155**

ECC.: **COMPOUND**

V2:

A2:

KW: **10**

HP

U./MIN: **2400**

APPLIC.: **Sollevamento**

SERV: **S3 = 50%**

CODICE: **KLMT3034-**

147470627



ROTAZIONE V.L.A.: Orario

Ø 150 x 335 mors 2

CARR.: **VARI**

CENTRALINE

MOTORE: **VARI**

TIPO: **151-**

ARM. V1: **24**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **3,5**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3-40%**

CODICE: **KLMT3145-**

MBM100 ?



ROTAZIONE V.L.A.: Orario

Ø 151 x 346 mors 2

CARR.: **VARI**

FIORA

MOTORE: **VARI**

TIPO: **EP151-RA-VP2-QB**

ARM. V1: **36**

A1: **155**

ECC.: **SERIE**

V2:

A2:

KW: **4,5**

HP

U./MIN:

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3215-**



ROTAZIONE V.L.A.: Orario

Ø 150 x 330 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **F04505**

ARM. V1: **40**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **4,5**

HP

U./MIN: **1850**

APPLIC.: **Sollevamento**

SERV: **S3 - 30%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2555-**

2454



ROTAZIONE V.L.A.: Orario

Ø 150 x 334 mors 2

CARR.: **VARI**

MOTORE: **VARI**

TIPO: **150R 2MO ST25**

ARM. V1: **48**

A1: **154**

ECC.: **SERIE**

V2:

A2:

KW: **4,5**

HP

U./MIN: **3300**

APPLIC.: **Sollevamento**

SERV: **S2-15'**

CODICE: **KLMT3226-**

E748L



ROTAZIONE V.L.A.: Orario

Ø 150 x 351 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **E748L**

ARM. V1: **48**

A1: **140**

ECC.: **SERIE**

V2:

A2:

KW: **5,5**

HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT2723-**

S10P



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 192 x 390 mors 2

CARR.: **VARI**

PGS

MOTORE: **VARI**

TIPO: **S10P**

ARM. V1: **80**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **5**

HP

U./MIN: **1200**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT2739-**

2901/M



ROTAZIONE V.L.A.: Orario

Ø 244 x 532 mors 3

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **244L 3MO P3**

ARM. V1: **80**

A1: **220**

ECC.: **SERIE**

V2:

A2:

KW: **14**

HP

U./MIN: **1080-1290**

APPLIC.: **Sollevamento**

SERV: **S3-23%**

CODICE: **KLMT3203-**

P180L

E180L



ROTAZIONE V.L.A.: Antiorario

Ø 192 x 403 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **E180L**

ARM. V1: **80**

A1: **220**

ECC.: **SERIE**

V2:

A2:

KW: **14**

HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2878-**

2707



ROTAZIONE V.L.A.: Orario

Ø 177 x 398 mors 3

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **177 3MO**

ARM. V1: **80**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **8**

HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3132-**

P180S

E180S



ROTAZIONE V.L.A.: Antiorario

Ø 191 x 348 mors 2

CARR.: **VARI**

CMC

MOTORE: **VARI**

TIPO: **P180S**

ARM. V1: **80**

A1:

ECC.: **SERIE**

V2:

A2:

KW: **7**

HP

U./MIN: **2100**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3348-**

2509



ROTAZIONE V.L.A.: Orario

Ø 177 x 390 mors 3

CARR.: **VARI**

CMBI LIFT

MOTORE: **VARI**

TIPO: **177 3MO**

ARM. V1: **80**

A1: 77

ECC.: **COMPOUND**

V2:

A2:

KW: **5**

HP

U./MIN: **2000-3100**

APPLIC.: **Sollevamento**

SERV: **S2-60'**

CODICE: **KLMT2871-**

EP134.

EP134.



ROTAZIONE V.L.A.: Orario

Ø 125 x 260 mors 2

CARR.: **VARI**

VARI

MOTORE: **VARI**

TIPO: **EP-125-NA-VA-Q**

ARM. V1: **80**

A1: 47

ECC.: **COMPOUND**

V2:

A2:

KW: **3**

HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT3434-**

1615350



ROTAZIONE V.L.A.: Orario

Ø 170 x 368 mors 3

CARR.: **VARI - LIFTER** RETRATTILE

MOTORE: **SCHABMULLER**

TIPO: **TSA170-240-017**

ARM. V1: **3F- 28**

A1:

ECC.: **ASINCRONO Hz:58**

V2:

A2:

KW: **14**

HP

U./MIN: **1630**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1111-**

CARR.: **VARI - LINDE** VARI - TRASP.

11216241

47045904

106721

ex.11212631



MOTORE: **ISKRA**

TIPO: **AME1723<=C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4500**

ROTAZIONE V.L.A.: Antiorario

Ø

x

mors

APPLIC.: **Sollevamento**

SERV: **S2-4MIN.**